ALLEN™

HOMOEOPATHY

Good Health, Good Life!

Good Health & Good Sense Are Two Of Life's Greatest Blessings...



For the use of Registered Medical Practitioner or Hospital or a Laboratory only.



Dear Esteemed Physicians,

A very warm greeting to you all!

At the outset, we express our heartfelt thanks to you for your continued patronage over the years. Your patronage and suggestions have been the building blocks of our company's success.

We understand that you have many options in the marketplace, and are pleased that you have made Allen's Drugs your premier choice for prescriptions and over-the-counter drugs. And for that we are most grateful.

As always, we are committed to providing you with the best medicines without compromising on quality. We look forward to serving you in the years to come with the same zest and earnest.

We once again thank you for your continued support and wish you all the success in life.

With warm regards,

P. Vishnu Vardhan
Managing Director

CONTENT WITH PAGE NUMBER

Company Profile 1
Manufacturing Facility 2
Quality Control & Assurance Processes 3
Mother Tinctures 5
Dilutions 11
Bio-Chemic & Bio-Combination Tablets 19
Trituration Powders & Tablets 20

SPECIALITY RANGE OF PRODUCTS

HEART & BLOOD

TONICS
Haemogen Tonic 35
RawalPlus Tonic 41

DROPS
A04 Blood Purifier 46
A40 L.B.P (Low Blood Pressure) 79
A50 H.B.P (High Blood Pressure) 86
A57 Filaria 91
A60 Cardiforte 93
A85 Eosinophilia 118
A88 Arteriosclerosis 121
A89 Cholesterol 122

SKIN CARE

DROPS
A02 Anti Fungal 45
A11 Eczema 53
A21 Leucoderma 61
A27 Psoriasis 67
A31 Warts 71
A34 Acne 74
A56 Urticaria 91
A57 Filaria 91
A81 Skin Abscess & Boils 114
A75 Allergy 108
A84 Lipoma 117

TABLETS
Warto Plus Tablets 134

OINTMENTS
Derma Plus Ointment 135
Dewarts Ointment 136
Crack Care Cream 138
Fairtouch (Advanced Fairness & Complexion Cream) 139

SOAPS (Glycerin)
Fairtouch (Luxury Beauty Soap) 148
Fairtouch (Complete Skin Care Soap) 148

HAIR CARE

DROPS
A14 Hair Scalp Relief 54
A46 Anti Dandruff 83
A53 Alopecia 89
A82 Premature Greying of Hair 115

HAIR OILS
Arnica Gold (Anti-hair Fall Care) 146
Jaborandi Gold (Anti-dandruff Care) 147

MALE HEALTH

TONICS
Genforte Tonic 31
X-Cite Dum 145

DROPS
A42 Prostatitis 81

CHILDREN

TONICS
Gripe Mixture 33
Tonokid Tonic 43

DROPS
A07 Dental 49
A16 Influenza 56
A30 Nausea & Vomiting 70
A33 Fever 73
A41 Memory 80
A68 Immunity 101
A83 Bed-wetting 116

FEMALE HEALTH

TONICS
Gynical Tonic 32
Menstrol Tonic 38

DROPS
A30 Nausea & Vomiting 70
A22 Leucorrhoea 62
A36 Dysmenorrhoea 76
A71 U.T.I. (Urinary Tract Infections) 104
A72 Menopause 105
A73 Vaginal Itching & Discharge 106
A74 Hormonal Imbalance 107
A90 Ovarian Cysts 123
A91 Uterine Fibroids 124

TABLETS
Leucocure Tablets 129

ORTHOPAEDIC

TONICS
Hymusa Tonic 34

DROPS
A19 Joint Pains 59
A28 Rheumatism 68
A29 Sciatica Relief 69
A32 Gout 72
A48 Spondylytis 84
A67 Back Pain 100

TABLETS
Orthotone Tablets 130
Osteofit Tablets 131

OTHERS
Relax Pain Killer Oil 141
Relax Pain Killer Balm 142

GENERAL WELL-BEING

TONICS
Alfa Plus Tonic 22
Alfa Plus Tonic (Sugar Free) 23
Alfa Plus with Ginseng Tonic 24
Calcitone Syrup 25
Fever Syrup 26
Five Phos Tonic 27
Ferro Plus Tonic 28

DROPS
A33 Fever 73
A 12 Eye Care Oral 54
Otovin Ear Drops 144

TABLETS
Alfa Plus Tablets 127
Ginseng Tablets 127

OTHERS
Lusit-369 Capsules (Omega 3,6,9) 149
Allen Malt (Chocolate) 140

HEAD / NERVOUS SYSTEM

DROPS
A24 Migraine & Nueralgia 64
A25 Nerve & Sleep 65
A41 Memory 80
A80 Vertigo 113
A58 Headache 92
A01 Analgesic 45

RESPIRATORY SYSTEM

TONICS
Vasakof Tonic 44

CONTENT
SPECIALITY RANGE OF PRODUCTS

DROPS
A05 Cold-sinus 47
A35 Asthma 75
A47 Throat Infection 83
A49 Dry Cough 85
A51 Tonsilitis 87
A52 Thyroid 88
A61 Whooping Cough 94
A62 Wet Cough 95
A65 Bronchitis 98
A66 Lung Infections 99
A75 Allergy 108
A16 Influenza 56

TABLETS
Tonsillin Tablets 132

URINARY & KIDNEY SYSTEM

TONICS
NoStone Tonic 39

DROPS
A20 Kidney & Bladder 60
A42 Prostatitis 81
A83 Bed-Wetting 116
A71 U.T.I. (Urinary Tract Infections) 104
A86 Proteinuria 119
A87 Creatinine & Blood Urea 120
A92 C.K.D. (Chronic Kidney Diseases) 125
A37 Renal Calculi 77
A26 Piles 66
A69 Anal Fissures 102

LIFESSTYLE

TONICS
Slimaforte Tonic 42

DROPS
A08 Diabetes 50
A41 Memory 80
A39 Anti Obesity 78
A68 Immunity 101
A77 Stress 110
A78 Chronic Anxiety 111
A79 Depression 112
A93 Alcoholism 126
Snorid Drops 143

TABLETS
Phytolacca Berry Tablets 131

GASTRO INTESTINAL, LIVER, ABDOMEN & OTHER VITAL ORGANS

TONICS
Gastropep Tonic 29
Gastropep Tonic (Sugar Free) 30
Kalmegh Tonic 36
Livia Tonic 37
NoStone Tonic 39
Pilohip Tonic 40

DROPS
A15 Indigestion Gas & Acidity 55
A17 Intestinal Colic 57
A18 Jaundice 58
A20 Kidney & Bladder 60
A23 Liver & Gall Bladder 63
A37 Renal Calculi 77
A44 Hyper Acidity & Ulcer 82
A52 Thyroid 88
A55 Stomach Pain 90
A59 Tumour 92
A63 Heart Burn 96
A64 Abdominal Pain 97
A76 Kalmegh 109

TABLETS
Wormicid Tablets 133

OINTMENTS
HAP Ointment 137

BOWEL MOVEMENT

DROPS
A06 Constipation 48
A09 Diarrhoea 51
A10 Dysentry 52
A70 I.B.S. (Irritable Bowel Syndrome) 103

TABLETS
Laxocid Tablets 128

COMPANY PROFILE

Allen Homoeo & Herbal Products Limited is the frontrunner in Indian Homoeopathic Industry with 35 Years of experience in manufacturing world-class medicines. For over three decades, millions of Indians have benefited using our medicines.

Since our inception in 1978, our sincere efforts and dedication lead us to be one of the largest and most modern GMP certified homoeopathic manufacturing companies in India. We manufacture a wide range of Classical Homoeopathic Medicines, which include Mother Tinctures, Dilutions, Homoeo Triturations, Bio-chemic & Bio-combination Tablets and also Speciality Homoeopathic Medicines like Tonics, Drops, Tablets and Ointments. We also manufacture a wide range of Skin & Beauty care products and Nutritional Supplements.

Allen's Medicines are safe and do not have any side effects or contraindications. Further, our products do not interfere with any other medication. They are very effective for adults and children as well.

Our sales teams are located all over India, guaranteeing product availability even in remote parts of the country.

We owe much of our success to the continual support and patronage of esteemed Physicians who have always relied on us for quality medicines.



MANUFACTURING FACILITY

• The manufacturing facility is GMP Certified. The SOPs are very clearly defined and strictly adhered to guarantee world class homoeopathic medicines. Our facility not only meets the GMP norms laid down by Govt. of India but is also compliant with WHO GMP regulations.

• We adopt internationally approved Vendor Audit Process (VAP) for sourcing genuine raw medicinal plants.

• All manufacturing divisions are carefully designed to ensure smooth operations without any cross-interference from other divisions.

• The Liquid Oral Plant boasts of fully automatic assembly line capable of manufacturing 40,000 bottles in an 8 hour shift.

• All machinery and storage containers are made of High quality SS316 stainless steel grade.

• Installed High speed automatic Potentiser in Dilution Section to ensure precise "succession". Our Back Potency Bank is very impressive and is a very significant feature of the facility.

• Specially developed Total Quality Management (TQM) Program for Quality Assurance (QA) and Quality Control (QC) Processes.









Allen Homoeo & Herbal Products Limited manufactures a wide range of Classical Homoeopathic Drugs and OTC products.

RANGE OF PRODUCTS

- Mother Tinctures
- Dilutions
- Bio-Chemic & Bio-Combination Tablets
- Trituration Powders & Tablets
- Speciality Tonics
- Speciality Drops
- Speciality Tablets
- Speciality Ointments
- Hair Care Products
- Beauty & Skin Care Products
- General Well-Being Products
- Nutritional Supplements

We take immense pride in building a world class facility for the benefit of homoeopathic fraternity.

"Quality is never by accident; it is always the result of high intention, sincere effort, intelligent direction and skillful execution; it represents the wise choice of many alternatives."

William A. Foster, quoted in "Igniting the Spirit at Work: Daily Reflections"

Our Company firmly believes in the above philosophy and has steadfastly adhered to it both in letter and spirit.

Quality of Medicinal Plants:

Quality of raw medicinal plants is very critical as it would have a direct bearing on the finished medicines. Although Good Agricultural Practices (GAP), Good Harvesting Practices (GHP) and Good Storage Practices (GSP) are voluntary and non-discriminatory to the growers, we follow Vendor Audit Process (VAP) to source our plants from internationally reputed growers who steadfastly adhere to these Practices. Adopting these practices ensure good quality raw medicinal plants.

Good Manufacturing Practices (GMP): In simple terms, "GMP" is a set of guidelines designed to ensure that the medicines are consistent, safe and of the highest quality.

But our quest for finest quality doesn't end with GMP. Allen Homoeopathy has differentiated itself from others in the homoeopathic industry by consistently manufacturing higher quality products than demanded by industry regulations. That consistent quality is the result of Allen's unique quality assurance program: Total Quality Management (TQM). The TQM program meets and exceeds Homoeopathic Pharmacopeia of India (HPI) standards and Good Manufacturing Practices (GMP). Our state-of-the-art Laboratory boasts of all the modern testing equipment necessary for development of in-house standardisation.





What is our Total Quality Management (TQM) Program?

The TQM program includes the following QA processes:

- Review and approval of raw material suppliers via Vendor Audit Process.
- **Incoming raw ingredient verification:** Every ingredient that is received is quarantined until verified by our in-house Lab for identity, physical characteristics, activity, purity and safety. Our Lab facilities can also detect changes in ingredients from the same suppliers. This becomes particularly important for liquid medicines where solubility and taste are important issues.
- Complete lot/batch control and traceability from raw materials to finished goods.
- Laboratory testing of work-in-progress and finished goods.
- Pre-shipment audits and final inspections of all finished goods.
- TQM is not only about production but also about responsible waste disposal. Our procedures also cover the discharge of waste water and outdated ingredients to ensure the environment is respected.



MOTHER TINCTURES

Mother Tinctures form the most critical component of Homoeopathic Medicines. It is extremely important to ensure that Mother Tinctures are of the purest quality and contain the optimum amount of active compounds which are essential for their therapeutic use.

Only high quality SS316 stainless steel grade Percolators and Macerators are used in Mother Tincture preparation.

Automatic Hydraulic Press is used for extracting complete tincture medicine from the medicinal mixture of Herbs and Grain based ENA (G-ENA). This ensures that the extract obtained is rich in medicinal content. This extract then goes through a series of filtration processes to ensure medicinal tinctures are completely free of any sedimentation.



Mother tinctures are standardized on following parameters:

- Alcohol content
- pH
- Weight per ml
- Total solids
- Identification Tests
  - (a) Chemical test
  - (b) Thin layer chromatography – fingerprint analysis of secondary metabolites
- λ max – by UV Spectrophotometer

Our Mother Tinctures conform to the strict standards laid down by the Homoeopathic Pharmacopeia of India. Allen manufactures more than 340 world class Mother Tinctures and are available in 30 ml, 100 ml and 500 ml pack sizes.

Mother Tinctures are bottled in imported EP Bottles with Tamper and Leak Proof Capping and European Style Dropping System.

S.No	NAME	Category
1	Abies Canadensis	D
2	Abies Nigra	D
3	Abroma Augusta	A
4	Abroma Radix	A
5	Abrotanum	D
6	Absinthium	C
7	Acalypha Indica	A
8	Acidum Citricum	B
9	Acidum Aceticum	B
10	Achyranthes Aspera	B
11	Acidum Benzoicum	B
12	Acidum Phosphoricum	A
13	Acidum Muriaticum	B
14	Acidum Picricum	B
15	Acidum Salicylicum	B
16	Acidum Nitricum	B
17	Acidum Oxalicum	B
18	Acidum Sulphuricum	B
19	Aconite Napellus	C
20	Adonis Vernalis	B
21	Aegle Folia	A
22	Aegle Marmelos	A
23	Aesculus Hippocastanum	A
24	Aethusa Cynapium	B
25	Agaricus Muscarius	A
26	Agave Americana	A
27	Agnus Castus	C
28	Agraphis Nutans	B
29	Aletris Farinosa	C
30	Alfalfa	A
31	Allium Cepa	A
32	Allium Sativam	B
33	Angelica Archangelica	B
34	Alnus Serulata	D
35	Aloe Socotrina	B
36	Alstonia Constricta	D
37	Amloki (Emblica Officinalis)	B

S.No	NAME	Category
38	Ammonium Carbonicum	A
39	Ammonium Muriaticum	A
40	Ammi Visnaga	E
41	Amoora Rohitaka	B
42	Amyl Nitrosum	E
43	Amygdalus Amara	B
44	Anacardium Orientale	C
45	Anantherum Muricatum	D
46	Angustura	C
47	Anthemis Nobilis	C
48	Apis Mellifica	C
49	Apium Graveolens	D
50	Apocynum Androsaemifolium	C
51	Apocynum Cannabinum	B
52	Aralia Racemosa	D
53	Argentum Nitricum	C
54	Arnica Montana	C
55	Arsenicum Album	B
56	Arsenicum Bromatum	C
57	Artemisia Vulgaris	B
58	Asafoetida	D
59	Asparagus Officinalis	C
60	Aspidosperma	C
61	Aswgandha (Withania Somnifera)	B
62	Atista Indica	D
63	Atista Radix	D
64	Avena Sativa	A
65	Azadirachta Indica	A
66	Babchi (Psoralia Corylifolia)	C
67	Badiaga	D
68	Baptisia Tinctoria	D
69	Barosma Crenata	D
70	Belladonna	A
71	Bellis Perennis	B
72	Berberis Aquifolium	B

S.No	NAME	Category
73	Berberis Vulgaris	A
74	Blatta Orientalis	C
75	Blumea Odorata	A
76	Boerhaavia Diffusa	A
77	Boldo	E
78	Bovista	B
79	Brahami (Bacopa Monnieri)	A
80	Bryonia Alba	A
81	Bromium	D
82	Cactus Grandiflorus	C
83	Caladium Seguinum	C
84	Calendula Officinalis	A
85	Calotropis Gigantea	A
86	Camphora	C
87	Cantharis	G
88	Capsicum Annuum	C
89	Carduus Marianus	B
90	Carica Papaya	A
91	Cascara Sagrada	G
92	Cascarilla	F
93	Castanea Vesca	B
94	Caulophyllum Thalictroides	B
95	Ceanothus Americanus	C
96	Cedron	D
97	Cephalandra Indica	A
98	Chapparo	D
99	Chamomilla	B
100	Chaulmogra (Gynocardium)	D
101	Chelidonium Majus	C
102	Chelone Glabra	B
103	Chenopodium Anthelminticum	B
104	Cherianthus Cheiri	C
105	Chimaphilla Umbellata	C
106	China Off (Cinchona Officinalis)	C

S.No	NAME	Category
107	Chionanthus Virginica	C
108	Chirata (Swertia Chirata)	D
109	Cimicifuga Racemosa	C
110	Cina	C
111	Cineraria Martima	E
112	Cinnamonium	D
113	Cistus Canadensis	B
114	Clematis Erecta	C
115	Coca	E
116	Cocculus Indicus	D
117	Coccus Cacti	G
118	Cochlearia Armoracia	C
119	Coffea Cruda	E
120	Colchicum Autumnale	E
121	Collinsonia Canadensis	B
122	Colocynthis	A
123	Condurango	B
124	Conium Maculatum	D
125	Convallaria Majalis	D
126	Copaiba Officinalis	C
127	Crataegus Oxycantha	B
128	Curcuma Longa	E
129	Croton Tiglium	F
130	Coleus Aromaticus	D
131	Cynodon Dactylon	A
132	Cassia Sophora	A
133	Cyclamen Europaeum	A
134	Damiana	B
135	Daphne Indica	D
136	Digitalis Purpurea	B
137	Dioscorea Villosa	A
138	Drone (Lucus Aspara)	C
139	Drosera Rotundifolia	C
140	Dulcamara	A
141	Desmodium Gangeticum	C
142	Dolichos Pruriens	E
143	Echinacea Angustifolia	C

S.No	NAME	Category
144	Embelia Ribes	B
145	Ephedra Vulgaris	D
146	Equisetum Hyemale	B
147	Ergotin	B
148	Erigeron Canadensis	A
149	Eucalyptus Globulus	B
150	Euonymus Atropurpurea	C
151	Eupatorium Perfoliatum	B
152	Eupatorium Purpurium	E
153	Euphorbium	F
154	Euphrasia Officinalis	C
155	Ficus Indica	B
156	Ficus Religiosa	B
157	Filix Mas	A
158	Fraxinus Americana	F
159	Fucus Vesiculosus	C
160	Fagopyrin Esculentum	D
161	Galega Officinalis	C
162	Gambogia	H
163	Gaultheria Procumbens	C
164	Gelsemium Sempervirens	B
165	Gentiana Leutea	D
166	Geranium Maculatum	C
167	Ginseng	H
168	Glycerinum	B
169	Gnaphalium Polycephalum	B
170	Gossypium Herbaceum	A
171	Granatum	B
172	Grindelia Robusta	D
173	Guaiacum	H
174	Gymnema Sylvestre	C
175	Ginkgo Biloba	F
176	Hamamelis Virginica	B
177	Hedera Helix	C
178	Helleborus Niger	C

S.No	NAME	Category
179	Helonias Dioica	H
180	Hoang Nan	D
181	Hydrangea Arborescens	C
182	Hydrastis Canadensis	C
183	Hydrocotyle Asiatica	B
184	Hygrophila Spinosa	C
185	Hymusa	D
186	Hyoscyamus Niger	B
187	Hypericum Perforatum	B
188	Helianthus Annus	B
189	Iberis Amara	D
190	Ignatia Amara	H
191	Inula Helenium	D
192	Iodium	C
193	Ipecacuanha	G
194	Iris Versicolor	B
195	Jaborandi	C
196	Jacaranda Caroba	D
197	Janosia Ashoka	A
198	Juglans Regia	A
199	Juniperus Virginiana	B
200	Juniperus Communis	C
201	Justicia Adhatoda	A
202	(Kalmegh) Andrographis Paniculata	B
203	Kalmia Latifolia	C
204	Kreosotum	E
205	Kurchi (Holarrhena Anti Dysenterica)	A
206	Lacanthus Tinctoria	B
207	Lilium Tigrinum	D
208	Lappa Major	B
209	Lathyrus Sativus	D
210	Laurocerasus	C
211	Ledum Palustre	C
212	Lemna Minor	B
213	Leptandra	H
214	Lobelia Inflata	B

S.No	NAME	Category
215	Luffa Bindal	C
216	Lycopodium Clavatum	E
217	Lycopus Virginicus	C
218	Lupulus	A
219	Melilotus Alba	B
220	Mentha Piperita	A
221	Menthol	F
222	Mezereum	D
223	Millefolium	C
224	Muira Puama	G
225	Myrica Cerifera	C
226	Myristica Sebifera	C
227	Negundium Americana	D
228	Nuphar Lutea	F
229	Nux Vomica	B
230	Nyctanthus Arbortristis	B
231	Nymphea Odorata	D
232	Nux Moschata	D
233	Ocimum Canum	B
234	Ocimum Sanctum	B
235	Oenanthe Crocata	C
236	Oxydendron Arboreum	D
237	Onasmodium Virginia-num	B
238	Ornithagalum	D
239	Piper Methysticum	F
240	Paeonia Officinalis	D
241	Pareira Brava	C
242	Passiflora Incarnata	B
243	Phytolacca Berry	C
244	Phytolacca Decandra	B
245	Pinus Lamb	C
246	Plantago Major	B
247	Podophyllum Peltatum	C
248	Piscidia	C
249	Physostigma Veneno-sum	F

S.No	NAME	Category
250	Polygonum Pun	D
251	Populus Candicans	G
252	Pothos Foetidus	C
253	Prunus Virginiana	B
254	Pulsatilla Nigricans	E
255	Petroleum	E
256	Quassia Amara	G
257	Quercus Glandium Spiritus	D
258	Ranunculus Bulbosus	C
259	Rhododendron Chry-santhum	D
260	Raphanus Sativus	A
261	Ratanhia	B
262	Rauvolfia Serpentina	B
263	Rheum	C
264	Rhus Toxicodendron	C
265	Rhus Venenata	C
266	Ricinus Communis	C
267	Robinia Pseudocacia	C
268	Rohitaka	D
269	Rosamarinum Off	D
270	Rumex Crispus	C
271	Ruta Graveolens	B
272	Rubia Tinctoria	D
273	Rhus Aromatica	C
274	Sabadilla	C
275	Sabal Serrulata	C
276	Sabina	D
277	Salix Nigra	B
278	Salvia Officinalis	E
279	Sambucus Nigra	B
280	Sanguinaria Canadensis	C
281	Sarsaparilla	B
282	Saussurea Lappa	D
283	Sarracenia Purpurea	C
284	Scilla Martima	D

MOTHER TINCTURES
30 ml |100 ml | 500 ml

S.No	NAME	Category
285	Scrophularia Nodosa	C
286	Scutellaria	B
287	Sulphur	A
288	Secale Cornutum	G
289	Senecio Aureus	D
290	Senega	B
291	Sempervivum Tectorum	F
292	Senna	A
293	Sepia	H
294	Solidago Virgaurea	B
295	Spigelia	C
296	Spongia Tosta	D
297	Staphysagria	D
298	Sterculia Accuminata	D
299	Sticta Pulmonaria	D
300	Sinapis Alba	C
301	Sinapis Nigra	C
302	Stellaria Media	C
303	Stillangia Sylvatica	C
304	Stramonium	B
305	Strophanthus Hispidus	D
306	Symphoricarpus Race-mosus	C
307	Symphytum Officinale	B
308	Syzygium Jambolanum	A
309	Sumbul	D
310	Squilla	B
311	Tabacum	B
312	Terebinthinae Oleum	A
313	Terminalia Chebula	A
314	Teucrium Marum Virum	C
315	Thalapsi Bursa Pastoris	B
316	Thea Chinesis	B
317	Thuja Occidentalis	B
318	Tinispora Cordfolia	A
319	Tribulus Terrestris	B
320	Trichosanthes Dioica	C

S.No	NAME	Category
321	Trillium Pend	D
322	Taraxacum	C
323	Thymolum	E
324	Terminalia Arjuna	B
325	Tussilago Farfara	B
326	Urtica Urens	A
327	Usnea Barbata	C
328	Ustilago Maydis	G
329	Uva Ursi	B
330	Veratrum Album	C
331	Valeriana Officinalis	B
332	Verbascum Thapsus	B
333	Viburnum Opulus	A
334	Viburnum Prunifolium	B
335	Vinca Minor	C
336	Viola Odorata	B
337	Viola Tricolor	B
338	Viscum Album	C
339	Veratrum Viride	C
340	Xanthozylum Fraxineum	C
341	Yerba Santa (Eriodic-tyon Glutinosum)	D
342	Yohimbinum	D
343	Zingiber Officinale	B

DILUTIONS

PREPARED WITH GRAIN BASED EXTRA NEUTRAL ALCOHOL

Dilutions form the core of Homeopathic treatment. A specific homeopathic medicine dilution is obtained by a precise and controlled process of successive "homeopathic potentisation". The medicine is diluted or de-concentrated in Grain based Extra Neutral Alcohol (G-ENA) and then vigorously shaken, traditionally referred to as "succession". This process transforms the original substance into a therapeutically active medicine.

We use automatic Potentiser which ensures that each of these "succussions" is performed with the same number of strokes and with the same force on each stroke to ensure that every medicine we make is of the highest quality.

Grain based Extra Neutral Alcohol (G-ENA) is first filtered through One Micron Filter Cartridges before use. This ensures ENA used is of the purest quality.

Our Back Potency Bank is the most impressive and significant features of our manufacturing facility.



Why Grain based Extra Neutral Alcohol (G-ENA) is used : Grain based Extra Neutral Alcohol (G-ENA) is of better quality and purity than Molasses based ENA . In addition, G-ENA is a lot smoother, less pungent and more potable.

Dilutions are standardized on following parameters:

- Alcohol Content: Percentage of Alcohol
- Purity of alcohol for presence of Aldehydes & Ketones ; Fusel Oil and Allied Impurities

Our Dilutions conform to the strict standards laid down by the Homoeopathic Pharmacopeia of India. Allen manufactures more than 1500 world class Dilutions and are available from 3x to 1M Potencies.

Dilutions are bottled in imported EP Bottles with Tamper and Leak Proof Capping and European Style Dropping System.

S.No	NAME
1	Abelmoschus
2	Abies Canadensis
3	Abies Excelsa
4	Abies Nigra
5	Abrotanum
6	Absinthium
7	Acalypha Indica
8	Acanthus Vulgaris
9	Acetanilidum
10	Acidum Aceticum
11	Achyranthes Aspera
12	Acidum Aceticum
13	Acidum Benzoicum
14	Acidum Boracicum
15	Acidum Butyric
16	Acidum Carbolicum
17	Acidum Chromicum
18	Acidum Citricum
19	Acidum Chrysophanicum
20	Acidum Coracicum
21	Acidum Fluoricum
22	Acidum Formicum
23	Acidum Gallicum
24	Acidum Hydrocyanicum
25	Acidum Hydrofluoricum
26	Acidum Lacticum
27	Acidum Muriaticum
28	Acidum Nitricum
29	Acidum Oxalicum
30	Acidum Phosphoricum
31	Acidum Picricum
32	Acidum Salicylicum
33	Acidum Sulphuricum
34	Acidum Uricum
35	Aconitum Napellus
36	Aconitum Radix
37	Actaea Alba

S.No	NAME
38	Actaea Racemosa
39	Actaea Spicata
40	Adonis Vernalis
41	Adrenalin
42	Aesculus Hippocastanum
43	Aethiops Antimonialis
44	Aethusa Cynapium
45	Agaricus Muscarius
46	Agnus Castus
47	Agraphis Nutans
48	Aletrin
49	Aletris Farinosa
50	Alfalfa
51	Allium Cepa
52	Allium Sativum
53	Alnus Rubra
54	Alnus Serrulata
55	Aloe Socotrina
56	Alstonia Constricta
57	Alumen
58	Alumina
59	Alumina Phosphorica
60	Alumina Silicata
61	Ambra Grisea
62	Ammoniacum Gummi
63	Ammonium Arsenicum
64	Ammonium Benzoicum
65	Ammonium Bromatum
66	Ammonium Carbonicum
67	Ammonium Causticum
68	Ammonium Iodatum
69	Ammonium Muriaticum
70	Ammonium Phosphoricum
71	Ammonium Picricum
72	Ammonium Sulphuricum
73	Amygdalus Amara
74	Amyl Nitrosum

S.No	NAME
75	Anacardium Occidentale
76	Anacardium Orientale
77	Anagallis Arvensis
78	Angelica Archangelica
79	Angustura
80	Anthraxin
81	Antimonium Arsenicicum
82	Antimonium Crudum
83	Antimonium Iodatum
84	Antimonium Sulphuratum
85	Antimonium Tartaricum
86	Antipyrin
87	Antitoxin
88	Apis Mellifica
89	Apocynum Cannabinum
90	Aralia Racemosa
91	Arbutus Andrachne
92	Argentum Cynatum
93	Argentum Metallicum
94	Argentum Nitricum
95	Arnica Montana
96	Arsenicum Sulphuratum Flavum
97	Arsenicum Sulphuratum Rubrum
98	Arsenicum Album
99	Arsenicum Bromicum
100	Arsenicum Hydrogenatum
101	Arsenicum Iodatum
102	Artemisia Vulgaris
103	Arum Maculatum
104	Arum Triphyllum
105	Asafoetida
106	Asarum Europaeum
107	Asclepias Syriaca
108	Asclepias Tuberosa
109	Aspidosperma
110	Aspirin
111	Asterias Rubens

S.No	NAME
112	Atropinum
113	Aurum Arsenicum
114	Aurum Arsenicum Bromatum
115	Aurum Metallicum
116	Aurum Muriaticum Natronatum
117	Aurum Muriaticum
118	Avena Sativa
119	Bacillinum
120	Badiaga
121	Balsmum Peru
122	Baptisia Tinctoria
123	Baryta Muriatica
124	Baryta Carbonica
125	Baryta Iodata
126	Baryta Phosphorica
127	Belladonna
128	Bellis Perennis
129	Benzinum
130	Benzoinum
131	Berberis Aquifolium
132	Berberis Vulgaris
133	Bismuthum Metallicum
134	Bismuthum Carbonicum
135	Blatta Orientalis
136	Borax
137	Bovista
138	Brahami(Bacopa Monnieri)
139	Bracontum Foetidum
140	Bromium
141	Bryonia Alba
142	Cactus Grandiflorus
143	Cadmium Sulphuricum
144	Caladium Seguinum
145	Calcarea Carbonica
146	Calcarea Fluorica
147	Calcarea Arsenicosa
148	Calcarea Iodata

S.No	NAME
149	Calcarea Phosphorica
150	Calcarea Picrata
151	Calcarea Renalis
152	Calcarea Silicata
153	Calcarea Sulphurica
154	Calendula Officinalis
155	Camphora Officinarum
156	Cannabis Indica
157	Cannabis Sativa
158	Cantharis
159	Capsicum Annuum
160	Carbo Animalis
161	Carbo Vegetabilis
162	Carboneum
163	Carboneum Sulphuratum
164	Carcinosinum
165	Carduus Marianus
166	Carnus Cir
167	Carica Papaya
168	Cascara Amargo
169	Cascara Sagrada
170	Causticum
171	Caulophyllum Thalictroides
172	Ceanothus Americanus
173	Cedron
174	Cepa
175	Chamomilla
176	Chenopodium Anthelminticum
177	Chelidonium Majus
178	Chimaphila Umbellata
179	China Off (Cinchona Officinalis)
180	Chininum Arsenicum
181	Chininum Sulphuricum
182	Chionanthus Virginica
183	Cholesterinum
184	Chrysarobinum (Acidum Chrysa-robinum)

S.No	NAME
185	Chelone Glabra
186	Cicuta Virosa
187	Cimex Lectularius
188	Cimicifuga Racemosa
189	Cina
190	Cinnabaris
191	Cistus Canadensis
192	Citrus Vulgaris
193	Clematis Erecta
194	Cobaltum Metallicum
195	Cobra
196	Coca
197	Cocculus Indicus
198	Coccus Cacti
199	Coffea Cruda
200	Colchicum Autumnale
201	Collinsonia Canadensis
202	Colocynthis
203	Condurango
204	Conium Maculatum
205	Copaiba Officinalis
206	Cornus Circinata
207	Crataegus Oxycantha
208	Crocus Sativus
209	Crotalus Horridus
210	Croton Tiglium
211	Cubeba Officinalis
212	Cuprum Arsenicosum
213	Cuprum Metallicum
214	Cuprum Aceticum
215	Curare
216	Cyclamen Europoeum
217	Damiana
218	Digitalin
219	Digitalis Purpurea
220	Dioscorea Villosa
221	Diphtherinum

S.No	NAME
222	Drosera Rotundifolia
223	Dulcamara
224	Dysentery
225	Echinacea Angustifolia
226	Eucalyptus Globulus
227	Elaps Corallinus
228	Ephedrin
229	Epigea Repens
230	Eupatorium Perfoliatum
231	Eupatorium Purpureum
232	Euphorbium
233	Euphrasia Officinalis
234	Fagopyrum Esculentum
235	Feltauri
236	Ferrum Metallicum
237	Ferrum Arsenicicum
238	Ferrum Phosphoricum
239	Ferrum Picricum
240	Filix Mas
241	Formica Rufa
242	Gambogia
243	Gelsemium Sempervirens
244	Geranium Maculatum
245	Ginseng
246	Glonoinum
247	Glycerinum
248	Gnaphalium Polycephalum
249	Graphites
250	Gratiola Officinalis
251	Grindelia Robusta
252	Guaiacum
253	Gunpowder
254	Hamamelis Virginica
255	Hedera Helix
256	Hecla Lava
257	Helleborus Niger
258	Helonias Dioica

S.No	NAME
259	Hepar Sulphur
260	Hydrangea Arborescens
261	Hydrastis Canadensis
262	Hydrocotyle Asiatica
263	Hydrophobinum
264	Hydrophyllum Virginicum
265	Hyoscyamus Niger
266	Hypericum Perforatum
267	Ignatia Amara
268	Iberis Amara
269	Indigo
270	Influenzinum
271	Insulin
272	Inula
273	Iodium
274	Iodoform
275	Ipecacuanha
276	Iridium Metallicum
277	Iris Tenax
278	Iris Versicolor
279	Jaborandi(Pilocarpus)
280	Jacaranda Caroba
281	Jalapa
282	Jatropha Curcas
283	Juniperus Communis
284	Justicia Adhatoda
285	Kali Arsenicosum
286	Kali Benzoicum
287	Kali Bichromicum
288	Kali Bromatum
289	Kali Carbonicum
290	Kali Chloricum
291	Kali Cyanatum
292	Kali Iodatum
293	Kali Muriaticum
294	Kali Nitricum
295	Kali Phosphoricum

DILUTIONS
30 ml |100 ml | 500 ml

S.No	NAME
296	Kali Sulphuricum
297	Kalmia Latifolia
298	Kaolin
299	Kreosotum
300	Lac Caninum
301	Lac Defloratum
302	Lachesis
303	Lapis Albus
304	Latrodectus Mactans
305	Laurocerasus
306	Lecithin
307	Ledum Palustre
308	Lemna Minor
309	Leptandra
310	Lilium Tigrinum
311	Lithium Carbonicum
312	Lobelia Inflata
313	Lycopodium Clavatum
314	Lycopus Virginicus
315	Lyssin
316	Lacanthus Tinctoria
317	Lathyrus Sativus
318	Lappa Major(Arctium Lappa)
319	Macrotin
320	Magnesia Carbonica
321	Magnesia Muriatica
322	Magnesium Phosphoricum
323	Magnesia Sulphurica
324	Malandrinum
325	Manganum Aceticum
326	Medorrhinum
327	Melilotus Alba
328	Menthol
329	Mercurius Iodatus Flavus
330	Mephitis Mephitica
331	Mercurius Iodatus Ruber
332	Mercurius Corrosivus

S.No	NAME
333	Mercurius Dulcis
334	Mercurius Solubilis
335	Mercurius Vivus
336	Mezereum
337	Millefolium
338	Morbilinum
339	Morphinum Purum
340	Moschus
341	Mullein Oil
342	Murex Purpurea
343	Myrica Cerifera
344	Myristica Sebifera
345	Naja Tripudians
346	Naphthalinum
347	Natrum Carbonicum
348	Natrum Muriaticum
349	Natrum Phosphoricum
350	Natrum Sulphuricum
351	Nuphar Lutea
352	Nux Moschata
353	Nux Vomica
354	Ocimum Canum
355	Ocimum Sanctum
356	Oenanthe Crocata
357	Oleander
358	Oleum Jecoris Aselli
359	Onasmodium Virginianum
360	Opium
361	Origanum Vulgare
362	Ornithogalum Umbellatum
363	Ovarian
364	Ovatesta
365	Oxydendron Arboreum
366	Paeonia Officinalis
367	Palladium
368	Paraffin
369	Pareira Brava

S.No	NAME
370	Passiflora Incarnata
371	Penicillin
372	Pepsin
373	Pertussin
374	Petroleum
375	Petroselinum Sativum
376	Phosphorus
377	Physostigma Venenosum
378	Phytolacca Berry
379	Phytolacca Decandra
380	Pilocarpinum
381	Pinus Lambertiana
382	Piper Methysticum
383	Pix Liquida
384	Plantago Major
385	Platinum Metallicum
386	Plumbum Metallicum
387	Podophyllum Peltatum
388	Populus Candicans
389	Pothos Foetidus
390	Prunus Virginiana
391	Psorinum
392	Pulsatilla Nigricans
393	Pyrara
394	Pyrogenium
395	Quassia
396	Quercus Glandium Spiritus
397	Radium Bromide
398	Rana Bufo
399	Ranunculus Bulbosus
400	Raphanus Sativus
401	Ratanhia
402	Resorcinum
403	Rhamnus Californicum
404	Rheum
405	Rhododendron Chrysanthum
406	Rhus Toxicodendron

S.No	NAME
407	Rhus Venenata
408	Ricinus Communis
409	Robinia Pseudocacia
410	Rumex Crispus
411	Ruta Graveolens
412	Sabadilla
413	Sabal Serrulata
414	Sabina
415	Salix Nigra
416	Sambucus Nigra
417	Sanguinaria Canadensis
418	Sanguinaria Nitrica
419	Sanicula Aqua
420	Santoninum
421	Sarsaparilla
422	Secale Cornutum
423	Selenium
424	Senecio Aureus
425	Senega
426	Senna
427	Sepia
428	Silicea
429	Sinapis Nigra
430	Skookum Chuck
431	Solanum Nigrum
432	Solidago Virgaurea
433	Spigelia Anthelmintica
434	Spongia Tosta
435	Squilla
436	Stannum Metallicum
437	Staphysagria
438	Stellaria Media
439	Sticta Pulmonaria
440	Stramonium
441	Strychninum Pure
442	Sulphur
443	Sulphur Iodatum

S.No	NAME
444	Symphytum Officinale
445	Syphilinum
446	Symphoricarpus Racemosus
447	Syzygium Jambolanum
448	Tabacum
449	Taraxacum
450	Tarentula Cubensis
451	Tarentula Hispana
452	Tellurium
453	Terebinthinae Oleum
454	Terpin Hydrate
455	Testies Sicc(Orchitinum)
456	Teucrium Marum Verum
457	Thalapsi Bursa Pastoris
458	Theridion Curassavicum
459	Thiosinaminum
460	Thuja Occidentalis
461	Thymol
462	Thyroidinum
463	Titanium
464	Tribulus Terrestris
465	Trifolium Pratense
466	Trillium Pendulum
467	Tuberculinum
468	Typhoidinum
469	Uranium Nitricum
470	Urtica Urens
471	Ustilago Maydis
472	Uva Ursi
473	Viola Tricolor
474	Viburnum Prunifolium
475	Vinca Minor
476	Vaccininum
477	Valeriana Officinalis
478	Viola Odorata
479	Vipera Torva
480	Viscum Album

S.No	NAME
481	Variolinum
482	Veratrum Album
483	Veratrum Viride
484	Verbascum Thapsus
485	Vesicaria Shorti
486	Viburnum Opulus
487	Wiesbaden
488	Wyethia Helenioides
489	X - Ray
490	Xanthium Spinosum
491	Xanthoxylum Fraxineum
492	Yerba Santa (Eriodictyon Glutinosum)
493	Yohimbinum
494	Zincum Metallicum
495	Zincum Phosphatum
496	Zincum Sulphuricum
497	Zingiber Officinale


BIO-CHEMIC REMEDIES (TISSUE SALTS) / BIO-COMBINATIONS / TRITURATIONS

Also known as the Tissue remedies or Schussler's tissue salt remedies. This is a system of medicine evolved by Dr. Schussler in 1873. Schussler was a homeopath who propounded the theory that disease is caused by the insufficiency of organic salts in the tissues/cells of the body and that the supply of these deficient salt(s) cures diseases. Schussler identified 12 homeopathic medicines as Biochemic remedies.

Traditionally, Bio-Chemic remedies are used in low potencies – 3x, 6x, 12x upto 30x and are effective healing agents. If a person is found to have symptoms, which are not fully covered by a single salt, then more than one salt is given in combination. Based upon the tissue affinity and symptoms, the cell salts have been combined in 28 different combinations containing 3 to 5 medicines. Each combination works for a specific set of symptoms or a specific condition.

High quality SS316 stainless steel grade machinery is used in Bio-Chemic / Bio-Combination / Trituration Tablet preparations. Only HMS Pharma Lactose is used in preparation.

We manufacture complete range of Bio-Chemic / Bio-Combination / Trituration Tablets in 3x to 200x potencies and are available in 25 gm & 450 gm pack sizes.



S.No	NAME	Category	
		3x	6x
1	Acidum Benzoicum	A	A
2	Acidum Boricum	A	A
3	Acidum Citricum	A	A
4	Acidum Oxalicum	B	A
5	Acidum Picricum	A	A
6	Acidum Salicylicum	A	A
7	Acidum Tannicum	B	A
8	Adrenalinum	B	A
9	Alumina	B	A
10	Ammonium Bromatum	A	A
11	Ammonium Carbonicum	A	A
12	Ammonium Muriaticum	A	A
13	Ammonium Phosphoricum	A	A
14	Antimonium Crudum	A	A
15	Antimonium Tartaricum	A	A
16	Antipyrinum	B	A
17	Argentum Metallicum	B	A
18	Argentum Nitricum	-	A
19	Arsenicum Album	A	A
20	Arsenicum Iodatum	A	A
21	Arsenicum Sulphuratum Flavum	B	A
22	Aurum Metalicum	B	A
23	Aurum Muriaticum Natronatum	B	A
24	Baryta Carbonica	A	A
25	Baryta Iodata	A	A
26	Baryta Muriatica	A	A
27	Baryta Sulphurica	A	A
28	Bismuthum Metallicum	B	A
29	Borax	A	A
30	Calcarea Arsenicosa	B	A
31	Calcarea Carbonica	A	A

S.No	NAME	Category	
		3x	6x
32	Calcarea Hypophosphorosa	A	A
33	Calcarea Iodata	B	A
34	Calcarea Picrata	B	A
35	Camphora	A	A
36	Carbo Vegetabilis	A	A
37	Chininum Arsenicosum	B	A
38	Chininum Sulphuricum	B	A
39	Cholesterinum	B	A
40	Chrysarobinum	B	A
41	Cinnabaris	B	A
42	Cuprum Arsenicosum	A	A
43	Cuprum Metallicum	B	A
44	Ferrum Iodatum	B	A
45	Ferrum Picricum	B	A
46	Ferrum Sulphuricum	A	A
47	Ferrum Metallicum	A	A
48	Graphites	A	A
49	Gun Powder	A	A
50	Hekla Lava	A	A
51	Hepar Sulphuris Calcareum	A	A
52	Histaminum	B	A
53	Indigo	B	A
54	Iodium	B	A
55	Kali Arsenicosum	B	A
56	Kali Bichromicum	A	A
57	Kali Bromatum	A	A
58	Kali Carbonicum	A	A
59	Kali Chloricum	A	A
60	Kali Iodatum	A	A
61	Kali Nitricum	A	A
62	Lapis Albus	B	A
63	Lecithinum	A	A

S.No	NAME	Category	
		3x	6x
64	Lithium Carbonicum	A	A
65	Magnesium Carbonicum	A	A
66	Magnesium Muriaticum	A	A
67	Magnesium Sulphuricum	A	A
68	Mercurius Corrosivus	B	A
69	Mercurius Iodatus Flavus	B	A
70	Mercurius Solubilis	B	A
71	Naphthalinum	A	A
72	Natrum Arsenicum	A	A
73	Natrum Bicarbonicum	A	A
74	Natrum Bromatum	A	A
75	Natrum Iodatum	A	A
76	Natrum Nitricum	A	A
77	Ova Tosta	A	A
78	Palladium	B	A
79	Pepsin	A	A
80	Plumbum Metallicum	A	A
81	Santoninum	B	A
82	Selenium	-	A
83	Selenium Metallicum	B	A
84	Skoocum Chuck	A	A
85	Sulphur	A	A
86	Sulphur Iodatum	B	A
87	Tellurium	B	A
88	Teucrium Marum Virum	A	A
89	Thiosinaminum	B	A
90	Thyroidinum	B	A
91	Titanium	A	A
92	Uranium Nitricum	B	A
93	Zincum Metallicum	A	A
94	Zincum Phosphoratum	A	A
95	Zincum Sulphuricum	A	A

ALFA PLUS

FAMILY TONIC



Indications: Tonic for general improvement, loss of appetite and stamina.

Composition: Each 5 ml. contains: Alfalfa Q 0.10 ml., Avena sativa Q 0.05 ml., Acidum phosphoricum Q 0.05 ml., Cinchona officinalis Q 0.02 ml., Withania somnifera Q 0.05 ml., Hydrastis canadensis Q 0.05 ml., Emblica officinalis Q 0.10 ml., Terminalia chebula Q 0.05 ml., Passiflora incarnata Q 0.02 ml., Acidum citricum Q 0.02 ml., Alcohol 6.70% v/v. In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Alfalfa: From its action on sympathetic, alfalfa favourably influences nutrition, tones up the appetite and digestion, resulting in greatly improved mental and physical vigour and gain in strength.

Avena sativa: Has a selective action on brain and nervous system, favourably influencing their nutritive function. Nervous exhaustion and sexual debility call for this remedy.

Acidum phosphoricum: Debility mental, followed by physical; with free secretions. Debility from loss of vital fluids,

Cinchona officinalis: China is indicated in weakness and debility especially after loss of vital fluids and exhausting discharges.

Withania somnifera: Fortifies the body considerably, reinforces muscular mass, strengthens tissues, muscles and bones, and reduces feelings of tiredness in chronic fatigue. Restores vitality, strength and energy. It is also useful in anaemia.

Hydrastis canadensis: Indicated for great debility in old people who are easily tired, cachectic individuals. It improves muscular power.

Emblica officinalis: It is an immuno-stimulant. Highly nutritious and is an important dietary source of Vitamin C, minerals and amino acids.

Terminalia chebula: Helps in improving appetite and helps in digestion. It is a good nervine and helps in nervous weakness and nervous irritability and promotes the receiving power of the five senses. It promotes longevity and boosts energy.

Passiflora incarnata: It has calming, sleep inducing, and muscle spasm relieving effects. It is a good remedy for mental exhaustion.

Acidum citricum: As an anti-oxidant, citric acid may be able to neutralize the damaging effects of free radicals, unstable compounds that can accumulate in the body and can trigger the growth of cancerous tumours. It helps in Mineral absorption.

ALFA PLUS FAMILY TONIC

SUGAR FREE



Indications: Tonic for general improvement, loss of appetite and stamina.

Composition: Each 5ml. contains: Alfalfa Q 0.10 ml., Avena sativa Q 0.05 ml., Acidum phosphoricum Q 0.05 ml., Cinchona officinalis Q 0.02 ml., Withania somnifera Q 0.05 ml., Hydrastis canadensis Q 0.05 ml., Emblica officinalis Q 0.10 ml., Terminalia chebula Q 0.05 ml., Passiflora incarnata Q 0.02 ml., Acidum citricum Q 0.02 ml., Alcohol 6.70% v/v., In Sorbitol Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Alfalfa: From its action on sympathetic, alfalfa favourably influences nutrition, tones up the appetite and digestion, resulting in greatly improved mental and physical vigour and gain in strength.

Avena sativa: Has a selective action on brain and nervous system, favourably influencing their nutritive function. Nervous exhaustion and sexual debility call for this remedy.

Acidum phosphoricum: Debility mental, followed by physical; with free secretions. Debility from loss of vital fluids,

Cinchona officinalis: China is indicated in weakness and debility especially after loss of vital fluids and exhausting discharges.

Withania somnifera: Fortifies the body considerably, reinforces muscular mass, strengthens tissues, muscles and bones, and reduces feelings of tiredness in chronic fatigue. Restores vitality, strength and energy. It is also useful in anaemia.

Hydrastis canadensis: Indicated for great debility in old people who are easily tired, cachectic individuals. It improves muscular power.

Emblica officinalis: It is an immuno-stimulant. Highly nutritious and is an important dietary source of Vitamin C, minerals and amino acids.

Terminalia chebula: Helps in improving appetite and helps in digestion. It is a good nervine and helps in nervous weakness and nervous irritability and promotes the receiving power of the five senses. It promotes longevity and boosts energy.

Passiflora incarnata: It is a good remedy for mental exhaustion.

Acidum citricum: As an anti-oxidant, citric acid may be able to neutralize the damaging effects of free radicals, unstable compounds that can accumulate in the body and can trigger the growth of cancerous tumours. It helps in Mineral absorption.

ALFA PLUS GINSENG



Indications: Tonic for general improvement, loss of appetite and stamina.

Composition: Each 5 ml. contains: Ginseng Q 0.15 ml., Alfalfa Q 0.10 ml., Avena sativa Q 0.05 ml., Acidum phosphoricum Q 0.05 ml., Cinchona officinalis Q 0.02 ml., Withania somnifera Q 0.05 ml., Hydrastis canadensis Q 0.05 ml. , Emblica officinalis Q 0.10 ml., Terminalia chebula Q 0.05 ml., Passiflora incarnata Q 0.02 ml., Lecithin 3x 0.05 ml., Alcohol 6.70% v/v., In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Ginseng: It is thought to gently stimulate and strengthen the central nervous system in cases of fatigue, physical exertion, weakness from disease and injury, and prolonged emotional stress.

Alfalfa: From its action on sympathetic, alfalfa favourably influences nutrition, tones up the appetite and digestion, resulting in greatly improved mental and physical vigour and gain in strength.

Avena sativa: Has a selective action on brain and nervous system, favourably influencing their nutritive function.

Acidum phosphoricum: Debility mental, followed by physical; with free secretions.

Cinchona officinalis: China is indicated in weakness and debility especially after loss of vital fluids and exhausting discharges.

Withania somnifera: Fortifies the body considerably, reinforces muscular mass, strengthens tissues, muscles and bones, and reduces feelings of tiredness in chronic fatigue.

Hydrastis canadensis: It improves muscular power.

Emblica officinalis: It is an immuno-stimulant. Highly nutritious and is an important dietary source of Vitamin C, minerals and amino acids.

Terminalia chebula: Helps in improving appetite and helps in digestion. It promotes longevity and boosts energy.

Passiflora incarnata: It is a good remedy for mental exhaustion.

Lecithin: It is thought to gently stimulate and strengthen the central nervous system.

CALCITONE

CALCIUM SYRUP



Indications: Promotes strong bones and teeth and helps preventing osteoporosis, Lowers blood pressure, Reduces risk of colon cancer, Reduces symptoms of premenstrual syndrome (PMS).

Composition: Each 5 ml. contains: Calcarea phosphorica 3x 0.20 mg., Calcarea hypophosphorosa 1x 0.20 mg., Silicea 3x 0.10 mg. Alcohol 6.0 % v/v., In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Calcarea Phosphorica: Widely used for calcium deficiency especially in children during dentition. Soft, thin bones. Malassimilation. Delayed closure of fontanelles. Mental and physical weakness and fatigue. Delayed healing of fractures or sprains.

Calcarea Hypophosphorosa: Used in calcium deficiency, forms a good source of calcium.

Silicea: Useful in imperfect assimilation and consequent defective nutrition. Helpful in diseases of bones, caries and necrosis.

FEVER SYRUP



Indications: Body temperature above 98.6°F or 37°C. Symptoms may include Sweating, Shivering, Headache, Muscle aches, Loss of appetite, Dehydration and General weakness.

Composition: Each 5ml. contains: Aconitum napellus Q 0.100 ml., Gelsemium sempervirens Q 0.100 ml., Belladona Q 0.050 ml., Bryonia alba Q 0.050 ml., Cinchona officinalis Q 0.050 ml., Rhus toxicodendron Q 0.050 ml., Nux vomica Q 0.025 ml., Arsenicum album 3x 0.025 ml., Coffea cruda 3x 0.025 ml., Ferrum phosphoricum 3x 0.025 gm., Alcohol 5.50 % v/v., In Syrup & Sweetner Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Aconitum napellus: Cold waves pass through during chill. Thirst, restlessness always present. High fever; dry burning heat.

Gelsemium sempervirens: Fever with prostration, stupor, thirstlessness. Dullness, dizziness, drowsy, trembling. Heat with drowsiness. Perspiration not profuse. In Typhoid fevers, with dark red face and besotted appearance.

Belladona: Internal coldness with external pungent, burning, steaming heat in fever. No thirst with fever. Sudden violent onset. Red face, with throbbing of carotids.

Bryonia Alba: Fevers - all kinds of fever, bilious, typhoid and remittent fevers. In intermittent fever, great thirst during chill, and still greater in heat.

Cinchona officinalis: Intermittent Fevers - Periodicity well marked, returns every 7th or 14th day, never at night. Anticipatory type of fever. Chill preceded by palpitation, anxiety and hunger; Soreness in liver and spleen and great flatulence. Fever with headache.

Rhus toxicodendron: Dry teasing cough, before and during chill, in intermittent fever. Cough with taste of blood. Fever blisters around mouth and on chin. Great thirst with dry tongue, mouth and throat. Thirst for cold water even though the person is chilly.

Nux vomica: Fever - Chill - must be covered in every stage of fever. Chilliness on being uncovered, yet does not allow covering. Rigor with blueness of finger nails. Great heat, whole body burning hot, yet patient cannot move or uncover which brings on chills.

Arsenicum Album: Fever - Low grade like typhoid. Externally cold with internal burning. Dyspnoea with chill, sweat with great thirst

Coffea cruda: All the senses more acute - sight, hearing, smell, taste, touch. Wide awake condition; impossible to close the eyes; physical excitement through mental exaltation.

Ferrum phosphoricum: Fever - Chill with thirst. Heat with thirstlessness. Sweat - strong ammonical odour debilitating. Pulse - full, soft, short, quick, flowing pulse.

Five Phos
GENERAL TONIC



Indications: For nervous exhaustion, Impaired memory, General debility, Anaemia, Loss of appetite, Wasting diseases, Weakness due to frequent child bearing, Impaired growth.

Composition: Each 5ml. contains: Calcarea phosphorica 3x 0.090 gm., Ferrum phosphoricum 3x 0.090 gm., Kali phosphoricum 3x 0.090 gm., Magnesium phosphoricum 3x 0.090 gm., Natrum phosphoricum 3x 0.090 gm., Lecithin 3x 0.045 gm., Alcohol 5.40 % v/v., In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Calcarea phosphorica: Anaemia or debility after acute disease, or chronic wasting disease. Mental and physical weakness and fatigue.

Ferrum phosphoricum: Easy exhaustion, of sanguineous and nervous temperament. Increases Haemoglobin in anaemic individuals.

Kali phosphoricum: Mental fatigue. Mental breakdown after enormous mental exertion with nervousness and oversensitivity.

Magnesium phosphoricum: Forgetful, dullness and inability to think clearly, Indisposition to study or mental effort. Indisposition to mental or physical exertion.

Natrum phosphoricum: Ailments from mental exertion.

Lecithin: Lecithin is important in the vital processes of plant and animal organisms. Lecithin has a favourable influence upon the nutritive conditions especially upon the blood, hence its use in anaemia and convalescence, neurasthenia and insomnia.

FERRO PLUS
IRON TONIC



Indications: An ideal tonic for iron deficiency in blood, Anaemia.

Composition: Each 5 ml. contains: Ferrum lacticum 1x 0.185 mg., Ammonium aceticum 1x 0.045 mg., Natrum phosphoricum1x 0.045 mg., Kali phosphoricum1x 0.045 mg., Acidum citricum 1x 0.045 mg., Acidum phosphoricum 1x 0.045 mg., Ferrum phosphoricum 1x 0.045 mg., Calcarea hypophosphorosa 1x 0.045 mg., Alcohol 5.5 % v/v., In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Ferrum lacticum: It has the general therapeutic value of iron salts. It is easily absorbed and is one of the least astringent forms of iron. An excellent remedy to be used in iron deficiency anaemia.

Ammonium aceticum: It is a good nutrient. Ammonia is essential for maintaining the acid-base balance in your body and so keeps you healthy.

Natrum phosphoricum: This salt is found in the blood, muscles, nerve and brain-cells, as well as in the intercellular fluids. Natrum phosphoricum is the remedy for conditions arising from excess of lactic acid. Spinal anaemia.

Kali phosphoricum: Cerebral anaemia, anaemic conditions of the brain causing undue nervousness. Poverty of the blood from influences which continually depress the mind and nervous system. Spinal anaemia, from exhausting diseases, such as diphtheria, reflex paraplegia, with aching pains.

Acidum citricum: It helps in iron absorption.

Acidum phosphoricum: Debility mental, followed by physical; with free secretions. Debility from loss of vital fluids. Iron deficiency resulting from haemorrhage.

Ferrum phosphoricum: Ferrum phosphoricum increases haemoglobin. Useful in pale, anaemic subjects with violent local congestions. Haemorrhagic diathesis - bright red, coaguable blood, from any orifice.

Calcarea hypophosphorosa: To be preferred when it seems necessary to furnish the organism with liberal doses of phosphorus in consequence of continued abscesses having reduced the vitality.

GASTROPEP™
DIGESTIVE TONIC



Indications: Hyperacidity, Eructation, Heart burn, Water brash, Flatulence, Indigestion, Gastritis, Colic.

Composition: Each 5ml contains : Alumina 3x 0.005 gm., Antimonium crudum 3x 0.005 gm., Carbo vegetabilis 3x 0.010 gm. Carica papaya Q 0.010 ml., Cinchonaofficinalis Q 0.020 ml., Hydrastis canadensis Q 0.020 ml., Lycopodium clavatum Q 0.050 ml., Magnesia carbonica 3x 0.100 gm., Natrum phosphoricum 3x 0.050 gm., Nux vomica Q 0.020 ml., Pepsin 3x 0.050 gm., Robina pseudocacia Q 0.050 ml., Terminalia chebula Q 0.050 ml., Zingiber officinale Q 0.050 ml., Alcohol 9.60 % v/v., In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Alumina: Colic pain in abdomen, painter's colic.
Antimonium crudum: Loss of appetite. Gastric and intestinal complaints.
Carbo vegetabilis: Flatulence and fullness with weak digestion.
Carica papaya: Heartburn, sour eructations with loss of appetite.
Cinchona officinalis: Fullness and flatulence .
Hydrastis canadensis: Loss of appetite.
Lycopodium clavatum: Food tastes sour. Excessive hunger, but eating ever so little creates fullness.
Magnesia carbonica: Heart burn, sour eructations.
Natrum phosphoricum: Noisy flatulence. Gastro-duodenal catarrh. Fullness in abdomen.
Nux vomica: Disgust for food, with nausea. Habitual constipation.
Pepsin: The homoeopathic remedy made from this enzyme aids in digestion.
Robinia pseudocacia: Acidity of stomach.
Terminalia chebula: Increases digestion power. It clears and cleanses bowels.
Zingiber officinale: Diarrhoea from impure water with much flatulence.

GASTROPEP™
DIGESTIVE TONIC
SUGAR FREE



Indications: Hyperacidity, Eructation, Heart burn, Water brash, Flatulence, Indigestion, Gastritis, Colic.

Composition: Each 5ml contains: Alumina 3x 0.005 gm., Antimonium crudum 3x 0.005 gm., Carbo vegetabilis 3x 0.010 gm., Carica papaya Q 0.010 ml., Cinchona officinalis Q 0.020 ml., Hydrastis canadensis Q 0.020 ml., Lycopodium clavatum Q 0.050 ml., Magnesia carbonica 3x 0.100 gm., Natrum phosphoricum 3x 0.050 gm., Nux vomica Q 0.020 ml., Pepsin 3x 0.050 gm., Robina pseudocacia Q 0.050 ml., Terminalia chebula Q 0.050 ml., Zingiber officinale Q 0.050 ml., Alcohol 9.60 % v/v., In Sorbitol Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Alumina: Colic pain in abdomen, painter's colic.
Antimonium crudum: Loss of appetite. Gastric and intestinal complaints.
Carbo vegetabilis: Flatulence and fullness with weak digestion.
Carica papaya: Heartburn, sour eructations with loss of appetite.
Cinchona officinalis: Fullness and flatulence .
Hydrastis canadensis: Loss of appetite.
Lycopodium clavatum: Food tastes sour. Excessive hunger, but eating ever so little creates fullness.
Magnesia carbonica: Heart burn, sour eructations.
Natrum phosphoricum: Noisy flatulence. Gastro-duodenal catarrh. Fullness in abdomen.
Nux vomica: Disgust for food, with nausea. Habitual constipation.
Pepsin: The homoeopathic remedy made from this enzyme aids in digestion.
Robinia pseudocacia: Acidity of stomach.
Terminalia chebula: Increases digestion power. It clears and cleanses bowels.
Zingiber officinale: Diarrhoea from impure water with much flatulence.

GENFORTE®

MALE TONIC



Indications: Sexual weakness, Lack of libido or diminished desire, Premature ejaculation, Functional impotency, Psychic and idiopathic Impotency, Sexual or senile debility, Semen scanty or deficient spermatozoa.

Composition: Each 5ml. contains: Agnus castus Q 0.10 ml., Avena sativa Q 0.05 ml., Acidum phosphoricum Q 0.05 ml., Withania somnifera Q 0.10 ml., Cannabis indica Q 0.02 ml., Damiana Q 0.10 ml., Ginseng Q 0.05 ml., Cinchona officinalis Q 0.05 ml., Nuphar lutea Q 0.05 ml., Salix nigra Q 0.05 ml., Selenium 3x 0.05 gm., Yohimbinum Q 0.05 ml., Alcohol 9.60% v/v., In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Agnus castus: Sexual vitality is lowered, with corresponding mental depression and loss of nervous energy. Sexual melancholy. Impotence. Scanty emission without ejaculation. Premature old age from abuse of sexual power. History of repeated gonorrhoeas.

Avena sativa: Spermatorrhoea, impotence after too much indulgence.

Acidum phosphoricum: Frequent, profuse, debilitating, nightly emissions with lascivious dreams. Impotency, early ejaculation, often after excess. Weak, relaxed genitals, suddenly during coitus.

Withania somnifera: It enhances sexual potency.

Cannabis indica: Backache after sexual intercourse. Oozing of white, glairy mucus from glands.

Damiana: A very good remedy for impotency.

Ginseng: Sexual weakness and rheumatic pains in hips, groins and back after frequent emissions. Weakness of genital organs. Voluptuous itching. Pressure in testicles.

Cinchona officinalis: Frequent emissions followed by great weakness.

Nuphar lutea: Complete absence of sexual desire. Impotency. Involuntary emissions during stool or when urinating. Spermatorrhoea. Pain in testicles and penis. Voluptous thoughts do not cause erections.

Salix nigra: Increased sexual passion with genital irritability. Sexual thoughts. Lasciviousness, Lustfulness. Erotic insanity. Nymphomania. Painful movement of testicles. Seminal emissions in presence of women or while talking with them. In gonorrhoea with much erotic trouble. Cannot control sexual appetite.

Selenium: Impotency due to dribbling and wastage of semen during sleep. Increased desire and decreased ability. Semen thin and colourless. On attempting coition, penis relaxes.

Yohimbinum: An excellent remedy for impotency. Excites sexual organs.

GYNICAL

UTERINE TONIC



Indications: Heavy irregular bleeding, with pain in the lower abdomen or back, difficulty urinating and moving bowels, incontinence, backaches, bleeding between periods, chronics and abnormal bleeding.

Composition: Each 5 ml. contains: Ashoka jonosia Q 0.01 ml., Abroma augusta Q 0.05 ml., Aletris farinose Q 0.10 ml., Caulophyllum Q 0.10 ml., Hydrastis canadensis Q 0.05 ml., Pulsatilla Q 0.05 ml., Viburnum opulus Q 0.05 ml., Magnesia phosphorica 3x 0.05 gm., Nux vomica 2x 0.05 ml., Helonias dioica Q 0.05 ml., Mercurius solubilis 3x 0.05 ml., In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Ashoka jonosia: Nourishing tonic for Uterus. It also helps to relieve the menstrual problems.

Abroma augusta: It causes the menses to appear and gives the tone and strength to the uterus.

Aletris farinose: Premature and profuse menses, with labour-like pains. Retarded and scanty flow. Uterus seems heavy. Prolapse, with pain in right inguinal region.

Caulophyllum: Complaints of the uterus, for instance profuse bleeding as well as absence of a tone in the muscles of the uterus.

Hydrastis canadensis: It has proved valuable in vaginal and uterine leucorrhoea, and in all cases of enfeebled mucous tissues.

Pulsatilla: Useful remedy in dysmenorrhoea. Dark menses which are delayed and accompanied with this severe menstrual colic.

Viburnum opulus: Menses too late, scanty, lasting a few hours, offensive in odor, with crampy pains, cramps extend down thighs (Bell). Bearing-down pains before. Ovarian region feels heavy and congested. Aching in sacrum and pubes, with pain in anterior muscles of thighs.

Magnesia phosphorica: Menstrual colic; pain precedes flow; Ovarian neuralgia, Vaginismus. Ovaritis. Membranous dysmenorrhoea. Menses too early, with dark, fibrinous, stringy flow. Severe cramping pains over entire pelvis.

Nux vomica: Alleviate excessive bleeding from fibroid tumors.

Helonias dioica: Atony of the genital organs, and pain extending from the back of the uterus.

Mercurius solubilis: Menses profuse, with abdominal pains. Leucorrhœa excoriating, greenish and bloody; sensation of rawness in parts. Stinging pain in ovaries (Apis). Itching and burning; worse, after urinating.

GRIPE MIXTURE



Indications: Gripe Mixture is an effective remedy for infants with colic, gastrointestinal discomfort, teething pain and other stomach ailments.

Composition: Each 5 ml. contains: Chamomilla 3x 0.05 ml., Magnesium phosphoricum3x 0.10 mg., Calcarea phosphorica 3x 0.10 mg., Natrum sulphuricum 3x 0.05 mg., Ferrum phosphoricum 3x 0.10 mg., Cina Q 0.05 ml. Sabadilla Q 0.05 ml., Alcohol 3.5 % v/v., In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Chamomilla: Flatulent colic. Abdomen distended like a drum, sensitive to touch, wind passes off in small quantities. Diarrhoea during dentition, from cold, anger, tobacco, from downward motion. Stools - sour, grass green or lienteric, smelling like bad eggs.

Magnesium phosphoricum: Flatulent colic, forcing patient to bend double, relieved by rubbing, warmth, pressure; accompanied by belching of gas, which gives no relief. Bloated, full sensation in abdomen.

Calcarea phosphorica: Chronic abdominal colic in school going children, with or without diarrhoea.

Natrum sulphuricum: Colic, rubbing abdomen, lying on sides.


Ferrum phosphoricum: Pains wandering. Appears and disappears suddenly. Colic due to multiple food allergies to tea, egg, beer, alcohol, wine, meat, fat and milk.

Cina: Violent screaming attacks at night, child lying on back, striking and kicking with hands and feet. Spasms - due to worms, unilateral, children throw arms from side to side.

Sabadilla: Colic due to worms.

HYMUSA

Fights Rheumatism, Gout, Arthritis, Sciatica & Neuralgia



Indications: Fights Rheumatism, Gout, Arthritis, Sciatica & Neuralgia.

Composition: Each 5 ml. contains: Arnica montana Q 0.06 ml., Bryonia alba Q 0.08 ml. Rhus toxicodendron Q 0.10 ml., Dulcamara Q 0.05 ml., Rhododendron chrysanthum Q 0.20 ml., Acidum benzoicum 3x 0.20 ml., Kali iodatum 3x 1.50 mg., Alcohol 5.8% v/v., In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Arnica montana: Traumatic remedy par excellence. Trauma in all its varities - mental or physical and their effects recent or remote. Sore, lame, bruised feeling all over body as if beaten. Sore pain when touched. Ascending type of rheumatism.

Bryonia alba: Rheumatic arthritis causing inflammation and exudation. Stitching pains which are relieved by absolute rest and pressure, and by lying on painful side.

Rhus toxicodendron: Muscular Rheumatism and Arthritis. Sciatica, left side. Great rigidity, stiffness, numbness and pain are experienced on first motion, after the rest.

Dulcamara: Conditions found as effects of damp weather, in hot days and cold nights towards the close of summer. Stiffness, numbness, aching, soreness of muscles on every exposure to cold, especially of back and loins.

Rhododendron chrysanthum: Gouty - rheumatic subjects. Pains are tearing, zigzag, boring, rapidly changing, descending, paralytic pains. Acute inflammatory swelling of joints. Gouty inflammation. Fibrous deposit and arthritic nodosities. Rheumatic drawing tearing in limbs especially in right side. Pain in Tendo Achilles on stepping. Chronic rheumatism affecting the smaller joints and their ligaments.

Acidum benzoicum: Arthritis. Gout. Rheumatic diathesis engrafted on a gonorrhoeal or syphilitic patient. Pains tearing, stitching in a large joints of big toe. Redness and swelling of joints. Neuralgias worse from suppression of urinary deposits.

Kali iodatum: Rheumatic pains at night and in damp weather. Rheumatism of knees with effusion. Severe bone pains. Periosteum thickened, especially tibia, sensitive to touch. Contractions of joints. Pain in small of back and coccyx. Sciatica.

HAEMOGEN

BLOOD PURIFIER



Indications: General improvement of the blood & other vital fluid compositions, To improve immunity against illness, Unclean skin, Pimples, Frequent boils, Swelling of lymph glands.

Composition: Each 5 ml. contains: Echinacea angustifolia Q 0.10 ml., Baptisia Q 0.05 ml., Skookum chuck Q 0.05 ml., Gun Powder 3x 0.05 ml., Sarsaparilla Q 0.05 ml., Sulphur Q 0.05 ml., Ferrum phosphoricum 3x 0.05 gm., Carbo vegetabilis 3x 0.05 gm., Acidum muriaticum 6x 0.05 ml., Hydrocotyle asiatica Q 0.05 ml., Vanadium 12x 0.05 gm., Alcohol 8.0% v/v. In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Echinacea angustifolia: Corrects the blood dyscrasias; hence it is useful in all types of blood poisonings. Auto-infection, septic conditions, bites of poisonous animals, Lymphangitis, gangrene, vaccinosis etc.

Baptisia: Is suitable for blood poisons that are highly septic such as the puerperal state, such as scarlet fever.

Skookum chuck: Blood Poisoning Sepsis [Poisoning].

Gun Powder: Helps in carbuncles, acne, blood poisoning and in any condition causing septic suppuration.

Sarsaparilla: Used as a restorative and blood purifier.

Sulphur: Is an excellent blood purifier remedy.

Ferrum phosphoricum: Is found in the blood cells. It acts as oxygen carrier. Its deficiency leads to anemia and poor oxygenation of tissues.

Carbo vegetabilis: Blood seems to stagnate in the capillaries, causing blueness, coldness, and ecchymosis.


Acidum muriaticum: Weak states of the body with disorganization of the blood.

Hydrocotyle asiatica: Sensation as if heart was compressed, as if blood had no room in the aorta.

Vanadium: Congestion of blood.

KALMEGH

FOR LIVER DISORDERS



Indications: Sluggish Liver, loss of appette, indigestion due to irregular function of liver, Jaundice Hepatic Dysfunction, Hepatomegaly and Poor Biliary Secretion.

Composition: Each 5 ml. contains:, Andrographis paniculata (Kalmegh) Q 0.10 ml., Chelidonium majus Q 0.10 ml., Carica papaya Q 0.10 ml., Myrica cerifera 3x 0.10 ml., Hydrocotyle asiatica Q 0.05 ml., Hygrophila spinosa Q 0.05 ml., Alcohol 5.5 % v/v., In Syrup & Sweetner Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Andrographis paniculata: It helps to support and strengthen the liver. It has been proved to be hepatoprotective drug.

Chelidonium majus: Jaundice. Bilious complaints during gestation. Constant pain under the inner, inferior angle of right scapula. Entire skin greyish yellowish with hepatic complaints. Tongue - Thick, yellow coated, indented, with red edges. Stools clay coloured, yellow, hard, round, like a ball, like sheep's dung, with itching of the anus. Alternate diarrhoea and constipation.

Carica papaya: Useful for liver ailments with fullness of abdomen as if it would burst due to flatulence, uneasy feeling in abdomen. Abdomen distended after taking meals with burning sensation in throat, sour eructation. Spasmodic pain in abdomen with loose, watery, yellowish stool with general weakness, amel.

Myrica cerifera: Liver affections with heart complaints; with Urticaria, with Jaundice.

Hydrocotyle asiatica: Pain in upper part of liver. Obstruction in hepatic region. Heat in hypogastrium.

Hygrophila spinosa: Hygrophila spinosa is commonly used for the treatment of Jaundice and hepatic obstruction.

LIVIA
LIVER TONIC



Indications: For organic and functional complaints of liver & gall bladder, Sluggish liver, Loss of appetite, Biliousness, Jaundice, Enlargement of liver, Gall stones, Biliary colic. Reduces the toxic and after effects of Alcohol.

Composition: Each 5 ml. contains: Carica papaya Q 0.045 ml., Carduus marianus Q 0.045 ml., Chionanthus virginica Q 0.045 ml., Helidonium majus Q 0.050 ml., Cinchona officinalis Q 0.030 ml., Ferrum phosphoricum 3x 0.030 mg. Hydrastis canadensis Q 0.030 mg., Andrographis paniculata Q 0.050 ml., Lycopodium clavatum Q 0.045 ml., Mercurius solubilis 3x 0.020mg., Natrum phosphoricum 3x 0.030 mg., Natrum sulphuricum 3x 0.030 mg., Taraxacum Q 0.050 ml., Alcohol 6.0 % v/v. In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician

Remedies Used: Indication Areas

Carica papaya: Useful for liver ailments. Spasmodic pain in abdomen with loose, watery, yellowish stool with general weakness, amel.

Carduus marianus: Liver - Engorged, especially left lobe, swelled laterally in the transverse direction painful to pressure. Jaundice and dull frontal headache, Stools are bilious and urine golden yellow.

Chionanthus virginica: Hepatic derangements, jaundice, enlarged liver with gall stones.

Chelidonium majus: Jaundice. Bilious complaints during gestation.

Cinchona officinalis: Liver enlarged and swollen. Pain in right hypochondrium. Jaundice.

Ferrum phosphoricum: Useful in liver ailments associated with anaemia.

Hydrastis canadensis: Its action on liver is marked. Liver, torpid and tender. Jaundice.

Andrographis paniculata: It helps to support and strengthen the liver.

Lycopodium clavatum: Hepatitis, atrophic form of nutmeg liver - dropsy.

Mercurius solubilis: Liver enlarged, sore to touch, indurated. Jaundice. Bile secreted deficiently.

Natrum phosphoricum: Yellow creamy coat on base of tongue.

Natrum sulphuricum: Chronic enlargement of the liver. Soreness and tenderness in the liver region.

Taraxacum: Pain and soreness in the region of liver and bilious Diarrhoea .

Menstrol
LEUCORRHOEA TONIC



Indications: All Menstrual Disorders, Leucorrhoea, Mental Colic, Pruritus Vulvae & Habitual Abortion.

Composition: Each 5ml. contains: Abroma augusta Q 0.050 ml., Aletris farinosa Q 0.050 ml., Caulophyllum thalictroides Q 0.050 ml., Fraxinus americana Q 0.050 ml., Hydrastis canadensis Q 0.050 ml., Pulsatilla nigricans Q 0.050 ml., Viburnum opulus Q 0.050 ml., Aurum muriaticum natronatum 3x 0.050 gm., Sepia Q 0.050 ml., Calcarea ova tosta 3x 0.050 gm., Thuja occidentalis Q 0.050 ml., Helonias dioica Q 0.050 ml., Alumina 3x 0.050 gm. Alcohol 9.20 % v/v., In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Abroma augusta: Leucorrhoea in diabetic ladies. Thick whitish discharge. Dysmenorrhoea.

Aletris farinosa: Anaemic, debilitated females who suffer from prolapses, Leucorrhoea, rectal distress. Caulophyllum thalictroides: Late menses. Dysmenorrhoea. Vaginal spasms.

Fraxinus americana: Enlargement of the uterus. Fibrous growths. Uterine tumours with bearing down sensation.

Hydrastis canadensis: Leucorrhoea after menses.

Pulsatilla nigricans: Leucorrhoea milky thick like cream, acrid, with pain in back and exhaustion.

Viburnum opulus: Heaviness of both sacral and pubic regions, with pains going on from the sacrum around the loins across to the pubic bones and down the thighs.

Aurum muriaticum natronatum: Uterine tumours. Ossified uterus. Corrosive leucorrhoea with pustules on genitals.

Sepia: Irregular menses of nearly every form, with pains going to the back. Dryness of vagina after menses.

Calcarea ova tosta: Leucorrhoea and backache.


Thuja occidentalis: Polyps on vagina and wart-like excrescences. Severe left ovarian pains.

Helonias dioica: Debilitated women who are worn out, after abortion, miscarriages, haemorrhages with prolapse of uterus.

Alumina: Menses scanty. After menses - great exhaustion, physically and mentally.

NoStone

SYRUP FOR RENAL CALCULI



Indications: Kidney stones (known medically as renal calculi) produce sudden excruciating, cramping pain in the low back, groin, or abdomen. This pain is referred to as renal colic and occurs when the stone is in the ureter or after the stone has left the bladder and is in the urethra. The pain comes in waves lasting 20 to 60 minutes, characteristic of colicky pain. Renal colic is associated with nausea, vomiting, fever, blood in the urine, pus in the urine, cloudy or smelly urine and painful urination. Painful urination may occur when a urinary tract infection is also present.

Composition: Each 5 ml. contains: Acidum nitricum 3x 0.025 ml., Berberis vulgaris Q 0.100 ml., Cantharis 3x 0.025 ml., Dulcamara Q 0.050 ml., Eupatorium perfoliatum Q 0.050 ml., Lycopodium clavatum Q 0.050 ml., Pareira brava Q 0.025 ml.,Ocimum canum Q 0.025 ml., Rubia tinctor 3x 0.025 ml., Sarsaparilla Q 0.050 ml., Senecio aureus Q 0.025 ml., Solidago virgaurea Q 0.025 ml., Uva ursi 3x 0.025 ml., Alcohol 5.5 % v/v., In Syrup & Sweetner Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Acidum nitricum: Urine - dark, scanty, offensive. Sensation as if hot wire in urethra.
Berberis vulgaris: Colic due to stones, radiating, shooting outwards. Pain in kidneys radiates to bladder, and then along hips into the thighs.
Cantharis: Violent and aggressive action on tissues, especially mucus membranes of the urinary tract. Tenesmus of rectum and bladder.
Dulcamara: Urinary system - Milky urine. Catarrhal ischuria in grown-up children.
Eupatorium pupureum: Deep, dull pain in the kidneys. Burning in the bladder and urethra.
Lycopodium clavatum: Hepatitis, atrophic form of nutmeg liver - dropsy.
Pareira brava: Renal colic. Bladder catarrh. Excruciating pain, radiating from left lumbar to groin, to thighs, to toes, and soles of feet, during effort to urinate.
Ocimum canum: A good remedy for renal calculus with right sided renal colic.
Rubia tinctor: It helps cleanse and detoxify the kidneys. It is also helpful in preventing kidney stone formation and reducing the size of existing kidney stones.
Sarsaparilla: Pain from right kidney downwards. Renal colic.
Senecio aureus: Pain in region of kidneys with fever and prostration.
Solidago virgaurea: It has an excellent and time honoured reputation for dissolving kidney stones.
Uva ursi: Cystitis with bloody urine. Chronic vesical irritation. Painful micturation with burning sensation.

PILOHIP

SYRUP FOR PILES



Indications: Bleeding Painful, Burning, Itching, Blind & External Piles, Fissures, Bleeding from Rectum, Organic or Idiopathic.

Composition: Each 5 ml. contains: Acidum muriaticum 3x 0.050 ml., Aesculus hippocastanum Q 0.100 ml., Acidum nitricum 3x 0.025 ml. Collinsonia canadensis Q 0.025ml., Hamamelis virginica Q 0.050 ml., Negundium americana Q 0.050 ml., Nux vomica Q 0.050 ml., Sulphur Q 0.050ml., Ratanhia Q 0.050 ml., Terminalia chebula Q 0.050 ml., Alcohol 7.5 % v/v., In Syrup & Sweetener Base.


Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician

Remedies Used: Indication Areas

Acidum muriaticum: Haemorrhoids very sensitive, anus sore during menses. Haemorrhoids - during pregnancy, blue, like a bunch of grapes.
Aesculus hippocastanum: An excellent remedy for Haemorrhoids. Venous stasis. Rectum feels full of small sticks. Haemorrhoids - blind or bleeding.
Acidum nitricum: Constipated with fissures in rectum. Haemorrhoids bleed easily and come out with each stool.
Collinsonia canadensis: Congestion in pelvic organs especially anus, rectum and uterus; resulting in Haemorrhoids. Vascular engorgement of rectum. Most obstinate constipation with protruding Haemorrhoids.
Hamamelis virginica: Haemorrhoids with soreness of the affected parts. Haemorrhoids bleeding profusely with soreness of anus. Pulsation in rectum.
Negundium americana: Engorgements of rectum and piles with great pain.
Nux vomica: Constipation with constant, ineffectual urging for stool. Itching, blind Haemorrhoids.
Sulphur: Constipation; stools hard knotty. Burning pressure in rectum during stool, burning in anus after stool. Haemorrhoids during pregnancy.
Ratanhia: Fissure of anus with great constriction, burning in anus. Hard stools with great efforts, protrusion of Haemorrhoids.
Terminalia chebula: It is very effective in piles, fistula and any other anorectal diseases.

RAWALPLUS™

BLOOD PRESSURE NORMALISER



Indications: High blood pressure, Head ache (Special Occipital Head-ache), Throbbing pulse, Loss of concentration, Irritability, Nervous excitement or depression and sleeplessness.

Composition: Each 5 ml. contains: Rauvolfia serpentina Q 0.100 ml., Passiflora incarnata Q 0.100 ml., Ginseng Q 0.100 ml.,Valeriana officinalis Q 0.025 ml., Natrum muriaticum 3x 0.025 mg., Baryta muriatica 3x 0.025 mg., Kali bromatum 3x 0.025 mg., Kali phosphoricum 3x 0.025 mg., Ignatia amara 3x 0.025 ml., Avena sativa Q 0.025 ml., Veratrum viride Q 0.025 ml. Alcohol 7.5 % v/v., In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Rauvolfia serpentina: Is used to treat mild to moderate hypertension.

Passiflora incarnata: Symptoms due to lack of sleep – hypertension and headache.

Ginseng: Ginseng stimulates physical and mental activity among people who are weak and tired. Ginseng is also used for depression, anxiety and Chronic Fatigue Syndrome (CFS).

Valeriana officinalis: It has blood pressure lowering properties.

Natrum muriaticum: Headaches and palpitations are common, as well as a feeling of tension (even coldness) in the chest.

Baryta muriatica: Hypertension and vascular degeneration. High systolic pressure with comparatively low diastolic pressure.

Kali bromatum: Nervous, restless; cannot sit still, must move about or keep occupied. Hands and fingers in constant motion.

Kali phosphoricum: Mental fatigue. Irritable, restless, anxious, from mental exertion.

Ignatia amara: Indicated in high blood pressure due to emotions.

Avena sativa: In nervous exhaustions, it improves the nutrition of the brain and nervous system.

Veratrum viride: Sudden violent congestions (cerebellar or thoracic) with nausea and vomiting.

SLIMAFORTE

SLIM & TRIM TONIC



Indications: An ideal fat & weight reducer.

Composition: Each 5 ml. contains: Calcarea carbonica 3x 0.050mg., Fucus vesiculosus Q 0.100 ml., Graphites 3x 0.050 mg.,Spongia tosta Q 0.100 ml., Pulsatilla nigricans Q 0.050 ml., Natrum sulphuricum 3x 0.025ml., Thyroidinum 3x 0.025 ml., Phytolacca berry Q 0.100 gm., Alcohol 6.5 % v/v.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Calcarea carbonica: Calcarea carbonica has a tendency to dissolve fat in obese people.

Fucus vesiculosus: Specific Remedy for obesity. Patients with defect in thyroid gland and because of it they gain weight and become fat. It is a diuretic and detoxifying agent. It burns excess fat and sugar.

Graphites: Generally inclined to obesity, who suffer from habitual constipation and delayed menstruation. Tendency to put on unhealthy fat; plump, anemic, fair.

Spongia tosta: Obesity with thyroid disorders.

Pulsatilla nigricans: Obesity due to uterine problems.

Natrum sulphuricum: Increase in weight due to water retention.

Thyroidinum: Tendency to obesity with thyroid derangements.

Phytolacca berry: Phytolacca berry is useful for obese people who want to reduce their weight. This natural remedy helps in burning of the extra fat from the body and thus reducing weight. Phytolacca berry induces proper metabolism of the food and aids in effective digestion of food.

TONOKID
CHILDREN'S TONIC



Indications: An Ideal tonic for building up of tissue, hence of great use in debility, emaciation, Marasmus & helps gain weight, promotes proper digestion and assimilation. Prevents falling ill frequently.

Composition: Each 5ml. Contains: Lecithin 3x 0.05 gm., Oleum jecoris aselli 3x 0.10 gm., Alfalfa Q 0.10 ml., Avena sativa Q 0.05 ml., Calcarea fluorica 3x 0.010 gm., Calcarea phosphorica 3x 0.010 gm., Calcarea sulphurica 3x 0.010 gm., Ferrum phosphoricum 3x 0.010 gm., Kali muriaticum 3x 0.010 gm., Kali phosphoricum 3x 0.010 gm., Kali sulphuricum 3x 0.010 gm., Magnesium phosphoricum 3x 0.010 gm., Natrum muriaticum 3x 0.010 gm., Natrum phosphoricum 3x 0.010 gm., Natrum sulphuricum 3x 0.010 gm., Silicea 3x 0.010 gm., Glycerinum Q 0.10 ml., Cinchona officinalis Q 0.05 ml., Lycopodium clavatum Q 0.05 ml., Emblica officinalis Q 0.05 ml., Cinnabaris 3x 0.05 gm., In Syrup & Sweetener Base., Alcohol 6.80 % v/v.,

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Lecithin: Lecithin has a favourable influence upon the nutritive conditions especially upon the blood, hence its use in anaemia and convalescence, neurasthenia and insomnia.

Oleum jecoris aselli: It is a nutrient remedy. Emaciation, lassitude, atrophy in infants.

Alfalfa: From its action on sympathetic, alfalfa favourably influences nutrition, tones up the appetite and digestion, resulting in greatly improved mental and physical vigour and gain in strength.

Avena sativa: Has a selective action on brain and nervous system, favourably influencing their nutritive function.

Calcarea fluorica: Deficiency of this salt can lead to improper formation of bones.

Calcarea phosphorica: Widely used for calcium deficiency especially in children during dentition.

Calcarea sulphurica: When the molecules of this salt fall below the proper standard in the blood, the bone cells are not rebuilt as fast as they die and which may lead to anaemia.

Ferrum phosphoricum: Increases Haemoglobin in anaemic individuals.

Kali muriaticum: Kali muriaticum helps in formation of fibrin and thus aids growth.

Kali phosphoricum: Deficiency of this salt can lead to nervous symptoms.

Kali sulphuricum: It is an oxygen carrier, a deficiency of which can cause a lack of oxygen in the skin and epithelial cells.

Magnesium phosphoricum: Deficiency of this salt leads to improper functioning of fibres of the nerves and muscles.

Natrum muriaticum: Deficiency in this salt causes a disturbance of water in the human organism.

Natrum phosphoricum: Lack of this alkali salt will allow ferments to arise and so retard digestion.

Natrum sulphuricum: Regulate the water in the tissues, blood and fluids of the body.

Silicea: Useful in imperfect assimilation and consequent defective nutrition.

Glycerinum: It is a long, deep acting remedy, building up tissues, hence it is of great use in marasmus, mental and physical debility. It improves the general state of nutrition.

Cinchona officinalis: Debility from exhausting discharges, after recurrent influenza or any other illness.

Emblica officinalis: It is a general energy-promoting, disease-preventing remedy.

Cinnabaris: It is an effective remedy for weak children.

VASAKOF
COUGH SYRUP



Indications: Laryngitis, Bronchitis, Common Cold, Pneumonia, Pulmonary Tuberculosis, Bronchial Asthma, Whooping Cough and Productive Cough.

Composition: Each 5ml. contains: Justicia adhatoda Q 0.010 ml., Antimonium tartaricum 3x 0.045 gm., Blatta oriantalis Q 0.010 ml., Belladonna Q 0.002 ml., Aralia racemosa Q 0.002 ml., Cassia sophora Q 0.002 ml., Drosera rotundifolia Q 0.002 ml., Ferrum phosphoricum 3x 0.045 gm., Ipecacuanha Q 0.010 ml., Mephitis mephitica 3x 0.002 ml., Mentha piperita Q 0.045 ml., Natrum sulphuricum 3x 0.045 gm. Ocimum sanctum Q 0.045 ml., Passiflora incarnata Q 0.002 ml., Stramonium Q 0.002 ml. Zingiber officinale Q 0.002 ml., Alcohol 10.40 % v/v., In Syrup & Sweetener Base.

Dosage: One or two teaspoonful after food thrice a day or as directed by the Physician.

Remedies Used: Indication Areas

Justicia adhatoda: Dry cough from the sterna region extending all over the chest.

Antimonium tartaricum: Hoarseness. Great rattling of mucus but very little comes out.

Blatta orientalis: Cough with mucus. Asthmatic cough.

Belladonna: Paroxysmal dry cough. Dyspnea.

Aralia racemosa: Asthma with spasmodic cough.

Cassia sophora: Cough with Dyspnea. Cough hurts the chest. Hoarseness.

Drosera rotundifolia: Cough is hoarse, barking and laryngeal.

Ferrum phosphoricum: Short, painful, tickling cough. Hard, dry cough with painful chest.

Ipecacuanha: Cough with nausea and mucus which is expelled after some efforts.

Mephitis mephitica: Cough following influenza. Violent spasmodic cough.

Natrum sulphuricum: Rattling cough. Expectoration is greenish.

Ocimum sanctum: Helps alleviate cough.


Passiflora incarnata: An efficient anti spasmodic. Good for whooping cough.

Stramonium: Cough with painful throat with violent thirst.

Zingiber officinale: Hoarseness, smarting below the larynx; breathing difficult. Asthma.

Mentha piperita: Controls cough due to throat and bronchial irritation.

A1 ANALGESIC



Indications: Neuralgic Pains, Headache and Arthralgia.

Composition: Each 5ml. contains: Gelsemium sempervirens 3x 1.00 ml., Spigelia 3x 1.00 ml., Colocynthis 3x 1.00 ml., Cocculus indicus 3x 1.00 ml., Acidum salicylicum 3x 0.75 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals. Or as directed by the Physician.

Remedies Used: Indication Areas

Gelsemium sempervirens: Neuralgias of various parts with loss of control and pains which are most deep seated. Sore, bruised feeling all over, especially limbs.

Spigelia: Pains - Intense, burning, radiating, sharp, stitching, jerking, tearing. Pains directed from within outwards and from below upwards. Neuralgias - In any part, especially left trigeminal neuralgia, cardiac neuralgia, and ciliary neuralgia.

Colocynthis: Different types of Pains. Colicky pain. Pains come suddenly, go suddenly. Spasmodic. Crampy, tearing part. Neuralgic pains, cutting, pinching, clamping or gnawing.

Acidum salicylicum: Shifting, burning pains worse at night.

Cocculus indicus: Head ailments, Vertigo, Sense of emptiness in head. Headache in occiput and nape.

A2 ANTI FUNGAL



Indications: Fungal Infections, Ring Worms, Earache and Skin Infections.

Composition: Each 5ml. contains: Zincum metallicum 3x 1.25 gm., Echinacea angustifolia 3x 1.25 ml., Sulphur iodatum 3x 1.00 gm., Tellurium 3x 1.25 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals. Or as directed by the Physician.

Remedies Used: Indication Areas

Zincum metallicum: Fungal infections in anaemic and neurotic patients especially thighs and hollow of knees with itching.

Echinacea angustifolia: Corrector of blood dyscrasia. Improves immunity and fights fungal infections.

Sulphur iodatum: Fungal infection on the ears, nose and in urethra. Arms covered with itching, rash. Barber's itch.

Tellurium: Ring worms, ring-shaped lesions. Offensive odours from affected parts. Barber's itch. Eruptions behind ears.

A4 BLOOD PURIFIER



Indications: Blood Purifying Remedy, Swelling of Lymph Gland, Unclean Skin and Impurities in Blood.

Composition: Each 5ml. contains: Sarsaparilla 3x 1.00 ml., Juglans regia 3x 1.00 ml., Hepar sulphuris calcareum 3x 1.00 gm., Conium maculatum 3x 0.75 ml., Scrophularia nodosa 3x 1.00 ml., In Aqua Destillata.

Dosage: **Children:** Take 5 Drops in half cup of water daily 2 times. **Adults:** Take 10 to 15 Drops in half cup of water daily 3 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Sarsaparilla: Sarsaparilla is a blood purifier and a general detoxification herb.

Juglans regia: Juglans regia excludes dirt impurity from the vascular wall and thus purifies blood and provides better blood.

Hepar sulphuris calcareum: Acts as a blood purifier and prevents skin conditions such as boils and abscesses.

Conium maculatum: This remedy made from Poison Hemlock is a good blood purifier.


Scrophularia nodosa: A powerful medicine, which acts on blood and purifies it.

A5 COLD – SINUS

Indications: Running Nose, Watery Eyes, Feeling Distress, Post-nasal Drip, Common Cold, Sinus Pain and Pressure.

Composition: Each 5ml. contains: Kali Bichromicum 3x 1.00 gm., Euphrasia officinalis 3x 1.00 ml., Gelsemium sempervirens 3x 1.00 ml., Sabadilla 3x 1.00 ml., Teucrium marum virum 3x 0.75 ml., In Aqua Destillata.

Dosage: **Children:** Take 2 to 4 Drops in half cup of water daily 3 times. **Adults:** 10 to 15 Drops in half cup of water daily 3 times. Or as directed by the Physician.



Remedies Used: Indication Areas

Kali Bichromicum: Aching and fullness between the eyebrows in the forehead. Semi lateral headache in small spits. Mucus stretchy and greenish yellow in color. Nostrils blocked.

Euphrasia officinalis: Profuse acrid lachrymation with profuse, bland coryza. Catarrhal headache with profuse discharge from eyes and nose. Profuse, offensive expectoration of mucus by voluntary hawking.

Gelsemium sempervirens: Sneezing with fullness at root of nose. Watery excoriating discharge. Sensation of hot water flowing through nose. Catarrh associated with inflamed throat. Acute nasal catarrh.

Sabadilla: Nose itching, very dry, must rub or pick at it. Tickling in nose spreading to whole body, then dyspnoea follows. Persistent, violent, abortive sneezing, spasmodic with watery coryza and lachrymation, redness of eyes and frontal headache. Sensitive smell.

Teucrium marum virum: Mucous polyps. Coryza with nose block. Discharge of large, irregular clinkers. Crawling in nostrils, with lachrymation or sneezing. Mouldy taste in throat when hawking up mucous.

A6 CONSTIPATION

Indications: Bloating and Insufficient, Irregular elimination, Mild Laxative to relieve gas.

Composition: Each 5ml contains: Aloe socotrina 3x 1.00 ml., Carduus marianus 3x 1.00 ml., Aesculus hippocastanum 3x 1.00 ml., Fucus vesiculosus 3x 1.00 ml., Collinsonia canadensis 3x 0.75 ml., In Aqua Destillata.

Dosage: **Children:** Take 2 to 4 Drops in half cup of water daily thrice. **Adults:** Take 8 to 10 Drops in half cup of water daily thrice. Or as directed by the Physician.



Remedies Used: Indication Areas

Aloe socotrina: Annoying, tormenting, insecure feelings in rectum: Weakness, intense, deep itching, paralyzed feeling, etc.

Carduus marianus: Stools hard, difficult, knotty. Constipation alternates with Diarrhoea.

Aesculus hippocastanum: Rectum - dry aching, feels full of small sticks. Stool followed by fullness of rectum and intense pain in anus for hours. Constipation - hard, dry, knotty, white stools.

Fucus vesiculosus: Constipation in obese patients with thyroid disorders.


Collinsonia canadensis: Sensation of sharp sticks or sand in rectum, with cardiac pains. Sense of constriction. Vascular engorgement of rectum. Most obstinate constipation with protruding haemorrhoids. Constipation or piles during pregnancy.

A7 DENTAL DROPS

Indications: Toothache, Spongy, inflamed and painful Gums, Gingivitis.

Composition: Each 5ml. contains: Chamomilla Q 1.00 ml., Plantago major Q 0.75 ml., Calendula officinalis Q 0.75 ml., Hypericum perforatum Q 0.75 ml., Echinacea angustifolia Q 0.50 ml., Staphysagria 3x 0.50 ml., Mentha piperita Q 0.50 ml., Syzygium aromaticum Oil q.s., In Aqua Destillata.

Dosage: Apply a few drops on a wet cotton swab and place over the affected area and rub gently.



Remedies Used: Indication Areas

Chamomilla: Toothache is caused by taking warm water in the mouth but is not relieved by cold things. Pain is maddening. Decay of tooth is generally the cause.

Plantago major: Dilution can cure toothache within 15 minutes.

Calendula officinalis: It is an excellent haemostatic in tooth extraction. Pain is excessive and out of all proportion to injury due to probable nerve involvement.

Hypericum perforatum: Toothache. Remedy after tooth extraction when there is nerve pain.

Echinacea angustifolia: Teeth sensitive to drafts of air.

Staphysagria: Toothache due to unhealthy and decaying gums. Teeth turn black. Pain worse with hot or cold things.

Mentha piperita: It stimulates the nerve receptors thus relieving pain.


Syzygium aromaticum Oil: Clove oil is used to disinfect root canals and helps in relieving toothache.

A8 DIABETES

Indications: Helps to maintain Sugar Level in Blood and Urine. Diabetes with excessive thirst or hunger or urination, burning of hands and feet, pain in the calf muscles.

Composition: Each 5ml. contains: Cephalandra indica 1x 0.75 ml., Syzygium jambolanum1x 1.00 ml., Abroma augusta 3x 0.75 ml., Uranium nitricum 3x 0.75 gm., Arsenicum bromatum 3x 0.75 ml., Helonias dioica 3x 0.75 ml., In Aqua Destillata.

Dosage: Take 6 to 8 Drops in half cup of water daily 3 times. Or as directed by the Physician.



Remedies Used: Indication Areas

Cephalandra indica: Blood sugar increases with high blood pressure.

Syzygium jambolanum: Causes marked reduction and disappearance of sugar in urine. weakness, emaciation. Great thirst, mouth very dry. Very large amount of urine of high specific gravity. Old ulcers of skin, diabetic ulceration.

Abroma augusta: An effective remedy for diabetes mellitus and insipidus. Excessive thirst with dryness of mouth.

Uranium nitricum: Glycosuria, diabetes, with emaciation (although ravenous appetite), debility and flatulence. Copious urination, diuresis.

Arsenicum bromatum: Diabetes mellitus.

Helonias dioica: It is used for both diabetes mellitus and insipidus when there is excessive thirst, restlessness, melancholia and emaciation.

A9 DIARRHOEA



Indications: Weakness associated with Diarrhoea, Gas, Nausea, Symptoms of Loose stools, Acute Gastro-Entro-Colitis of all types, Dysentery and Intestinal Catarrh.

Composition: Each 5ml. contains: Chamomilla 1x 0.75 ml., Baptisia tinctoria 3x 0.75 ml., Veratrum album 3x 0.75 ml., Colocynthis 3x 0.75 ml., Mercurius corrosivus 3x 0.75 gm., Ferrum phosphoricum 3x 0.50 gm., Lycopodium clavatum 3x 0.50 ml., In Aqua Destillata.

Dosage: Take 10 to 15 Drops in half cup of water daily 3 times until complete recovery. Or as directed by the Physician.

Remedies Used: Indication Areas

Chamomilla: Stools like chopped white yellow mucous, like chopped eggs or spinach. Diarrhoea during dentition, from cold, anger, tobacco. Stools - sour, grass green or lienteric, smelling like bad eggs.

Baptisia tinctoria: Diarrhoea during typhoid fever. Stools are very offensive, thin, dark and bloody. Rumbling in the abdomen.

Veratrum album: Diarrhoea very painful, watery, copious and forcibly evacuated followed by great weakness.


Colocynthis: Brown, watery stools after eating or drinking. Jelly like stools with musk like odour. Pain in the abdomen.

Mercurius corrosivus: Tenesmus of rectum, not by stool. Tenesmus is incessant, persistent. Stools - hot, scanty, bloody, slimy, offensive with shreds of mucus membrane. Terrible cutting, colicky pains. Chilly after stools. Spasms of rectum during coition. Soreness especially along transverse colon. Cramps in calves in Dysentery. Constant urging to stool and urine.

Ferrum phosphoricum: Diarrhoea during eating. Painless Diarrhoea.

Lycopodium clavatum: Diarrhoea with ineffectual urging. Diarrhoea with pain shooting across lower abdomen from right to left. Flatulence much noisy. Diarrhoea after fermentable food - Cabbage, beans and oysters.

A10 DYSENTRY



Indications: Amoebic, shredy Mucosa, Infection of the intestines resulting in severe Diarrhoea with the presence of blood and mucus in the faeces.

Composition: Each 5ml. contains: Nux vomica 3x 1.00 ml., Aloe socotrina 3x 0.75 ml., Colocynthis 3x 0.75 ml., Mercurius corrosivus 3x 0.75 gm., Colchicum autumnale Q 0.75 ml., Holarrhena antidysenterica Q 0.75 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times . Or as directed by the Physician.

Remedies Used: Indication Areas

Nux vomica: Stools contain much mucus. There are abdominal pains before stools and these are relieved after stools.

Aloe socotrina: Stools contain a lot of mucus or are jelly like. There is burning and pain in the rectum after stools. Insecurity of rectum. Patient is afraid of passing flatus as he is not sure whether the urge is for stool or flatus. Bleeding from the rectum.


Colocynthis: Brown, watery stools after eating or drinking. Jelly like stools with musk like odour. Pain in the abdomen.

Mercurius corrosivus: Tenesmus of rectum, not by stool. Tenesmus is incessant, persistent. Stools - hot, scanty, bloody, slimy, offensive with shreds of mucus membrane. Terrible cutting, colicky pains. Chilly after stools. Spasms of rectum during coition. Soreness especially along transverse colon. Cramps in calves in Dysentery. Sweating before and after stool. Constant urging to stool and urine.

Colchicum autumnale: Autumnal Dysentery - painful scanty, transparent, jelly like mucus, scraping of intestines. Agonizing pain long after stools.

Holarrhena antidysenterica: It is considered as a good remedy for chronic Diarrhoea. It is very effective in removing the amoeba from the body.

A11 ECZEMA



Indications: Eczema, Urticaria, Carbuncles with burning, Pimples, Herpes and Rashes.

Composition: Each 5ml. contains: Apis mellifica3x 1.75 ml., Arsenicum album 3x 1.50 ml., Urtica urens 1x 0.75 ml. , Graphites 3x 0.75 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily morning and evening. Or as directed by the Physician.

Remedies Used: Indication Areas

Apis mellifica: Eczema, urticaria, carbuncles with burning, stinging pains. Eczema with marked swelling.

Arsenicum album: Eczema with burning and restlessness. Itching produces burning, Eczema between fingers and cracks on the tips of fingers. Best for chronic eczema, if there is great burning and itching.

Urtica urens: Recent eczema on the back of hands. Burning of skin.

Graphites: Affects the folds skin, at flexures, muco-cutaneous junctions, behind the ears. Thickening and induration of skin. Thick crusts and scales, oozing honey like, thick yellow sticky fluid, sometimes offensive.

A12 EYE CARE (ORAL)



Indications: Chronic Conjunctivitis, Eye Strain, Diplopia and Incipient Cataract.

Composition: Each 5ml. contains: Hamamelis virginica 3x 1.00 ml., Rhus toxicodendron 3x 0.75 ml., Ruta gravelens 3x 0.75 ml., Euphrasia officinalis 3x 0.75 ml., Belladonna 3x 0.75 ml., Spigelia 3x 0.75 ml., In Aqua Destillata.

Dosage: Take 10 Drops in half cup of water daily 3 times. Or as directed by the Physician.cian.

Remedies Used: Indication Areas

Hamamelis virginica: Painful weakness of eyes. Sore pain in eyes. Bloodshot appearance. Inflamed vessels greatly injected. Hastens absorption of intraocular haemorrhage. Eyes feel forced out.

Rhus toxicodendron: Intensive ulceration of the cornea due to old injuries.

Ruta graveolens: Eye strain from studies.

Euphrasia officinalis: Watering of eyes all the time. Burning and swelling of lids. Sticky mucus on cornea.

Belladonna: Dilated immovable pupils. Eyes feel swollen, protruding, staring, brilliant, conjunctiva red, dry, burn, photophobia, shooting in eyes.

Spigelia: Pain associated with clear lachrymation from the affected eye.

A14 HAIR SCALP RELIEF



Indications: Itching of the Scalp, Dandruff, Irritation and Redness.

Composition: Each 5ml. contains: Petroleum 3x 0.75 ml., Graphites 3x 0.75 gm., Mezereum 3x 0.75 ml.,Selenium 3x 0.75 gm., Hydrastis canadensis 3x 1.00 ml., Kali sulphuricum 3x 0.75 gm., In Aqua Destillata.

Dosage: **Children:** Take 2 to 4 Drops in half cup of water daily 3 times. **Adults:** Take 4 to 6 Drops in half cup of water daily 3 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Petroleum: A specific action on scalp. Arrests falling of hair.

Graphites: Alopecia. Falling of hair at temples.


Mezereum: Head covered with honey like scab, with matting of hair, filthy look.

Selenium: Hair falling off from head, eye brows, from whole body, Hair painful to touch.

Hydrastis canadensis: Eczema of the forehead along the line of hair.

Kali sulphuricum: Bald spots, dandruff with scald head.

A15 INDIGESTION, GAS & ACIDITY



Indications: Inflamed Mucosa of Stomach, Heart Burn, Bad Taste in Mouth, Acute and Chronic Gastritis, Dyspepsia, Stomach Pain and Gas Trouble.

Composition: Each 5ml. contains: Nux vomica 3x 1.00 ml., Lycopodium clavatum 3x 0.75 ml., Anacardium orientale 3x 0.75 ml., Antimonium crudum 3x 0.75 gm., Carbo vegetabilis 3x 0.75 gm., Scrophularia nodosa 3x 0.75 ml., In Aqua Destillata.

Dosage: Take 10 to 15 Drops in half cup of water daily 3 times before meals. After complete disappearance of the symptoms, once a day in half cup of water before meals for at least two weeks. Or as directed by the Physician.

Remedies Used: Indication Areas

Nux vomica: The gastric symptoms which suggest this drug are disgust for food, with nausea, or a ravenous but easily satisfied hunger; sensation of overloading of the stomach after meals, with flat taste; eructations; bitter and sour regurgitations, pyrosis, and sometimes acid vomiting.

Lycopodium clavatum: Food tastes sour. Excessive hunger, but eating ever so little creates fullness. Wakes at night feeling hungry. Incomplete burning eructations rise only to pharynx. Sour eructations due to farinaceous or fermentable food, cabbage, beans, oyster. Abdomen bloated.

Anacardium orientale: Dyspepsia. Heartburn relieved by eating.

Antimonium crudum: Loss of appetite. Desire for acids, pickles, wine, vinegar, cucumber. Eructation tasting of the ingesta. Gastric and intestinal complaints from bread, pastry, acids, vinegar, sour wine, cold bathing, overheating, and hot weather. Constant belching. Bloating after eating.

Carbo vegetabilis: Flatulence and fullness with weak digestion, accompanies all complaints. Simplest food disagrees. Flatulence upper abdomen. Craving for coffee; acids; sweets and salted things, alcohol. Aversion to meat; fats; milk.

Scrophularia nodosa: Pain in the abdomen on pressure. Colic below the navel.

A16 INFLUENZA



Indications: Feverish Inflammation of Fibrous tissues and Serious Membranes, Infection with Painful Limps, Dull headaches, Dry & Burning skin, Influenza and Bronchitis.

Composition: Each 5ml. contains: Baptisia tinctoria 3x 0.75 ml., Bryonia alba 3x 0.75 ml., Camphora 3x 0.75 ml., Causticum 3x 0.75 gm., Eucalyptus globulus 3x 0.75 ml., Ferrum phosphoricum 3x 0.50 gm., Eupatorium perfoliatum 3x 0.50 ml., In Aqua Destillata.

Dosage: Children: Take 8 to 10 Drops in half cup of water daily 4 times. After fever has gone, take 8 to 10 Drops in half cup of water daily 2 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Baptisia tinctoria: It affects the blood causing septic condition, low fever and malarial poisoning, influenza. Feeling of soreness, heaviness and aching of muscles. Putrid offensive odours from mouth, stool, perspiration.

Bryonia alba: In fever, great thirst during chill, and still greater in heat. Wants to lie down with body ache, headache, delirium with constant motion of arm and left leg.

Camphora: Shaking chill with cold skin. Covers during fever, uncovers once skin becomes cold. Sudden inflammatory fevers with rapid alternation of heat and cold, followed by rapid prostration.

Causticum: In fever, sweat after chill without intervening heat.

Eucalyptus globules: Preventive for influenza. Affects mucous membrane producing profuse, catarrhal discharges, which are acrid and foul. Aching stiffness. Stuffed up sensation in nose; thin, watery coryza, nose doesn't stop running, tightness across bridge.

Ferrum phosphoricum: Chill with thirst. Heat with thirstlessness. Sweat - strong ammonical odour debilitating. Pulse - full, short, quick flowing. Used for sudden high fever due to exposure to cold air or cold drinks, over exertion.

Eupatorium perfoliatum: Violent, aching, bone breaking pains cannot lie in bed. Moans and cries with pains. Muscles of chest, back and limbs feel bruised, sore, aching; after influenza.

A17 INTESTINAL COLIC



Indications: Renal Colic (abdominal pain commonly caused by kidney stones), Dysmenorrhoea, Intestinal Colic, and Flatulent Colic.

Composition: Each 5ml. contains: Lycopodium clavatum 1x 1.00 ml., Alumina 3x 0.75 gm., Bryonia alba 3x 0.75 gm., Mercurius corrosivus 3x 0.75 gm., Colocynthis 3x 0.50 ml., Sulphur 3x 0.50 ml., Magnesium phosphoricum 3x 0.50 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times . Or as directed by the Physician.

Remedies Used: Indication Areas

Lycopodium clavatum: Pain shooting across lower abdomen from right to left. Flatulence much noisy.

Alumina: Abdomen - Colic pain in abdomen painter's colic.

Bryonia alba: Food lies like stone in the abdomen. Stools hard, constipated. Desire to lie quietly.


Mercurius corrosivus: Tenesmus of rectum, not by stool. Tenesmus is incessant, persistent. Stools - hot, Scanty, bloody, slimy, and offensive, with shreds of mucus membrane. Terrible cutting, colicky pains.

Colocynthis: Agonizing, violent, cutting, cramping, griping, tearing, clutching, or radiating pain, comes in waves. Colic with cramps in calves. Pains are accompanied by nausea, vomiting and diuresis.

Sulphur: Griping pains about the navel, emission of flatus. Fullness, tension in abdomen as from incarcerated flatulence. Pressive downward sensation in abdomen towards anus.

Magnesium phosphoricum: Pains are throbbing and burning in character and are relieved by pressure and warmth. The patient passes wind constantly during the pain.

A18 JAUNDICE



Indications: Sluggish Liver & digestive functions and other related complaints.

Composition: Each 5ml. contains: Andrographis paniculata Q 1.00 ml., Chelidonium majus Q 1.00 ml., Chionanthus virginica Q 1.00 ml., Carica papaya Q 1.00 ml., Myrica cerifera Q 0.75 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times . Or as directed by the Physician.

Remedies Used: Indication Areas

Andrographis paniculata: It helps to support and strengthen the liver.


Chelidonium majus: Jaundice. Bilious complaints during gestation. Constant pain under the inner, inferior angle of right scapula. Entire skin greyish yellowish with hepatic complaints. Tongue -Thick, yellow coated, indented, with red edges. Jaundice with great fermentation and accumulation of gas with nausea, vomiting and bitter taste in mouth Stools clay coloured, yellow, hard, round, with itching of the anus. Alternate Diarrhoea and Constipation.

Chionanthus virginica: Hepatic derangements, jaundice, enlarged liver with gall stones, diseases of the pancreas. Stools; tarry clay-coloured or undigested. Liver sore, Enlarged, Jaundice and constipation. Jaundice occurring every summer, caused by drinking too much cider.

Carica papaya: Useful for liver ailments with fullness of abdomen due to flatulence, uneasy feeling in abdomen. Abdomen distended after taking meals with burning sensation in throat, sour eructation. Spasmodic pain in abdomen with loose, watery, yellowish stool with general weakness, passing flatus, after stool.

Myrica cerifera: Jaundice with persistent sleeplessness. Tongue - thick yellowish, dark. Liver affections with heart complaints.

A19 JOINTS PAINS



Indications: Arthritis especially of large joints, Knee & hip joint and Vertebrae.

Composition: Each 5ml. contains: Bryonia alba 1x 0.75 ml., Arnica montana 1x 0.75ml., Argentum metallicum 3x 0.50gm. Causticum 3x 0.50 ml., Acidum sulphuricum 3x 0.50 ml., Rhus toxicodendron 1x 1.00 ml., Ruta graveolens 1x 0.75 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. After improvement, dosage may be reduced to daily 2 times. Or as directed by the Physician

Remedies Used: Indication Areas

Bryonia alba: Rheumatic arthritis causing inflammation and exudation. Pains - stitching, tearing.

Arnica montana: Sore, lame, Bruised feeling all over body. Hard bed sensation. Sore pain when touched. Oversensitive to pain.

Argentum metallicum: It affects the cartilages, bones, condyles, joints, larynx and mucous membranes. Thickening of the tissues, especially cartilages, larynx.

Causticum: Pains are tearing, drawing, burning of the parts grasped by hand. Pain in muscular and fibrous tissues, with deformities about the joints. Progressive loss of muscular strength. Tendinous contractures.

Acidum sulphuricum: Great pain. Pain increases gradually and ceases suddenly, when at its height often repeated.

Rhus toxicodendron: All complaints brought on exposure to cold damp weather, getting wet. Great rigidity, stiffness, numbness and pain are experienced on first motion, after the rest.

Ruta graveolens: This remedy has a special affinity for fibrous tissue, flexor tendors, joints, ankles, wrists, cartilage, periosteum, uterus and skin. Tendency to formation of deposits or nodes in the periosteum, tendons and about the joints especially wrists.

A20 KIDNEY AND BLADDER



Indications: Pain in Sacral Region, Peritonitis, Inflammation of kidneys, Burning pains when urinating, Urine yellow and turbid.

Composition: Each 5ml. contains: Berberis vulgaris1x 1.25 ml., Dulcamara 3x 1.25 ml., Eupatorium purpurium 3x 1.25 ml., Cantharis 3x 1.00 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times until disappearance of symptoms. Or as directed by the Physician.

Remedies Used: Indication Areas

Berberis vulgaris: Colic radiating, shooting outwards, sticking, burning, smarting, sore, insensible to heat and cold. Gurgling or bubbling sensations in the kidneys, especially, left sided. Pain in kidneys radiates to bladder, and then along hips into the thighs. Urine greenish, blood red, with thick slimy mucus, transparent reddish or jelly like sediment, turbid.

Dulcamara: Urinary system - Milky urine. Catarrhal ischuria in grown-up children.

Eupatorium pupureum: Deep, dull pain in the kidneys. Burning in the bladder and urethra on micturating. Haematuria. Dysuria.

Cantharis: Violent and aggressive action on tissues, especially mucus membranes of the urinary tract. Rapid inflammation followed by severe, destructive pathology. Burning, scalding urine, with cutting, intolerable urging and fearful tenesmus or dribbling. Tenesmus of rectum and bladder.

A21 LEUCODERMA

Indications: Leucoderma (White Patches), Vitiligo, Skin Diseases, Discoloration of skin.

Composition: Each 5ml. contains: Hydrocotyle asiatica Q 1.00 ml., Myristica sebifera Q 1.00 ml., Arsenicum album 3x 1.00 ml., Arsenicum sulphuratum flavum 3x 1.00 gm., Natrum muriaticum 3x 0.75 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times . Or as directed by the Physician.



Remedies Used: Indication Areas

Hydrocotyle asiatica: Hypertrophy and induration of connective tissue due to interstitial inflammation and cellular proliferation.

Myristica sebifera: A remedy of great antiseptic powers.

Arsenicum album: Arsenic album is a good remedy for Leucoderma.

Arsenicum sulphuratum flavum: A specific for Leucoderma.

Natrum muriaticum: Leucoderma with greasy oily skin.

A22 LEUCORRHOEA

Indications: All Menstrual Disorders, Leucorrhoea (whitish or yellowish discharge from the vagina), Mental Colic, Pruritus Vulvae (itching of the vulva) and Habitual Abortion.

Composition: Each 5ml. contains: Janosia ashoka Q 0.50 ml., Abroma augusta Q 0.50 ml., Aletris farinosa Q 0.50 ml., Caulophyllum thalictroides Q 0.50 ml., Hydrastis canadensis Q 0.50 ml., Pulsatilla nigricans Q 0.50 ml., Viburnum opulus Q 0.50 ml., Nux vomica Q 0.50 ml., Helonias dioica Q 0.50 ml., Magnesium phosphoricum 3x 0.25 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times. Or as directed by the Physician.



Remedies Used: Indication Areas

Janosia ashoka: It acts as a nourishing tonic for uterus, thus helps in disorders related to menstrual cycle. It is a good remedy for leucorrhea, amenorrhoea, metrorrhagia, menorrhagia and uterine colic.

Abroma augusta: Leucorrhoea in diabetic ladies. Thick, whitish discharge. Dysmenorrhea.

Aletris farinose: Anaemic, debilitated, relaxed females who always feel tired and suffer from prolapses, leucorrhoea, rectal distress. Uterus seems heavy, sensation of weight in uterine region.

Caulophyllum thalictroides: Leucorrhoea profuse and acrid in little girls, with moth spots on forehead. Leucorrhoea preventing pregnancy.

Hydrastis canadensis: Leucorrhoea after menses. Leucorrhoea - acrid, corroding, shredy, tenacious. Pruritis vulvae and profuse leucorrhoea and sexual excitement.

Pulsatilla nigricans: Leucorrhoea milky thick like cream, acrid, with pain in back and exhaustion. Leucorrhoea in infant.

Viburnum opulus: Heaviness of both sacral and pubic regions, with pains going on from the sacrum around the loins across to the pubic bones and down the thighs. Cramping pain. Frequent and profuse urination with all leucorrhoea.

Nux vomica: Leucorrhoea with sensation as if the bowels wanted to move.

Helonias dioica: Debilitated women who are worn out from hard work, after abortion, miscarriages, haemorrhages with prolapse of uterus. Menses - too early, profuse from uterine atony in women enfeebled by loss of blood. Foul, lumpy or curdled leucorrhoea, with pruritus vulvae. Vulva aphthous.

Magnesium phosphoricum: Leucorrhea with colicky pain in the abdomen.

A23 LIVER AND GALL BLADDER

Indications: Hepatitis, Swelling in Abdomen, Lack of Appetite, Bitter taste in Mouth, constipation, flatulence and weariness after meals.

Composition: Each 5ml. contains: Chelidonium majus 3x 0.75 ml., Carduus marianus 3x 0.75 ml., Colocynthis 3x 0.75 ml.,Lycopodium clavatum 3x 0.75ml., Nux vomica 3x 0.75 ml., Boldo 3x 0.50 ml., Fel tauri 6x 0.50 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times . Or as directed by the Physician..



Remedies Used: Indication Areas

Chelidonium majus: Jaundice. Bilious complaints during gestation. Constant pain under the inner, inferior angle of right scapula. Entire skin greyish yellowish with hepatic complaints. Tongue -Thick, yellow coated, indented, with red edges. Sharp lancinating pains. Stools clay coloured, yellow, hard, round, with itching of the anus.

Carduus marianus: Liver - Engorged, especially left lobe, swelled laterally in the transverse direction painful to pressure. Nausea, retching, vomiting of green, acid fluid. Terrible attacks of gall stone colic. Jaundice and dull frontal headache, Stools are bilious and urine golden yellow.

Colocynthis: Agonizing, cutting pain in the abdomen.

Lycopodium clavatum: Abdomen bloated, Hepatitis, atrophic form of nutmeg liver - dropsy. Pain shooting across lower abdomen from right to left. Flatulence much noisy.

Nux vomica: In liver affections in those who have indulged in excess alcohol, highly seasoned food and purgatives. Liver is swollen, hard and sensitive to touch and pressure of clothing is uncomfortable. Cirrhosis of liver.

Boldo: Boldo is used for gall stones and liver disease.

Fel tauri: Liquefies bile and helps dissolve biliary calculi, even helps in jaundice.

A24 MIGRAINE AND NUERALGIA

Indications: Migraine, Nervous Headaches, Continuous Headaches and Neuralgia of the head.

Composition: Each 5ml. contains: Gelsemium sempervirens Q 1.00 ml., Sanguinaria canadensis Q 0.75 ml., Spigelia 3x 0.75ml., Iris versicolor 3x 0.75 ml., Cimicifuga racemosa 3x 0.75 ml., Belladona 3x 0.75 ml., In Aqua Destillata.

Dosage: : Take 8 to 10 Drops in half cup of water daily 3 times. Or as directed by the Physician.



Remedies Used: Indication Areas

Gelsemium sempervirens: Neuralgias of various parts with loss of control and pains which are most deep seated. Sore bruised feeling all over especially the limbs. Headache beginning in occiput or neck, radiating to forehead.

Sanguinaria canadensis: Headache during menopause or gastric headaches. Periodical sick headache. Pain begins in the occiput, spreads upwards and settles over the right eye.

Spigelia: Neuralgias (piercing, sharp). Excruciating headache, generally above or through the left eye or orbit.

Iris versicolor: Right sided. Burning pains from right to left, burning all over. Sick headache after relaxing from mental strain. Frontal headache with nausea and vomiting. Diarrhoea with headache.

Cimicifuga racemosa: Neuritis, neuralgias. Pains are - violent, shooting, aching. Head -Shooting, throbbing pains from over study, mental worry, or reflex of uterine disease.

Belladona: Neuralgic pains that come and go suddenly. Pains - Throbbing, sharp, cutting, shooting, and clawing, of maddening severity, coming or going in repeated attacks, running downwards.

A25 NERVE AND SLEEP



Indications: Sleepiness, Drowsiness in the morning, Nervous Restlessness and Light Sleep.

Composition: Each 5ml. contains: Passiflora incarnata Q 1.00 ml., Avena sativa Q 0.75 ml., Chamomilla 3x 0.75 ml., Valeriana officinalis 3x 0.75 ml., Ignatia amara 3x 0.75 ml., Ammonium bromidum 3x 0.75 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times. At night, take 15 to 20 Drops in half cup of water. Or as directed by the Physician.

Remedies Used: Indication Areas

Passiflora incarnata: Insomnia of infants and aged, and the mentally worried and overworked. Sleep is restless; wakeful, resulting from exhaustion.

Avena sativa: Prostration of mind, mental exhaustion, brain fag with sleeplessness. Insomnia especially in alcoholics.


Chamomilla: Sleeplessness and restlessness during the first part of the night.

Valeriana officinalis: Sleepless, with nocturnal itching and muscular spasms.

Ignatia amara: Sleeplessness due to grief and an event like death.

Ammonium bromidum: Calms nerves and induces sleep.

A26 PILES



Indications: Blind and External Piles - Bleeding, Painful, Burning or Itching. Haemorrhoids, Fissures, Bleeding from Rectum. Organic or Idiopathic.

Composition: Each 5 ml. contains: Aesculus hippocastanum 1x 1.00 ml. Collinsonia canadensis 1x 0.75 ml. Hamamelis virginica 1x 0.75 ml. Negundium americana 1x 0.75 ml. Terminalia chebula1x 0.50 ml. Sulphur 3x 0.50 ml. Anacardium orientale 3x 0.50 ml. In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Aesculus hippocastanum: An excellent remedy for haemorrhoids. Venous stasis. Haemorrhoids. Rectum feels full of small sticks. Burning in anus with chills up and down the back. Haemorrhoids - blind or bleeding. Constipation - hard, dry, knotty, white stools. Constant throbbing behind symphysis pubis.

Collinsonia canadensis: Congestions; pelvic; reflex from or combined with haemorrhoids, especially cardiac. Rectum - Sensation of sharp sticks or sand in rectum, with cardiac pains. Sense of constriction. Vascular engorgement of rectum. Most obstinate constipation with protruding haemorrhoids.

Hamamelis virginica: Haemorrhoids with soreness of the affected parts. Haemorrhoids bleeding profusely with soreness of anus. Pulsation in rectum.

Negundium Americana: Engorgements of rectum and piles with great pain.

Terminalia chebula: It is very effective in piles, fistula and any other anorectal diseases.

Sulphur: Constipation; stools hard knotty, dry as if burnt, large painful. Burning pressure in rectum during stool, burning in anus after stool. Haemorrhoids during pregnancy.

Anacardium orientale: Painful haemorrhoids, bleeding during stool.

A27 PSORIASIS



Indications: Psoriasis (a skin disease marked by red, itchy, scaly patches), Eczema and Psoriasis Vulgaris.

Composition: Each 5ml. contains: Berberis aquifolium Q 1.00 ml., Graphites 3x 1.00 gm., Hydrocotyle asiatica Q 1.00 ml., Calcarea carbonica 3x 1.00 gm., Natrum carbonicum 3x 0.75 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician.

Remedies Used: Indication Areas

Berberis aquifolium: Psoriasis with pimply, dry, rough, scaly skin. Eruptions on scalp, extending to face and neck.

Graphites: Psoriasis when the crusts are sticky and glutenous.

Hydrocotyle asiatica: Psoriasis of palms, soles, trunks and extremities with circular patches. Circular spots with scaly edges. The skin is excessively thick and dry.

Calcarea carbonica: Unhealthy skin with psoriasis.

Natrum carbonicum: Psoriasis with inclination to perspire easily. Dry, rough, cracked skin.

A28 RHEUMATISM



Indications: Effective in Joint Pains, Arthritis, Rheumatism and Gout, Muscle Pains, Helpful in Tennis Elbow, Sprains and Strains.

Composition: Each 5 ml. contains: Rhus toxicodendron1x 1.00 ml., Arnica montana 1x 0.75 ml., Ruta gravelens 1x 0.75 ml., Gaultheria procumbans 1x 0.75 ml., Hypericum perforatum 1x 0.75 ml., Guaiacum 3x 0.75 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times . Or as directed by the Physician.

Remedies Used: Indication Areas

Rhus toxicodendron: Muscular Rheumatism and Arthritis. Sciatica, left side. Great rigidity, stiffness, numbness and pain are experienced on first motion, after the rest.

Arnica montana: Traumatic remedy par excellence. Trauma in all its varieties - mental or physical and their effects recent or remote. Sore, lame, bruised feeling all over body as if beaten. Sore pain when touched. Very much oversensitive to pain. Ascending type of rheumatism.

Ruta graveolens: Pain in the tendons, appearing after an injury. Pain due to a bruise on the lining of bones. Pain is better by movement and worse in damp, cold weather and during rest.

Gaultheria procumbans: Relieves much of the discomfort due to pain of gout, arthritis and rheumatism.

Hypericum perforatum: Darting pain in the shoulders with pressure along ulnar side of the arm. Lancinating pain in the upper and lower limbs. Joints feel bruised. Hysterical joints.

Guaiacum: Gouty pains, tearing and lancinating; worse from motion, heat, cold wet weather, touch and pressure. Nodosities of joints and contraction of muscles.

A29 SCIATICA RELIEF



Indications: Pain that radiates along the path of the sciatic nerve - which branches from lower back through hips and buttocks and down each leg, Lower back pain and Nerve pain in Legs.

Composition: Each 5ml. contains: Rhus toxicodendron 1x 1.00 ml., Ruta gravelens 3x 1.00 ml., Hypericum perforatum 3x 0.75 ml., Aconitum napellus 3x 0.75 ml., Colocynthis 3x 0.75 ml., Gnaphalium polycephalum 3x 0.50 ml.,
In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. When improvement sets up, daily 2 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Rhus toxicodendron: Muscular Rheumatism and Arthritis. Sciatica, left side. Great rigidity, stiffness, numbness and pain are experienced on first motion, after the rest.

Ruta graveolens: Sciatica lying down at night, pain from back down hips and thighs during daytime. Thighs pain when stretching the limbs. Pains, as if deep, in long bones.

Hypericum perforatum: Neuritis and tingling burning pain, numbness and glossy skin. Locally for neuralgia of leg with profuse sweating (sciatica).

Aconitum napellus: Sudden, violently acute, painful effects. Sticking, tearing pains with numbness.

Colocynthis: Has a long lasting action on nerves, especially trigeminal, facial, sciatica, spinal nerves. Neuralgic pains. Pain down right thigh, muscles and tendons feel too short, with numbness.

Gnaphalium polycephalum: Sciatica, pain associated with numbness. Lumbar backache. Sciatica - Right side more affected than left. Intense pain along the sciatic nerve.

A30 NAUSEA & VOMITING



Indications: Nausea during Pregnancy and Gastric catarrh. Nausea in children.

Composition: Each 5ml. contains: Veratrum album 3x 1.00 ml., Petroleum 3x 1.00 ml., Aethusa cynapium 3x 1.00 ml., Colchicum autumnale 3x 1.00 ml., Ipecacuanha 3x 0.75 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times . Or as directed by the Physician.

Remedies Used: Indication Areas

Veratrum album: Violent vomiting with profuse Diarrhoea, followed by tremendous weakness. Vomiting excessive with nausea and great prostration.

Petroleum: Gastralgia of pregnancy, with pressing drawing pain whenever stomach is empty.

Aethusa cynapium: Indigestion of teething children, vomiting of frothy white substance or yellow fluid, followed by curdled milk and cheesy matter.

Colchicum autumnale: Nausea and faintness from the odour of cooking food, especially fish, eggs, or fat meat. Nausea at thought of cooking food.

Ipecacuanha: Nausea constant, continuous and persistent with or without vomiting. Nausea not relieved by vomiting. Thirstlessness runs through the whole drug.

A31 WARTS



Benefits: Effectively and permanently treats all kinds of Warts (Common Warts, Plantar Warts, Flat Warts, Filiform Warts, Periungual Warts) & Corns

Composition: Each 5ml. contains: Thuja occidentalis 3x 1.00 ml., Silicea 3x 1.00 gm., Acidum nitricum 3x 1.00 ml., Causticum 3x 1.00 ml., Acidum boracicum 3x 0.75 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Thuja occidentalis: Warts on the anus, thumb, sides of the fingers and left index finger. Warts in crops, sometimes oozing moisture or blood. Warts on the genitals and anal surface.

Silicea: A good remedy for warts.

Acidum nitricum: Cauliflower like warts on lips or anywhere, hard with cracks, sometimes emitting a fetid fluid. Warts on genitals. Warts bleed on washing.

Antimonium crudum: Warts on soles, palms and neck.

Causticum: Warts on finger tips and right index finger, on the face, eyelids and nose. Burning and bleeding easily. Maybe situated all over the body.

Acidum boracicum: Used as an antiseptic disinfectant.

A 32 GOUT



Indications: Gout (too much uric acid in the blood), Degenerative Inflammatory Diseases of the Smaller Joints, Painful Swellings.

Composition: Each 5ml contains: Rhus toxicodendron3x 1.00 ml., Acidum Benzoicum 1.00 ml., Ledum palustre 3x 0.75 ml., Arnica montana 3x 0.75 ml., Causticum 3x 0.25 ml., Ferrum phosphoricum 3x 0.25 gm., Bryonia alba 3x 0.75 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician

Remedies Used: Indication Areas

Rhus toxicodendron: Muscular Rheumatism and Arthritis. Sciatica, left side. Great rigidity, stiffness, numbness and pain are experienced on first motion, after the rest.

Acidum Benzoicum: Joints crack on motion. Tearing with stitches. Pain in tendo Achillis. Rheumatic gout; nodes very painful. Gouty deposits. Ganglion; swelling of the wrist. Pain and swelling in knees. Bunion of great toe. Tearing pain in great toe.

Ledum palustre: Pain travels from below upwards. Patient feels chilly, yet he does not like to be covered as his pains are better by cold. In chronic cases, chalk stone oozes from finger joints.

Arnica montana: Traumatic remedy par excellence. Trauma in all its varieties - mental or physical and their effects recent or remote. Sore, lame, bruised feeling all over body as if beaten. Very much oversensitive to pain. Ascending type of rheumatism.

Causticum: Deformities of joints. Restless at night due to pain. Cracking and tension in knees. Stiffness in the hollow of knees.

Ferrum phosphoricum: Stiff neck. Rheumatic pain in the shoulder.

Bryonia alba: The pains are gouty, aggravated on motion; better by rest, pressure and warmth. The joints are red, hot and swollen.

A 33 FEVER



Indications: Chilly Sensation, High Fever, Restlessness due to Fever.

Composition: Each 5ml. contains: Cinchona officinalis 3x 0.50 ml., Aconite napellus 3x 0.50 ml., Belladonna 3x 0.50 ml., Arnica montana 3x 0.50 ml., Ferrum phosphoricum 3x 0.25 gm., Bryonia alba 3x 0.50 ml., Gelsemium sempervirens 3x 0.50 ml., Rhus toxicodendron 3x 0.50 ml., Coffea cruda 3x 0.50 ml., Natrum sulphuricum 3x 0.25 gm., Natrum muriaticum 3x 0.25 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician.

Remedies Used: Indication Areas

Cinchona officinalis: Intermittent Fevers - Periodicity well marked, returns every 7th or 14th day, never at night. Chill preceded by palpitation. Redness of face, with delirium, with high fever. Fever with headache.

Aconitum napellus: Thirst, restlessness always present. High fever; dry burning heat, must uncover.

Belladona: Internal coldness with external pungent, burning, steaming heat in fever. Sudden violent onset. Red face, with throbbing of carotids.

Arnica montana: Fever with shivering all over the body. Heat and redness of the head, while the rest of the body is cold. Internal heat; hands and feet cold.

Ferrum phosphoricum: Chill with thirst. Heat with thirstlessness.

Bryonia alba: All kinds of fever, bilious, typhoid and remittent fevers. In intermittent fever, great thirst during chill, and still greater in heat.

Gelsemium sempervirens: Fever with prostration, stupor, thirstlessness. Dullness, dizziness, drowsy, trembling. Chills - in back going up and down. In Typhoid fevers, with dark red face and besotted appearance.


Rhus toxicodendron: Dry teasing cough, before and during chill, in intermittent fever. Cough with taste of blood. Fever blisters around mouth and on chin. Great thirst with dry tongue, mouth and throat.

Coffea cruda: Fever with great nervous agitation, restlessness and intolerance of pain.

Natrum sulphuricum: Fever due to exposure to damp, rainy weather.

Natrum muriaticum: Fever with violent thirst.

A34 ACNE



Indications: Pimples, Acne Vulgaris, Black Head, Dermatitis.

Composition: Each 5ml contains: Bromium 3x 1.00 ml., Hepar sulphuris calcareum 3x 1.00 ml., Ledum palustre 3x 0.50 gm., Juglans regia 3x 0.50 ml., Viola tricolor 3x 0.50 ml., Kali bromatum 3x 0.50 gm., Ammonium bromatum 3x 0.25 gm., Natrum bromatum 3x 0.50 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals. Or as directed by the Physician.

Remedies Used: Indication Areas

Bromium: Acne, pimples and pustules.

Hepar sulphuris calcareum: Is a favorite for acne as it helps the skin to clear faster. Key remedy for teen and adult acne.

Ledum palustre: Red pimples on forehead and cheeks; stinging when touched.

Juglans regia: Out-breaks on skin; pus-filled pimples; blisters; itching.

Viola tricolor: Out-breaks on skin; pus-filled pimples; moist; yellow.

Kali bromatum: Acne of face, pustules. Itching.

Ammonium bromatum: Small pimples with intense itching.

Natrum bromatum: Damaged skin conditions and complaints such as warts, pimples, boils, psoriasis, and excessive oiliness.

A35 ASTHMA



Indications: Bronchial Asthma and Spastic Bronchitis, Broncho Dilator, Asthma with Gastric Troubles.

Composition: Each 5ml. contains: Belladonna 3x 0.75 ml., Bryonia alba 3x 0.75 ml., Eriodictyon californicum 3x 0.50 ml., Arsenicum album 3x 0.50 ml., Veratrum viride 3x 0.50 ml., Kali phosphoricum 3x 0.50 gm., Natrum muriaticum 3x 0.50 gm., Drosera rotundifolia 3x 0.50 ml., Stramonium 3x 0.25 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician

Remedies Used: Indication Areas

Belladonna: Larynx very painful, feels as if a foreign body in it. Sensation as if larynx was inflamed, swollen, constricted. Pain in larynx and threatened suffocation.

Bryonia alba: Dropsical effusions into the serous and synovial membrane, resulting in pleurisy. Pleurisy expectoration rusty, blood streaked. Cough - dry, hard, very painful, Colds travel downwards to chest.

Eriodictyon californicum: Wheezing; Asthma, with coryza and mucous secretions. Asthma relieved by expectoration.

Arsenicum album: Asthma worse at midnight. Burning in the chest. Expectoration is scanty and frothy. Wheezing respiration.

Veratrum viride: Congestion of lungs, with rapid onset; anxiety; rapid hard strong quick pulse, with faint feeling in stomach; slow intermittent pulse and high fever.

Kali phosphoricum: Yellowish thin discharge, burning coarse rattling in chest. Nervous asthma.

Natrum muriaticum: Shortness of breath on going upstairs.

Drosera rotundifolia: Paroxysms of cough following each other very rapidly, with bleeding from nose and retching, deep hoarse voice. Asthma when talking.

Stramonium: Suffocation when water is poured on head. Nervous, spasmodic asthma. Cough-barking, deep, loud.

A36 DYSMENORRHOEA



Indications: Dysmenorrhoea (Painful Periods), Amenorrhoea (Absence of Menstruation), Dull Pains across the Small of Back, Flushes of Heat. Acts on the Unstriped Muscular Fibers.

Composition: Each 5ml contains: Aesculus hippocastanum 3x 1.00 ml., Ferrum phosphoricum 3x 1.00 gm., Secale cornutum 3x 1.00 ml., Acidum sulphuricum 3x 1.00 ml.,Crocus sativus 3x 0.75 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician.

Remedies Used: Indication Areas

Aesculus hippocastanum: Dysmenorrhoea with lameness of back across the sacro-iliac articulation or aching in knees.

Ferrum phosphoricum: Pains appears and disappears suddenly, wandering. Dysmenorrhoea especially in anaemic women.

Secale cornutum: Menstrual colic with exhaustion, coldness and intolerance of heat.

Acidum sulphuricum: Dysmenorrhoea with Pains increasing gradually, but disappearing suddenly when at peak.

Crocus sativus: Menses - dark, viscid, too frequent and copious, foul, black, slimy. Uterine haemorrhage, clots with long strings, spasmodic contractions.

A37 RENAL CALCULI



Indications: Renal Calculi (Kidney Stones), sharp tearing pain in kidneys and presence of Oxalic Acid in Urine, reddish and glary urine with epithelial cells.

Composition: Each 5ml. contains: Acidum nitricum 3x 0.75 ml., Berberis vulgaris 3x 1.00 ml., Lycopodium clavatum 3x 0.75 ml., Sarsaparilla 3x 0.75 ml., Rubia tinctorum 3x 0.75ml., Uva Ursi 3x 0.75 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician

Remedies Used: Indication Areas

Acidum nitricum: Stones with scanty, dark, offensive urine. Burning and stinging. Cloudy, phosphatic urine. Haematuria and albuminuria.

Berberis vulgaris: Colic pain radiating, shooting outwards, sticking, burning, smarting, sore, insensible to heat and cold. Urinary system - Gurgling or bubbling sensations in the kidneys, especially, left sided. Urine greenish, blood red, with thick slimy mucus.

Lycopodium clavatum: In calculi with pain shooting across lower abdomen from right to left. Red sand in urine.

Ocimum canum: A good remedy for renal calculus with right sided renal colic. Uric acid diathesis. Urine with high acidity. Brick dust red or yellow sediment in urine. Pain in ureters. Cramps in kidneys.

Sarsaparilla: Pain from right kidney downwards. Renal colic. Severe pain at the conclusion of urination.

Rubia tinctor: It helps cleanse and detoxify the kidneys. It is also helpful in preventing kidney stone formation and reducing the size of existing kidney stones. It also safely binds calcium in the urinary tract and reduces the growth rate of urinary calcium crystals.

Uva ursi: Cystitis with bloody urine. Chronic vesical irritation. Painful micturition with burning sensation. Burning after discharge of slimy urine. Urine contains blood and tough mucous which can be rolled out of the vessel in large masses.

A39 ANTI - OBESITY



Indications: Obesity, Tendency to put on weight due to faulty Glandular Secretion, Insipient Goitre.

Composition: Each 5ml contains: Phytolacca berry Q 1.00ml., Fucus vesiculosus Q 0.75 ml., Graphites 3x 0.75 gm., Calcarea carbonica 3x 0.50 gm., Spongia tosta 3x 0.75 ml., Croton tiglium 3x 0.50 ml., Natrum sulphuricum 3x 0.50 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician.

Remedies Used: Indication Areas

Phytolacca Berry: Phytolacca berry is useful for obese people who want to reduce their weight. This natural remedy helps in burning of the extra fat from the body. Phytolacca berry induce proper metabolism of the food and aids in effective digestion of food.

Fucus vesiculosus: Specific Remedy for obesity. Patients with defect in thyroid gland and because of it they are gaining weight and becoming fat. It is a diuretic and detoxifying agent. It burns excess fat and sugar.

Graphites: Generally inclined to obesity, who suffer from habitual constipation and delayed menstruation. Tendency to put on unhealthy fat; plump, anemic, fair.

Calcarea carbonica: Calcarea carbonica has a tendency to dissolve fat in obese people.

Spongia tosta: Obesity with thyroid disorders.

Croton tiglium: Feeling of tightness all over due to excess weight.

Natrum sulphuricum: Gain in weight due to water retention.

A40 LOW BLOOD PRESSURE (L.B.P.)



Indications: Low Blood Pressure, Hypotony of heart, Circulatory disturbances with exhaustion of heart.

Composition: Each 5ml. contains: Conium maculatum 3x 1.00 ml., Gelsemium sempervirens 3x 1.00 ml., Baryta carbonica 3x 0.75 gm., Crataegus oxyacantha 3x 1.00 ml., Cinchona officinalis 3x 0.50 ml., Cactus grandiflorus 3x 0.50 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician

Remedies Used: Indication Areas

Conium maculatum: Vertigo with low blood pressure, when lying down and when turning head sidewise or turning eyes. Dull occipital pain on rising in morning.

Gelsemium sempervirens: Irregular heart beat and palpitation.


Baryta carbonica: Accelerates the heart action, thus increasing the blood pressure.

Crataegus oxyacantha: It is a great heart tonic and arrests further fall of blood pressure.

Cinchona officinalis: Hypotension due to loss of vital fluids like blood and due to dehydration on account of vomiting and Diarrhoea.

Cactus grandiflorus: Low blood pressure due to heart diseases. Temperature is usually subnormal.

A41 MEMORY



Indications: Improves Memory Power, Helps in Clearing Brain Fags, Clears confusion of Mind, Helps Children who are forgetful while Studying

Composition: Each 5ml. contains: Anacardium occidentale 3x 1.00 ml., Arsenicum album 3x 1.00 ml., Belladonna 3x 0.50 ml., Gelsemium sempervirens 3x 0.75 ml., Lycopodium clavatum 3x 0.75 ml., Sepia 3x 0.50 ml., Kali phosphoricum 3x 0.25 mg., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician.

Remedies Used: Indication Areas

Anacardium occidentale: Loss or weak memory after small pox and chicken pox. The patient is depressed and irritable.

Arsenicum album: Weak memory with great anguish and restlessness.

Belladonna: Loss of memory with hyperaesthesia of all senses.


Gelsemium sempervirens: Dullness of mental faculties; with languor, listless and inability to fix attention. Drowsy, dazed.

Lycopodium clavatum: Weakness of memory. Suitable for old people.

Sepia: Loss of memory in depressed women.

Kali phosphoricum: Mental breakdown after enormous mental exertion with nervousness and oversensitivity.

A42 PROSTATITIS



Indications: Abnormal Enlargement and Inflammation of Prostate Gland; Acute and Chronic Prostatitis, Corrects dripping of Urine.

Composition: Each 5ml. contains: Cedron 3x 1.00 ml., Chimaphila umbellate 3x 0.50 ml., Sabal serrulata 3x 1.00 ml., Ferrum picricum 3x 0.50 gm., Clematis erecta 3x 0.50 ml., Conium maculatum 3x 0.75 ml., Pareira brava 3x 0.50 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician

Remedies Used: Indication Areas

Cedron: Prostatitis in people with a voluptuous disposition. .

Chimaphila umbellate: Great urge to urinate. Straining necessary to commence urination. Urine feels hot when passed.

Sabal serrulata: Burning in the urethra while passing urine and difficulty in passing urine. Recent or chronic enlargements. Sensation of coldness from the prostate gland to genitals.


Ferrum picricum: Senile hypertrophy of prostate. Frequent micturition at night, with full feeling and pressure in rectum. Smarting at neck of bladder and penis. Retention of urine.

Clematis erecta: Urine flows by fits, starts or dribbles, strains out a few drops, then full stream flows. Burning in urethra during urination. Last drop causes violent burning.

Conium maculatum: Discharge of prostatic fluid on every motion with itching of prepuce and enlargement. Urine starts and stops again and again.

Pareira brava: Retention of urine due to prostate enlargement.

A44 HYPER ACIDITY & ULCER



Indications: Dyspepsia, Ulceration, Flatulence, Improper Digestion, Acute and Chronic Gastritis.

Composition: Each 5ml. contains: Lycopodium clavatum 3x 1.00 ml., Alumina 3x 0.75 gm., Pepsin 3x 0.75 gm., Scrophularia nodosa 3x 0.75 ml., Chamomilla 3x 0.50 ml., Carbo vegetabilis 3x 1.00 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician.

Remedies Used: Indication Areas

Lycopodium clavatum: Food tastes sour. Excessive hunger, but eating ever so little creates fullness. Incomplete burning eructations rise only to pharynx. Sour eructations due to farinaceous or fermentable food, like cabbage, beans, oysters.

Alumina: Colic pain in abdomen, painter's colic. Obstinate constipation due to paretic condition of rectum and dryness of mucous membrane. Requires great straining. Diarrhoea when patient urinates.

Pepsin: Pepsin is an enzyme whose zymogen (pepsinogen) is released by the chief cells in the stomach and that degrades food proteins into peptides. The homoeopathic remedy made from this enzyme pepsin performs the same function and thus aids in digestion.

Scrophularia nodosa: Pain in the abdomen on pressure. Colic below the navel.

Chamomilla: Pressive gastralgia. Flatulent colic; Abdomen distended like a drum, sensitive to touch, wind passes off in small quantities.

Carbo vegetabilis: Acidity after meals. Flatus is fetid. Much eructations, which relieve flatulence.

A46 ANTI DANDRUFF



Indications: Dandruff, Dryness of Scalp.

Composition: Each 5ml contains: Alumina 3x 1.00 gm., Thuja occidentalis Q 1.00 ml., Sulphur 3x 1.00 ml., Petroleum 3x 1.00 ml., Natrum muriaticum 3x 0.75 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician

Remedies Used: Indication Areas

Alumina: Dandruff of scalp caused by intense dryness of skin. Dryness of all the mucous membranes of the body.

Thuja occidentalis: White, scaly dandruff; hair dry and falling out.

Sulphur: Scalp dry, falling of hair. Dandruff of eyelids.

Petroleum: Dandruff worse in winters.

Natrum muriaticum: Dryness of scalp causes dandruff. Eczema, raw red, inflamed especially in edges of hair.

A47 THROAT INFECTION



Indications: Painful Swallowing, Laryngeal Inflammation.

Composition: Each 5ml. contains: Hydrocotyle asiatica Q 1.75 ml., Belladonna 3x 1.50 ml., Kali bichromicum 3x 1.50 gm., In Aqua Destillata.,

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician.


Remedies Used: Indication Areas

Hydrocotyle asiatica: Good remedy for throat inflammation.

Belladonna: Sore throat in the early stages. Throat red, hot and swollen. Swallowing difficult. Dryness of the throat.

Kali bichromicum: Throat Inflammation. Ulceration. Prone to extend downward to larynx and trachea.

A48 SPONDYLITIS



Indications: Painful Swelling in Cervical Nerves, Jerking and twitching of Muscles, Acts on Periosteum and Cartilages.

Composition: Each 5ml. contains: Conium maculatum 3x 1.00 ml., Colocynthis 3x 0.75 ml., Hypericum perforatum 3x 0.75 ml., Ledum palustre Q 0.75 ml., Ruta graveolens 3x 1.00 ml., Cuprum metallicum 3x 0.25 gm., Dulcamara 3x 0.25 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician

Remedies Used: Indication Areas

Conium maculatum: Ill-effects of bruises and shocks to the spine. Pain worse on walking on an uneven surface. Vertigo from moving the head sideways.

Colocynthis: Pains come suddenly, go suddenly. Spasmodic, Crampy, tearing part. Neuralgic pains, cutting and pinching.

Hypericum perforatum: Pain on account of injuries to the spine, pain shoots up with local soreness when injuries are in the upper portion. Burning pain.

Ledum palustre: Pain begins in the feet and travels upwards.

Ruta graveolens: Backache, relieved by lying on the back. This remedy has a special affinity for fibrous tissue, flexor tendors, joints, ankles, wrists, cartilage and periosteum.

Cuprum metallicum: Spasmodic, violent, contractive and intermitting pain.

Dulcamara: Pain in neck on account of exposure to cold, damp weather, sudden change in hot weather. Stiffness, numbness, aching, soreness of muscles on every exposure to cold, especially of back and loins.

A 49 DRY COUGH



Indications: Wheezing and Dry Cough, Catarrh of Larynx, Hacking Cough with burning pain in Chest, Tickling Cough with Expectoration.

Composition: Each 5ml contains: Grindelia rubusta 3x 1.00 ml., Phosphorus 3x 0.75 ml., Senega Q 0.75 ml., Silicea 3x 0.75 gm., Sanguinaria canadensis 3x 0.75 ml., Ammonium carbonicum 3x 0.75ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician.

Remedies Used: Indication Areas

Grindelia robusta: Expectoration difficult, but relieves. Wheezing and oppression in bronchitis patients.

Phosphorus: Cough from tickling in throat.


Senega: Cough with rattling, wheezing and difficult breathing. Great accumulation of mucus. Cough ends in a sneeze. Bursting pain in the back on coughing.

Silicea: Cough and sore throat, with expectoration of little granules like shot, which are offensive. Cough with expectoration during the day.

Sanguinaria canadensis: Constant hacking cough, offensive sputa and burning and soreness in chest. Cough of gastric origin.

Ammonium carbonicum: Cough from tickling in throat as from dust. With dyspnoea, palpitation, burning in the chest, after influenza.

A 50 HIGH BLOOD PRESSURE (H.B.P.)



Indications: Hypertension, Blood Pressure: Systolic above 140 or Diastolic over 90.

Composition: Each 5ml. contains: Rauvolfia serpentina Q 1.00 ml., Glonoinum 3x 0.50 ml., Lycopodium clavatum 3x 0.50 ml., Kalmia latifolia 3x 0.50 ml., Viscum album 3x 0.50 ml., Kali phosphoricum 3x 0.50 gm., Allium sativum 3x 0.50 ml., Kali iodatum 3x 0.25 gm., Valeriana officinalis 3x 0.50 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician

Remedies Used: Indication Areas

Rauvolfia serpentina: One of the chemicals in Indian snakeroot is the same as a prescription drug called reserpine. Reserpine is used to treat mild to moderate hypertension.

Glonoinum: Throbbing of the heart. High blood pressure during menopause or due to suppression of menses. Headache is always present.

Lycopodium clavatum: Palpitations at night, cannot lie on the left side.

Kalmia latifolia: Fluttering of heart with anxiety. Palpitations. Tachycardia with pain.

Viscum album: Systolic is high and diastolic is low.


Kali phosphoricum: Mental fatigue. Irritable, restless, anxious, from mental exertion with high blood pressure.

Allium sativum: Reduces blood pressure within 30 to 45 minutes.

Kali iodatum: Reduces blood pressure.

Valeriana officinalis: Hypertension in nervous individuals.

A51 TONSILITIS



Indications: Painful Swallowing, Swollen usually on right side, Inflammation of Throat, Acts Intensely on Lymphatic Glands.

Composition: Each 5ml. contains: Belladonna 3x 1.00 ml., Phytolacca berry Q 1.00 ml.,Apis mellifica 3x 0.75 ml., Kali bichromicum 3x 0.75 gm., Mercurius iodatus ruber 3x 0.75 gm., Calcarea iodata 3x 0.50 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician.

Remedies Used: Indication Areas

Belladonna: Enlarged tonsils with redness. Burning, dryness and a sense of constriction in the throat.

Phytolacca berry: Dark, red or bluish red throat. Tonsils swollen. Sensation of a lump in the throat. Throat feels rough, narrow and hot. Pseudomembranous exudation.


Apis mellifica: Constricted, stinging pains. Uvula swollen, sac like. Puffy, fiery red tonsils.

Kali bichromicum: Pseudomembranous deposits on the tonsils. Dry, rough throat.

Mercurius iodatus ruber: It is an excellent general remedy for tonsillitis, when there is inflammation and pain in the tonsils, worse right tonsil.

Calcarea iodata: Follicular tonsillitis.

A 52 THYROID



Indications: All types of hyperthyroidism. Graves' disease; Toxic adenomas; Sub acute thyroiditis; Pituitary gland malfunctions or cancerous growths in the thyroid gland; Goitre.

Composition: Each 5ml. contains: Atropinum 3x 1.00 gm., Bromium 3x 1.00 ml., Hekla lava 3x 1.00 gm., Iodium 3x 1.00 ml., Spongia tosta 3x 0.25 ml., Natrum muriaticum 3x 0.75 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician

Remedies Used: Indication Areas

Atropinum: Helps in proper functioning of thyroid.

Bromium: Swelling, induration and stony hardness of thyroid gland. Tendency to infiltrate glands, become enlarged, hard but seldom suppurate.

Hekla lava: Swelling and induration of thyroid gland. Tendency for tumours.

Iodium: Rapid emaciation not withstanding a good appetite. Great debility. Slightest exertion produces perspiration. Goitre is cured with Iodium.

Spongia tosta: Inflammation and glandular enlargement, especially of thyroid. Swelling becomes hard, indurated.


Natrum muriaticum: Exophthalmic goitre. Increased nervousness. Excessive sweating with weight loss.

A53 ALOPECIA

Indications: Sensitive Scalp, with or without Eczema of Scalp, strengthens Hair Roots, Adds lustre to Hair.

Composition: Each 5ml. contains: Alfalfa 3x 1.00 ml., Jaborandi 3x 0.75 ml., Lycopodium clavatum 3x 0.75 ml., Wiesbaden 3x 0.50 ml., Ustilago maydis 3x 0.75 ml., Kali phosphoricum 3x 0.50 gm., Acidum phosphoricum 3x 0.50 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician.



Remedies Used: Indication Areas

Alfalfa: From its action on sympathetic, alfalfa favourably influences nutrition, tones up the appetite and digestion, resulting in greatly improved mental and physical vigour and also improved hair growth.

Jaborandi: A well-known hair remedy, prevents hair fall and promotes growth of hair.

Lycopodium clavatum: Premature baldness and severe hair fall.

Wiesbaden: The hair grows rapidly and become darker by the use of this remedy.

Ustilago maydis: Loss of hair and nails. Crusta lactea. Sticky secretions matting the hair.

Kali phosphoricum: Hair loss in people worn out with fatigue.

Acidum phosphoricum: Falling of the hair (head, eyebrows, genitalia, etc.)

A55 STOMACH PAIN

Indications: Peptic Ulcer, Attacks of epigastric pain with tenderness over Gall Bladder, mild gastric pain, steady and paroxysmal colicky pain, stomach cramps and Abdominal pain.

Composition: Each 5ml. contains: Atropinum 3x 0.50 gm., Carbo vegetabilis 3x 0.50 gm., Chamomilla Q 0.50 ml., Chelidonium majus 3x 0.50 ml., Lycopodium clavatum 3x 0.50 ml., Scrophularia nodosa3x 0.50 ml., Nux vomica 3x 0.50 ml., Anacardium occidentale 3x 0.50 ml., Arsenicum album 3x 0.25 ml., Argentum nitricum 3x 0.50 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician



Remedies Used: Indication Areas

Atropinum: Pain as if clutched by a hand, worse, jar, pressure.

Carbo vegetabilis: Flatulence and fullness with weak digestion, accompanies all complaints. Simplest food disagrees. Flatulence upper abdomen.

Chamomilla: Flatulent colic; after anger with red cheeks and hot perspiration. Cutting wind.

Chelidonium majus: Constant pain under the lower and inner angle of the right scapula.

Lycopodium clavatum: Pain shooting across lower abdomen from right to left. Flatulence much noisy.

Scrophularia nodosa: Colic below the navel.

Nux vomica: Pressure on stomach, an hour after eating.

Anacardium occidentale: Empty sensation in stomach, and is relieved by eating.

Arsenicum album: Burning pains, affected parts burn like fire, pains maddening, even felt during sleep, cause shortness of breath.

Argentum nitricum: Flatulence, painful swelling of pit of stomach. Abdominal colic with much flatulent distention.

A56 URTICARIA



Indications: Rash of round, red weals on the skin which itch intensely, sometimes with dangerous swelling, caused by an allergic reaction, typically to specific foods.

Composition: Each 5ml contains: Urtica urens Q 2.50 ml., Apis mellifica 3x 1.50 ml., Chloralum 3x 0.75 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician.

Remedies Used: Indication Areas

Urtica urens: Urticaria. Itching blotches with central white spot and red areola with burning and stinging pains.

Apis mellifica: Sudden puffing up of the whole body, swelling like bites of honey bee. Stinging and burning pains.

Cholralum: It has red eruptions like measles with intense itching and sleeplessness.

A57 FILARIA



Indications: Filariasis (or philariasis) is a parasitic disease caused by an infection with roundworms of the Filarioidea type. These are spread by blood-feeding black flies and mosquitoes.

Composition: Each 5ml. contains: Acidum hydrofluoricum 3x 0.75 ml., Hamamelis virginica Q 1.00 ml., Arsenicum album 3x 1.00 ml., Cedron 3x 1.00 ml., Hydrocotyle asiatica 3x 1.00 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician.

Remedies Used: Indication Areas

Acidum hydroflouricum: Suited to pale, miserable, cachectic, flabby, and broken down constitutions, young people who look old.

Hamamelis virginica: Venous congestion, with bruised soreness of the affected parts.

Arsenicum album: Cures infections such as fliariasis.

Cedron: Found particularly useful in tropical, damp, warm marshy countries, found curative in filarial infection.

Hydrocotyle asiatica: Dry eruptions on the skin. Great thickening of epidermoid layer and exfoliation of scales.

A58 HEADACHE



Indications: Headaches, Mental Stress, Migraine, Headache associated with Nausea & Vomiting.

Composition: Each 5ml contains: Spigelia 3x 1.00 ml., Iris versicolor 3x 1.00 ml., Cedron 3x 0.75 ml., Usnea barbata 3x 1.00 ml., Ignatia amara 3x 1.00 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician.

Remedies Used: Indication Areas

Spigelia: Neuralgias (piercing, sharp). Excruciating headache, generally above or through the left eye or orbit.

Iris versicolor: Right sided. Burning pains from right to left, burning all over. Sick headache after relaxing from mental strain. One sided, right temple specially affected, begins with blurred vision. Frontal headache with nausea and vomiting.

Cedron: Severe burning pain in eyeball with radiating pain around eye, shooting into nose. Supra-orbital neuralgia. Eyes burn like fire. Periodicity is marked.

Usnea barbata: It is a remedy in some form of congestive headache; sunstroke. Throbbing carotids.

Ignatia amara: Headache from exertion of mind.

A 59 TUMOUR



Indications: All Tumours, malignant or benign, Regenerator of diseased Tissues (Tuberculous Ulceration).

Composition: Each 5ml. contains: Scrophularia nodosa1x 2.00 ml., Baryta carbonica 3x 1.75 ml., Naja tripudians 30 1.00 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician

Remedies Used: Indication Areas

Scrophularia nodosa: It is a very useful remedy in the dissipation of breast tumors.

Baryta carbonica: Tendency to glandular enlargement and general degenerative changes, especially in the blood vessels and brain.

Naja tripudians: Ovarian tumours.

A 60 CARDIFORTE

Indications: Functional Affections of the Heat mainly Cardiac Neurosis, Arrhythmia, Tachycardia, Nerve Perturbations, Palpitations, Angina pectoris, Coronary Insufficiencies.

Composition: Each 5ml. contains: Terminalia arjuna Q 0.50 ml., Aspidosperma Q 0.50 ml., Cactus grandiflorus Q 1.00 ml., Crataegus oxyacantha Q 1.00 ml., Lycopus virginicus Q 0.25 ml., Strophanthus hispidus Q 0.25 ml., Valeriana officinalis Q 0.50 ml., Laurocerasus Q 0.25 ml., Aurum metallicum 3x 0.50 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times before meals . Or as directed by the Physician.



Remedies Used: Indication Areas

Terminalia arjuna: Terminalia contains ingredients that help stimulate heart. It also helps by lowering cholesterol and blood pressure.

Aspidosperma: Want of breath during exertion. Cardiac asthma, thrombosis of pulmonary artery. Removes temporary obstruction to the oxidation of blood by stimulating respiratory centers, increasing oxidation and excretion of carbonic acid.

Cactus grandiflorus: Circulation becomes irregular, causing violent congestion or localised pulsation behind stomach at odd places. Fluttering palpitation day and night. Cardiac Rheumatism.

Crataegus oxyacantha: Used as a specific remedy for heart complaints. Acts on the heart muscles. Cardiac dropsy, valvular affections with dyspnoea. Cardiac hypertrophy.

Lycopus virginicus: Heart - action tumultuous, violent, excessively rapid, stormy. Laboured heart at night. Hypertrophy of heart. Palpitations. Cardiac asthma. Rheumatic pains with palpitation. Valvular disease of heart following articular rheumatism.

Strophanthus hispidus: Increases the Systole and diminishes the rapidity of the heart. Functional disturbances of the heart from alcohol, tobacco and tea. Chronic nervous palpitation and arrest of breathing. Especially useful in failing compensation dependent upon fatty heart.

Valeriana officinalis: Has a calming effect.

Laurocerasus: Mitral regurgitation, cyanosis neonatorum, palpitation. Pulse - weak, variable, slow or irregular. Cardiac pain. Dyspnoea.

Aurum metallicum: Violent pain in the heart. Outward pressure, from least mental exertion. Fatty degeneration of heart. Exophthalmia with enlargement of heart.

A61 WHOOPING COUGH

Indications: Short, convulsive coughs followed by a whooping intake of breath, caused by infection with the Bacillus Bordetella Pertussis, Inflammation and production of a thick, sticky mucus

Composition: Each 5ml. contains: Belladonna 3x 0.50 ml, Drosera rotundifolia 3x 1.00 ml,Coccus cacti 3x 0.50 ml, Ipecacuanha 3x 1.00 ml, Antimonium tartaricum 3x 0.50 mg, Cuprum metallicum 3x 0.25 mg, Corallium rubrum 6C 0.25 ml, Magnesium phosphate 3x 0.50 mg, Bryonia alba 3x 0.25 ml, In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.



Remedies Used: Indication Areas

Belladonna: Barking cough, awake after midnight, pain in larynx and threatened suffocation.

Drosera rotundifolia: Spasmodic, deep sounding, hoarse, barking cough after midnight. Nocturnal cough. Cough begins as soon as the head touches the pillow at night. Sensation of constriction in chest while coughing.

Coccus cacti: Suffocative cough. Whooping cough attacks end with vomiting of tough mucus.

Ipecacuanha: Cough - dry, spasmodic, constricted, asthmatic, incessant and violent, with every breath. Cough with rattling of mucus in bronchi.

Antimonium tartaricum: Cough followed, by vomiting or sleep. Coughing and gasping consecutively. Cough excited by eating, with pain in chest and larynx. Coarse rattling with wet sounding cough, but scanty, difficult expectoration, unable to get it out.

Cuprum metallicum: Whooping cough, long lasting suffocating spasmodic, unable to speak, with breathless blue face.

Corallium rubrum: Dry spasmodic, suffocative, rapid, short and barking cough. Cough with great sensitiveness of air passages, feels cold on deep inspiration. Continuous hysterical cough. Feels suffocated and greatly exhausted after whooping cough.

Magnesium phosphoricum: Dry, tickling cough. Spasmodic cough, with difficulty lying down.

Bryonia alba: Cough - dry, hard, very painful, at night. Sharp, stitching pain in chest.

A62 WET COUGH

Indications: Productive Cough that produces phlegm or mucus (sputum) found in the lower respiratory tract (windpipe and lungs), caused by Viral illnesses, Infections, Chronic lung disease and Nasal discharge

Composition: Each 5ml. contains: Drosera rotundifolia 3x 1.00 ml, Hepar sulphuris calcareum 3x 1.00 gm, Kali bichromicum 3x 1.00 gm, Antimonium tartaricum3x 0.75 gm, Stannum metallicum 3x 1.00 gm, In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.



Remedies Used: Indication Areas

Drosera rotundifolia: Spasmodic, deep sounding, hoarse, barking cough after midnight. Nocturnal cough. Cough begins as soon as the head touches the pillow at night. Sensation of constriction in chest while coughing.

Hepar sulphuris calcareum: Cough - when any part of the body is uncovered - croupy, choking, strangling. deep, barking cough with hoarseness. Sensation of splinter in throat, stitches in throat extending to ear when swallowing.

Kali bichromicum: Expectoration-copious, stringy, tough, yellow/green.

Antimonium tartaricum: Cough followed, by vomiting or sleep. Coughing and gasping consecutively. Cough excited by eating, with pain in chest and larynx. Coarse, rattling with wet sounding cough, but scanty, difficult expectoration, unable to get it out.

Stannum metallicum: Cough - deep, hollow, strangling. Dry cough at night, with sweet or salty expectoration.

A63 HEART BURN

Indications: Chest pain, Throat pain, Burning in lower chest, Stomach discomfort, Reflux, Sour or acid taste in the throat and mouth, Nausea or vomiting, excessive flatulence.

Composition: Each 5ml. contains: Aesculus hippocastanum 3x 0.50 ml., Arsenicum album 3x 0.50 ml., Calcarea carbonica 3x 0.50 gm., Carbo vegetabilis 3x 0.50 gm., Ipecacuanha 3x 0.50 ml., Nux vomica 3x 0.50 ml., Ferrum metallicum 3x 0.50 gm., Pulsatilla nigricans 3x 0.50 ml., Natrum phosphoricum 3x 0.25 gm., Phosphorus 3x 0.50 ml., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.



Remedies Used: Indication Areas

Aesculus hippocastanum: Weight, as from a stone, with gnawing, aching pains about 3 hours after meals.

Arsenicum album: Burning pains, affected parts burn like fire, pains maddening, even felt during sleep, cause shortness of breath.

Calcarea carbonica: Frequent sour eructations, sour vomiting, loss of appetite when overworked. Cramps in stomach, heart burn and loud belching. Stomach swollen like an inverted saucer is very painful to pressure.

Carbo vegetabilis: Burning pains, burning heat in stomach. Simplest food disagrees with much bloating of upper abdomen. Sour and rancid eructations. Flatulence obstructed.

Ipecacuanha: It acts chiefly on the pneumo-gastric nerve producing gastrointestinal disturbances. Nausea constant, continuous and persistent with or without vomiting. Nausea not relieved by vomiting.

Nux vomica: Digestive disturbances with ineffectual desire for stools. Sour eructations. Sour vomitus. Nausea and vomiting constant.

Ferrum metallicum: Canine or voracious appetite or absolute loss of appetite. Spits up food by the mouthful without nausea. Vomiting immediately after eating, after midnight, during pregnancy. Vomiting sour acrid.

Pulsatilla nigricans: Eructations; taste of food remains a long time; after ices, fruits. Heartburn, dyspepsia with great tightness after a meal. Noisy flatulence. Gastro-duodenal catarrh.

Phosphorus: Burning anywhere and everywhere all over the body. Longs for cold food and drink, juicy, refreshing things; ice cream.

A64 ABDOMINAL PAIN



Indications: Acute pain in Abdomen with existing conditions like Peptic ulcer disease, Acute Pancreatitis, Appendicitis, Gastritis, Biliary colic, Gastroenteritis, etc.

Composition: Each 5ml. contains: Alumina 3x 0.50gm., Belladonna 3x 0.50 ml., Bryonia alba 3x 0.50 ml., Calcarea carbonica 3x 0.50 gm., Carbo vegetabilis 3x 0.25 gm., Colocynthis 3x 0.25 ml., Cinchona officinalis 3x 0.50 ml., Ipecacuanha 3x 0.50 ml., Magnesium phosphoricum 3x 0.25 gm., Pulsatilla nigricans 3x 0.50 ml., Dioscorea villosa 3x 0.50 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Alumina: Colic pain in abdomen.

Belladonna: Colicky pain comes and goes quickly. Transverse colon protrudes like a pad during abdominal colic.

Bryonia alba: Food lies like stone in the abdomen. Stools hard, constipated. Desire to lie quietly.

Calcarea carbonica: Gall-stone colic, liver region painful. Distention with hardness.

Colocynthis: Agonizing, violent, cutting, cramping, griping, tearing, clutching, or radiating pain, comes in waves. Intestines feel squeezed between stones. Sensation as of being encircled with an iron band. Colic with cramps in calves. Pains are accompanied by nausea vomiting and diuresis.

Cinchona officinalis: Gall stone colic periodic.


Ipecacuanha: Pain clutching, squeezing, griping as from hand, each finger sharply pressing into abdomen. Worse from motion. Flatulence, cutting colic about umbilicus, extending towards uterus.

Magnesium phosphoricum: Pains are throbbing and burning in character and are relieved by pressure and warmth. The patient passes wind constantly during the pain.

Pulsatilla nigricans: Pain in stomach an hour after eating.

Dioscorea villosa: Abdominal pains shift to different parts, appear in remote localities as fingers and toes. Gall stone colic, pains radiate from abdomen to back, chest, arms.

A65 BRONCHITIS



Indications: Acute bronchitis and Chronic bronchitis, Inflammation of the bronchial tubes, Mucus drainage from sinuses, Burning throat, Dry raw concussive cough, Chronic productive cough with expectoration, Shortness of breath or wheezing, Chest pain, Dyspnoea.

Composition: Each 5ml. contains: Blatta orientalis 3x 0.50 ml., Belladonna 3x 0.50 ml., Bryonia alba 3x 0.50 ml., Drosera rotundifolia 3x 0.50 ml., Aconitum napelles 3x 0.50 ml., Antimonium tartaricum 3x 0.25 gm., Sulphur 3x 0.50 ml., Carbo vegetabilis 3x 0.50 gm., Ipecacuanha 3x 0.25 ml., Hepar sulphuris calcareum 3x 0.25 gm., Kali bichromicum 3x 0.25 gm., Silicea 3x 0.25 gm.,In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Blatta orientalis: Primarily an asthma remedy. Useful in bronchitis.

Belladonna: Barking cough. Pain in larynx.

Bryonia alba: Cough - dry, hard, very painful, at night. Sharp, stitching pain in chest.

Drosera rotundifolia: Nocturnal cough. Sensation of constriction in chest while coughing.

Aconitum napelles: Hoarse, dry, whoopy cough.

Antimonium tartaricum: Great accumulation of mucous with coarse rattling; respiration is impeded.

Sulphur: Respiration difficult.

Carbo vegetabilis: Hoarseness. Laborious quick short breathing with burning in chest.

Ipecacuanha: Cough with rattling of mucus.

Hepar sulphuris calcareum: Wheezing, rattling, threatens suffocation. Sensation of splinter in throat.

Kali bichromicum: Viscid mucus in the throat. Expectoration - copious, stringy, tough, yellow/green.

Silicea: Cough and sore throat, with expectoration.

A66 LUNG INFECTIONS



Indications: Inflammation of the lungs, Pneumonia, Irritation and inflammation of the Pleura, Pleural effusion, Coughing, Sputum production, Pleuritic chest pain, Shaking chills, Shortness of breath, Rapid shallow breathing and fever.

Composition: Each 5ml. contains: Aconitum napelles 3x 0.50 ml., Bryonia alba 3x 0.50 ml.,Ferrum phosphoricum 3x 0.25 gm., Iodium 3x 0.25 ml., Kali carbonicum 3x 0.25 gm., Kali muriaticum 3x 0.25 gm., Lycopodium clavatum 3x 0.50 ml., Rhus toxicodendron 3x 0.50 ml., Sulphur 3x 0.50 gm., Chelidonium majus 3x 0.50 ml., Sanguinaria canadensis 3x 0.50 ml., Antimonium tartaricum 3x 0.50 gm.,

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Aconitum napelles: Hoarse, dry, whoopy cough, short hacking, on expiration grasps larynx.

Short Aconitum napelles: Hoarse, dry, whoopy cough.

Bryonia alba: Cough - dry, hard, very painful, at night. Sharp, stitching pain in chest.

Ferrum phosphoricum: Exudation with pain, redness, congestion, heat and swelling.

Iodium: Right-sided pneumonia with high temperature and absence of pain.

Kali carbonicum: Cough - dry, paroxysmal, viscid mucus spasmodic.

Kali muriaticum: Asthma with gastric derangements, mucus white and hard to cough up.

Lycopodium clavatum: Neglected pneumonia with great dyspnea.

Rhus toxicodendron: Pleurisy with oppression of chest, with sticking pains.

Sulphur: Respiration difficult.

Chelidonium majus: Great fermentation and accumulation of gas with nausea.

Sanguinaria canadensis: Valvular disease with lung disease. Hydrothorax.

Antimonium tartaricum: Cough with pain in chest and larynx.

A67 BACK PAIN



Indications: Pain or discomfort in the upper, middle or lower back. Upper Back Pain (affecting the area of cervical and thoracic spine), Middle Back Pain (affecting the area of dorsal spine) and Lower Back Pain or Lumbago (affecting the area of lumbo-sacral spine).

Composition: Each 5ml. contains: Rhus toxicodendron Q 0.50 ml., Bryonia alba 3x 0.50 ml., Hypericum perforatum 3x 0.50 ml., Colocynthis 3x 0.50 ml., Nux vomica 3x 0.50 ml., Arnica montana 3x 0.50 ml., Actea Racemosa 3x 0.50 ml., Ruta graveolens 3x 0.50 ml., Magnesium phosphoricum 3x 0.25 gm., Aesculus hippocastanum 3x 0.50 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Rhus toxicodendron: Pain between shoulders on swallowing. Pain and stiffness in small of back. Cervical stiffness causing patient to stretch and move about. Pain in inner, upper left scapula.

Bryonia alba: Pains - stitching, tearing.

Hypericum perforatum: Pressure over sacrum, coccydynia. Injuries of spine (fractures, sprains) with sharp, shooting pains.

Colocynthis: Contraction of muscles. Cramp like pains in the back and hips.

Nux vomica: Backache, must sit up to turn in bed. Chilliness of back and limbs, and pain of skin as from freezing cold.

Arnica Montana: Sore, lame, bruised feeling all over body as if beaten. Hard bed sensation. Sore pain when touched.


Actea Racemosa: Stiffness and contraction in neck and back. Crick in the back.

Ruta graveolens: Backache, relieved by lying on the back.

Magnesium phosphoricum: Cramping, lightening-like, shooting, sharp, cutting, stabbing, stitching, rapidly changing place. Pains come and go suddenly.

Aesculus hippocastanum: Spine feels weak, back and legs give out, backache affecting sacrum and hips. Alternate heaviness and lameness.

A68 IMMUNITY



Benefits: Builds a strong and healthy immune system, Improves overall systemic balance and cellular health, Protects the body against viral and bacterial infections, Boosts energy levels and vitality, Reduces the occurrence of illness and premature degeneration of body cells, Improves healthy liver functioning, circulation and blood flow.

Composition: Each 5ml. contains: Aconitum napelles 3x 0.25 ml., Arnica montana 3x 0.50 ml., Baptisia tinctoria 3x 0.50 ml., Belladonna 3x 0.50 ml., Bryonia alba 3x 0.50 ml., Echinacea angustifolia 3x 0.50 ml., Gelsemium sempervirens 3x 0.50 ml., Rosmarinus officinalis 3x 0.50 ml., Thuja occidentalis 3x 0.25 ml., Nux vomica 3x 0.25 ml., Schisandra chinensis 3x 0.25 ml., Viscum album 3x 0.25 ml., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.

Remedies Used: Indication Areas

Aconitum napelles: Boosts immune system in people suffering from recurrent illness on exposure to cold weather.

Arnica Montana: A good immunomodulation remedy.

Baptisia tinctoria: An immunomodulation herb for people who suffer from recurrent fever especially typhoid.

Belladonna: Builds immunity, removes tendency to recurrent throat infection.

Bryonia alba: Another good remedy for strengthening immune system.

Echinacea angustifolia: It is an immune system stimulant.

Gelsemium sempervirens: Build immunity in weak debilitated subjects.

Rosmarinus officinalis: Improves immunity.

Thuja occidentalis: Strengthens the immune system.

Nux vomica: Strengthens immune system in people who have abused their bodies too much by the ill effects of modern day living.

Schisandra chinensis: Is used as an adaptogen for increasing resistance to disease and stress, increasing energy and physical performance.

Viscum album: Improves immune strength.

A69 ANAL FISSURES



Indications: Laceration, crack or tear of the anal canal, Rectal pain: burning, cutting, or tearing. Pain with bowel movements, Spasm of the anus, Bloody stools, Itching in anus.

Composition: Each 5ml. contains: Aesculus hippocastanum Q 0.50 ml., Causticum 3x 0.50 ml., Berberis vulgaris 3x 0.50 ml., Graphites 3x 0.50 gm., Paeonia officinalis 3x 0.50 ml., Sulphur 3x 0.25 ml., Hydrastis canadensis 3x 0.50 ml., Ratanhia 3x 0.50 ml., Petroleum 3x 0.25 ml., Ignatia amara 3x 0.25 ml., Silicea 3x 0.25 gm., Acidum nitricum 3x 0.25 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Aesculus hippocastanum: Haemorrhoids - blind or bleeding. Rectum - aching, feels full of small sticks.

Causticum: Haemorrhoids. Piles.

Berberis vulgaris: Haemorrhoids due to venous stasis, pelvic engorgement. Fistula-in-ano.

Graphites: Fissure-in-ano. Bleeding anus.

Paeonia officinalis: Biting, itching in anus; orifice swollen. Haemorrhoids, fissures, ulceration of anus

Sulphur: Hemorrhoids. Itching, Burning. Redness. Moist and eruptions around rectum.

Hydrastis canadensis: Constipation and Haemorrhoids.

Ratanhia: Fissure of anus. Discharge of blood from rectum.

Petroleum: Anal fissures with diarrhoea only during daytime.

Ignatia amara: Constipation with great pain and flatulence. Pain shoots up the rectum.

Silicea: Inactivity of rectum. Fistula-in-ano alternate with chest symptoms

Acidum nitricum: Constipation with fissures in rectum.

A70 IRRITABLE BOWEL SYNDROME (I.B.S.)

Indications: Irritable Bowel Syndrome (IBS) is a functional Gastrointestinal (GI) disorder. People with IBS may experience abdominal pain and changes in bowel habits - either Diarrhoea or Constipation, or both at different times. Symptoms include Abdominal cramps, Stool inconsistency, Urgency or a feeling of incomplete bowel movements.

Composition: Each 5ml. contains: Argentum nitricum 3x 0.25 gm., Asafoetida 3x 0.50 ml., Colocynthis 3x 0.50 ml., Lillium tigrum 3x 0.50 ml., Lycopodium clavatum Q 0.50 ml., Natrum carbonicum 3x 0.25 gm., Nux vomica 3x 0.25 ml., Podophyllum peltatum 3x 0.25 ml., Sulphur 3x 0.50 gm., Kali phosphoricum 3x 0.125gm., Aloe soccatrina 3x 0.50 ml., Antimonium crudum 3x 0.125gm., Veratrum album 3x 0.50 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. Or as directed by the Physician.



Remedies Used: Indication Areas

Argentum nitricum: Flatulence. Abdominal colic.

Asafoetida: Foul, dark, watery diarrhoea with griping pain and flatulence.

Colocynthis: Brown, watery stools. Pain in the abdomen.

Lillium tigrum: Stiff, tense abdomen. Sharp abdominal pains. Tenesmus of rectum and bladder.

Lycopodium clavatum: Bloated lower Abdomen.

Natrum carbonicum: Diarrhoea. Stool like orange pulp. Acid dyspepsia.

Nux vomica: Digestive disturbances with ineffectual desire for stools.

Podophyllum peltatum: Putrid stools gushing out painlessly with prolapse of rectum.

Sulphur: Griping pains about the navel, emission of flatus. Pressive sensation in abdomen towards anus.

Kali phosphoricum: Flatulence. Entero-colitis. Stools - Golden yellow, putrid, hot.

Aloe socotrina: Fullness, distention, gurgling before stool. Pain before stool.

Antimonium crudum: Gastric and intestinal complaints. Constant discharge of flatus.

Veratrum album: Diarrhoea very painful, watery, copious and forcibly evacuated.

A71 URINARY TRACT INFECTIONS (U.T.I.)

Indications: Mainly Cystitis caused by E.coli (also known as B. coli) Bacteria infection. Symptoms include Foul smelling urine, Pain in abdomen, Urine with traces of blood, Dark coloured or cloudy urine, Frequent desire to urinate, Burning during urination, Pain just above the pubic bone.

Composition: Each 5ml. contains: Aconitum napelles 3x 0.50 ml., Belladonna Q 0.50 ml., Apis mellifica 3x 0.50 ml., Berberis vulgaris Q 0.50 ml., Borax 3x 0.50 gm., Chimaphila umbellate Q 0.25 ml., Clematis erecta 3x 0.25 ml., Equisetum hyemale 3x 0.25 ml., Cantharis 3x 0.25 ml., Sarsaparilla Q 0.50 ml., Lycopodium clavatum Q 0.25 ml., Sepia Q 0.25 ml., Staphysagria Q 0.125ml., Nux vomica Q 0.125ml., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.



Remedies Used: Indication Areas

Aconitum napelles: Micturition painful, urine fiery scalding hot, dark coloured.

Belladonna: Urine scanty, dark, turbid, frequent, profuse, with tenesmus. Haematuria.

Apis mellifica: Glomerulonephritis. Nephrotic syndrome. Excessive oedema. Cystitis with scalding pain during urination.

Berberis vulgaris: Colic radiating, shooting outwards. Pain in kidneys radiates to bladder, and then along hips into the thighs. Urine greenish, blood red, with thick slimy mucus.

Borax: A good remedy for urine infection especially in children.

Chimaphila umbellate: Scanty urine, loaded with ropy mucopurulent sediment.

Clematis erecta: Mucus in urine. Burning in urethra during urination. Last drop causes violent burning.

Equisetum hyemale: Severe dull pain in bladder. Much mucus in urine; cloudy.

Cantharis: Violent and aggressive action on tissues, especially mucus membranes of the urinary tract.

Sarsaparilla: Pain from right kidney downwards. Renal colic. Bladder - distended and tender.

Lycopodium clavatum: Pain in back before urinating. Red sand in urine.

Sepia: Thick foul urine, adherent, red, sandy sediment. Involuntary urination on coughing.

Staphysagria: Cystitis after every intercourse. Burning in urethra when not urinating.

Nux vomica: Renal colic (right), Cystitis with constant urging for small amounts.

A72 MENOPAUSE



Indications: Heavy periods during Menopause, Vasodilatory hot flushes, Depression, Insomnia, Mood swings, Irritability, Night sweats, Headaches, Painful sexual intercourse, Vaginitis, Reduction in libido, Nausea, Urinary incontinence.

Composition: Each 5ml. contains: Aconitum napelles 3x 0.50 ml., Amyl nitrosum 3x 0.25 ml., Bellis perennis 3x 0.50 ml., Calcarea carbonica 3x 0.50 gm., Cimicifuga racemosa 3x 0.25 ml., Ignatia amara 3x 0.50 ml., Pulsatilla nigricans 3x 0.50 ml., Sanguinaria canadensis 3x 0.25 ml., Sulphur 3x 0.50 ml., Belladonna 3x 0.50 ml., Lycopodium clavatum 3x 0.50 ml., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.

Remedies Used: Indication Areas

Aconitum napelles: A state of fear, anxiety, anguish of mind and body in menopausal women.

Amyl nitrosum: Climacteric headache and flashes of heat with anxiety and palpitations.

Bellis perennis: Engorgement of breasts and uterus at menopause.

Calcarea carbonica: Diseases of fat women around climacteric. Pituitary and thyroid dysfunction.

Cimicifuga racemosa: Rheumatic pains and headache around menopause. Menses when they appear are clotted, painful and profuse.

Ignatia amara: Hysterical females going through menopause.

Pulsatilla nigricans: Menses suppressed, appear too late and are scanty.

Sanguinaria canadensis: Burning sensation as from hot water. Bearing down with leucorrhea smelling like fish or old cheese. Headache during menopause. Hot flashes.

Sulphur: Ebullitions of heat, dislike for water, dry and hard hair and skin, red orifices and sinking feeling in the stomach in women of menopausal age.

Belladonna: Menses increased; bright red, too early and too profuse.

Lycopodium clavatum: Menses too late; last too long, too profuse. Vagina dry and coition painful in menopausal women.

A73 VAGINAL ITCHING & DISCHARGE



Indications: Foul vaginal discharge, Vulvar irritation, Itching and burning in the vagina and vulva, Red, swollen, painful vaginal mucous membranes and external genitalia, Dysuria, Dyspareunia.

Composition: Each 5ml. contains: Belladonna 3x 0.50 ml., Caladium seguinum 3x 0.50 ml., Cannabis sativa 3x 0.50 ml., Helonias dioica 3x 0.50 ml., Kreosotum 3x 0.50 ml., Medorrhinum 6x 0.50 ml., Pulsatilla nigricans 3x 0.50 ml., Calcarea carbonica 3x 0.50 gm., Graphites 3x 0.25 gm., Borax 3x 0.50 gm., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.

Remedies Used: Indication Areas

Belladonna: Intense heat of affected part. Vaginal discharge is offensive and red.

Caladium seguinum: Pruritus vulvae in females which may sometimes be due to thread worms finding their way into vagina inducing masturbation and even nymphomania.

Cannabis sativa: Infantile leucorrhoea.

Helonias dioica: Foul, lumpy or curdled leucorrhoea, with pruritus vulvae. Vulva aphthous

Kreosotum: Corrosive itching within vulva, burning and swelling of labia; violent itching between labia and thighs.

Medorrhinum: Intense pruritus of labia and vagina, especially in non-menstrual period.

Pulsatilla nigricans: Leucorrhoea milky thick like cream, acrid, with pain in back and exhaustion.

Calcarea carbonica: Leucorrhoea - milky, acrid in young girls.

Graphites: Leucorrhoea - acrid, excoriating, occurs in gushes day and night, before and after menses.

Borax: Leucorrhoea in between menses for 2 weeks. Leucorrhoea like the white of eggs with sensation as if warm water flowing down the legs.

A74 HORMONAL IMBALANCE



Indications: Irregular or heavy bleeding vaginally, Vaginal dryness, Fever, Excessive hair growth, Changes in mensuration, Irritation, Anxiety, Premenstrual syndrome, Endometriosis, Urinary tract infections, Uterine fibroids, Mood swings, Cramps, memory loss, high blood pressure, low blood sugar etc.

Composition: Each 5ml. contains: Cimicifuga racemosa 3x 1.00 ml., Lachesis 6x 1.00 ml., Sulphur 3x 1.00 ml., Sepia 3x 1.00 ml., Pulsatilla nigricans 3x 0.75 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Cimicifuga racemosa: Menstrual irregularities due to hormonal imbalance in women. Profuse menstrual flow, more the flow, mmore the related dysmenorrhea.

Lachesis: Hormonal imbalance leading to increased menstrual flow. Hormonal imbalance during menopause causing hot flushes and palpitations in women.

Sulphur: Hormonal imbalance in women at different ages causing varied symptoms.

Sepia: Delayed and scanty periods in women especially at menopause. Mood swings and depression due to hormonal imbalance.

Pulsatilla nigricans: Delayed, scanty or absent periods in women due to hormonal imbalance. Delayed appearance of menses in girls at first menstrual cycle..

A75 ALLERGY



Benefits: Relieves symptoms of allergies and hay fever (Allergic Rhinitis), Soothes and improves health of mucous membranes, Blocks allergic reaction to allergens by reducing the release of histamine, Improves resistance against allergens and strengthens the immune system, Reduces susceptibility to colds, sinusitis, flu and other respiratory infections.

Composition: Each 5ml. contains: Euphrasia officinalis 3x 1.00 ml., Silicea 3x 1.00 gm., Natrum muriaticum 3x 1.00 gm., Kali muriaticum 3x 0.75 gm., Calcarea fluorica 3x 0.50 gm., Calcarea phosphorica 3x 0.50 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Euphrasia officinalis: Allergy causing constant watering of eyes, with itching and burning. Frequent sneezing. Symptoms worse in sunlight and wind.

Silicea: Frequent sneezing paroxysms on change of weather, temperature or exposure to dust.

Natrum muriaticum: Excessive watery nasal discharge with sneezing. Also Allergic condition caused due to eggs, bread, pickles or acidic foods.

Kali muriaticum: A biochemic with respiratory symptoms due to allergy to certain things.

Calcarea flourica: An important mineral in the body, removes tendency to allergic conditions.

Calcarea phosphorica: A useful medicine for milk allergies.

A76 KALMEGH



Indications: Sluggish Liver, Loss of Appetite, Indigestion due to irregular functioning of Liver, Jaundice, Hepatic Dysfunction, Hepatomegaly and Poor Biliary Secretion.

Composition: Each 5ml. contains: Andrographis paniculata Q 1.00 ml., Chelidonium majus Q 1.00 ml., Carica papaya Q 1.00 ml., Myrica cerifera Q 0.75 ml., Hydrocotyle asiatica Q 0.50 ml., Hygrophila spinosa Q 0.50 ml., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.

Remedies Used: Indication Areas

Andrographis paniculata: It helps to support and strengthen the liver. It has been proved to be hepatoprotective drug.

Chelidonium majus: Jaundice. Bilious complaints during gestation. Constant pain under the inner, inferior angle of right scapula. Entire skin greyish yellowish with hepatic complaints. Tongue - Thick, yellow coated, indented, with red edges.


Carica papaya: Useful for liver ailments with Fullness of abdomen as if it would burst due to flatulence, uneasy feeling in abdomen.

Myrica cerifera: Liver affections with heart complaints; with urticarial, with jaundice.

Hydrocotyle asiatica: Pain in upper part of liver. Obstruction in hepatic region. Heat in hypogastrium.

Hygrophila spinosa: Hygrophila spinosa is commonly used for the treatment of jaundice and hepatic obstruction.

A77 STRESS



Indications: **Emotional Symptoms:** Moodiness, Irritability or short temper, Agitation, Inability to relax, and Feeling overwhelmed, Sense of loneliness and isolation, Depression or general unhappiness.

Cognitive Symptoms: Memory problems, Inability to concentrate, Poor judgment, Seeing only the negative, Anxious or racing thoughts, Constant worrying.

Composition: Each 5ml. contains: Ignatia amara 3x 1.00 ml., Kali phosphoricum 3x 0.25 gm., Natrum muriaticum 3x 0.25 gm., Nux vomica 3x 1.00 ml., Acidum phosphoricum 3x 1.00 ml., Pulsatilla nigricans 3x 0.75 ml., Sepia 3x 0.50 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Ignatia amara: Ailments from silent grief and disappointment in love. Full of suppressed grief, seems to drown by it. Highly emotional.

Kali phosphoricum: Mental fatigue. Irritable, restless, anxious, from mental exertion. Nervous dread. Feel unable to cope, despondency. Slightest labour seems a heavy task.

Natrum muriaticum: Ailments from grief, cannot cry. Psychic causes of disease.

Nux vomica: Adapted to thin, irritable, persons with nervous, melancholic temperament. Intellectual and over cautious in disposition, who do a lot of mental over study, close application to business etc.

Acidum phosphoricum: Ailments from grief. Suffers in silence.

Pulsatilla nigricans: Mild, timid emotional and tearful. Weeps easily, can hardly give has symptoms without weeping, weeps at everything.

Sepia: Indifference. Hardness. Aversion to family. Any demand by family is viewed as a further burden and met with anger.

A78 CHRONIC ANXIETY

Indications: Sudden fright or shock, Shortness of breath, Heart palpitations, Trembling or shaking, Sweating, Choking, Nausea and abdominal distress, Numbness, Dizziness and unsteadiness, Feeling of detachment, Hot flushes or chills.

Composition: Each 5ml. contains: Aconitum napelles 3x 0.50 ml., Argentum nitricum 3x 0.25 ml., Arsenicum album 3x 0.50 ml., Gelsemium sempervirens Q 0.25 ml., Ignatia amara 3x 0.25 gm., Lycopodium clavatum 3x 0.50 ml., Calcarea carbonica 3x 0.25 gm., Pulsatilla nigricans 3x 0.50 ml., Anacardium orientale 3x 0.50 ml., Bryonia alba 3x 0.50 ml., Causticum 3x 0.25 ml., Borax 3x 0.50 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. Or as directed by the Physician.



Remedies Used: Indication Areas

Aconitum napelles: Acute anxiety with agonizing terrors and fear of death. Frequent palpitations. The patient is inconsolable and restless.

Argentum nitricum: Anticipatory anxiety with diarrhea. Hurried, irritable, nervous and lacking in self-confidence.

Arsenicum album: Intense anxiety with great restlessness. Fears something terrible will happen.

Gelsemium sempervirens: Anxiety due to fright, fear and emotions.

Ignatia amara: Anxiety due to any grief. Long sighing.

Lycopodium clavatum: Anxiety with lack of self-confidence. The patient is unable to sleep due to the happenings during the day. Anxiety about forthcoming events.

Calcarea carbonica: The patient thinks that he has done something wrong. He feels uneasy and anxious with palpitations. Desperate of life. Fears insanity.

Pulsatilla nigricans: Anxiety after bad news or an emotional upset. The patient is weepy, touchy and needs company.

Anacardium orientale: Anxiety which vanishes on eating.

Bryonia alba: Anxiety about business matters.

Causticum: Anxiety worse in the evening due to apprehension.


Borax: Anxiety leading to nausea with fear of downward motion.

A79 DEPRESSION

Indications: Hopelessness, Low mood, Reduced energy, Appetite disturbance, Loss of libido, Insomnia, Low self-esteem, Suicidal thoughts, unusual fears, Pessimism, Ideas of worthlessness.

Composition: Each 5ml. contains: Arsenicum album 3x 0.50 ml., Graphites 3x 0.50 gm., Ignatia amara 3x 0.25 ml., Lycopodium clavatum Q 1.00 ml., Natrum muriaticum 3x 0.50 gm., Nux vomica 3x 0.50 ml., Acidum phosphoricum 3x 0.50 ml., Pulsatilla nigricans 3x 0.50 ml., Sepia 3x 0.50 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. Or as directed by the Physician.



Remedies Used: Indication Areas

Arsenicum album: Sadness, restlessness, irritability, anxiety and fear. Depression on account of a hidden feeling of guilt.

Graphites: Sad, tearsome, irresolute, hesitates at trifles. Feels miserable and unhappy.

Ignatia amara: Depression due to grief and worry. Melancholic. Full of contradictions. Tearful.

Lycopodium clavatum: Weeps all the day, cannot calm himself, very sensitive, even cries when thanked. Weeping aloud ameliorates.

Natrum muriaticum: Ailments from grief. Psychic causes of disease; ill-effects of grief, fright, anger etc.

Nux vomica: Nervous, melancholic temperament. Suicidal, homicidal impulses from slight offense, but lacks courage. Impossible to weep though sad.

Acidum phosphoricum: Ailments from grief. Suffers in silence. Softening or a dropping down in tone on the emotional plane, leading to indifference, apathy.

Pulsatilla nigricans: Mild, timid, emotional and tearful.

Sepia: Indifference, hardness. Aversion to family, to those loved best, to sympathy, to company, yet dreads to be alone.

A80 VERTIGO



Indications: Anaemic and Nervous vertigo, Difficulty walking or standing (may even fall suddenly to the ground), Relief on lying or sitting still; Nausea, Vomiting & Sweating.

Composition: Each 5ml. contains: Conium maculatum 3x 0.50 ml., Iodium 3x 0.50 ml., Ferrum metallicum 3x 0.50 gm., Cocculus indicus 3x 0.50 ml., Rhus toxicodendron 3x 0.75 ml., Aesculus hippocastanum 3x 0.50 ml., Bryonia alba 3x 0.50 ml., Causticum 3x 0.50 ml., Cinchona officinalis 3x 0.50 ml., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Conium maculatum: Vertigo when lying down, when turning over in bed, when turning head sideways or turning eyes. Worse shaking head, slight noise, or conversation of others.

Iodium: Vertigo, worse from stooping, worse in a warm room.

Ferrum metallicum: Vertigo on seeing flowing water.

Cocculus indicus: Vertigo, as if intoxicated upon rising in bed or by motion of carriage. True vertigo, the world seems to spin. Must lie down from the severity of the vertigo.

Rhus toxicodendron: Vertigo - when standing or walking, worse when lying down.

Aesculus hippocastanum: Vertigo when sitting and walking.

Bryonia alba: Dizzy or faint on rising up.

Causticum: Sensation of an empty space between the forehead and the brain.

Cinchona officinalis: Dizzy when walking.

A81 SKIN ABSCESS & BOILS



Indications: Thick, yellow liquid pus formations under the skin caused by an infection, characterised by heat, swelling, redness, and pain.

Composition: Each 5ml. contains: Belladonna 3x 0.50 ml., Bryonia alba 3x 0.50 ml., Chamomilla 3x 0.50 ml., Silicea 3x 0.25 ml., Aconitum napelles 3x 0.25 ml., Pulsatilla nigricans 3x 0.25 ml., Calendula officinalis 3x 0.75 ml., Myristica sebifera 3x 0.25 ml., Lycopodium clavatum 3x 0.50 ml., Stramonium 3x 0.25 ml., Hepar sulphuris calcareum 3x 0.25 gm., Pyrogenium 3x 0.25 ml., Calcarea carbonica 3x 0.25 gm., In Aqua Destillata

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Belladonna: Throbbing, painful boils with redness.

Bryonia alba: Boils hot and painful, worse warmth, motion.

Chamomilla: Boils with unendurable pain in sensitive, irritable children.

Silicea: Ripens abscess and promotes suppuration. It heals a boil which is of an obstinate nature.

Aconitum napelles: Boils, red, hot, swollen and burning.

Pulsatilla nigricans: Skin troubles after rich food with diarrhoea from delayed menses.

Calendula officinalis: If the abscess is septic with yellow thick pus.

Myristica sebifera: It often acts better and powerfully in the opening of the abscess. Acts as a homoeopathic knife.

Lycopodium clavatum: Abscesses beneath the skin, worse warm applications.

Stramonium: Shiny red eruptions.

Hepar sulphuris calcareum: Abscess with thick pus and great throbbing pain.

Pyrogenium: Recurring abscess, fever and septic conditions.

Calcarea carbonica: Abscess in patients of tubercular diathesis.

A82 PREMATURE GREYING OF HAIR

Indications: Early greying of Hair.

Composition: Each 5ml. contains: Arnica montana Q 0.50 ml., Lemna minor 3x 0.50 ml., Lycopodium clavatum 3x 0.50 ml., Wiesbaden 3x 0.50 ml., Psorinum 3x 0.50 ml., Mezereum 3x 0.50 ml., Acidum phosphoricum 3x 0.25 ml., Staphysagria 3x 0.25 ml., Thuja occidentalis 3x 0.50 ml., Silicea 3x 0.25 gm., Sarracenia purpurea 3x 0.25 ml., Zincum metallicum 3x 0.25 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 4 times. Or as directed by the Physician.



Remedies Used: Indication Areas

Arnica montana: A well-known remedy for hair fall and premature greying of hair.
Lemna minor: Greying of hair in people suffering from chronic nasal catarrh.
Lycopodium clavatum: Premature greying of hair.
Wiesbaden: By the use of this remedy, the hair will become darker and grow rapidly.
Psorinum: Premature greying of hair with severe hair fall.
Mezereum: Premature greying maybe with matting of hair and hair is dry.
Acidum phosphoricum: Hair thins out, turns grey early and falls out.
Staphysagria: Premature greying of hair with eczema of scalp and great itching.
Thuja occidentalis: When hair grows slowly and becomes grey.
Silicea: Premature greying of hair due to imperfect assimilation and consequent defective nutrition.
Sarracenia purpurea: Premature greying of hair.
Zincum metallicum: Greying of hair with anaemia and profound prostration. And also in people who are fatigued. Tissues are worn out faster than they are repaired.

A83 BED-WETTING

Indications: Involuntary urination while asleep.

Composition: Each 5ml. contains: Belladonna 3x 0.50 ml., Acidum benzoicum 3x 0.50 ml., Calcarea carbonica 3x 0.50 gm., Causticum 3x 0.50 ml., Cina 3x 0.50 ml., Ferrum metallicum 3x 0.25 gm., Kali bromatum 3x 0.25 gm., Kreosotum 3x 0.25 ml., Pulsatilla nigricans 3x 0.50 ml., Sepia 3x 0.50 ml., Silicea 3x 0.50 gm., In Aqua Destillata.

Dosage: Take 8 to 10 Drops in half cup of water daily 3 times. Or as directed by the Physician.



Remedies Used: Indication Areas

Belladonna: Restless sleep in nervous, excitable children who wet the bed. Involuntary passing of urine in sleep during night.
Acidum benzoicum: Strong smelling urine of low specific gravity. Bed wetting several times during sleep.
Calcarea carbonica: Enuresis in children who are plump, eat dirt and other indigestible things.
Causticum: Involuntary spurting of urine on sneezing and coughing. Involuntary urination in children and aged at night during the first sleep.
Cina: Enuresis due the presence of worms in children. The child scratches the tip of the nose often.
Ferrum metallicum: Involuntary urination worse daytime. Tickling in the urethra extending to the bladder.
Kali bromatum: Bedwetting with diminished sensitivity of the urethra.
Pulsatilla nigricans: For girls who wet the bed during the day as well as the night. Poor sleepers and in patients who eat too much.
Sepia: Enuresis in first part of the sleep with very offensive urine.
Silicea: Nocturnal enuresis in children with worms.

A84 LIPOMA



Indications: A Lipoma is a slow-growing, fatty lump that's most often situated between the skin and the underlying muscle layer. Lipoma Drops help in removing or reducing lipoma size, Prevents formation of new lipomas, Relieves pain and neurological discomfort associated with some forms of lipoma.

Composition: Each 5ml. contains: Baryta carbonica 3x 0.50 gm., Calcarea arsenicosa 3x 0.50 gm., Calcarea carbonica 3x 0.50 gm., Calcarea fluorica 3x 0.50 gm., Lapis albus 3x 0.50 ml., Radium bromide 3x 0.50 gm., Spigelia 3x 0.50 ml., Silicea 3x 0.50 gm., Thuja occidentalis 3x 0.75 ml., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.

Remedies Used: Indication Areas

Baryta carbonica: Fatty tumors or lipomas especially around the neck.
Calcarea arsenicosa: Lipomas especially in fat women around climacteric.
Calcarea carbonica: Formation of lipomas in obese people (fair, fat and flabby)
Calcarea fluorica: Swellings and indurated enlargements having their seat in the fasciae.
Lapis albus: A specific for lipomas.
Radium bromide: A good remedy for tumors such as lipomas.
Spigelia: A good remedy for indurated tumors such as lipomas.
Silicea: Removes lipomas.
Thuja occidentalis: It cures many spongy tumors.

A85 EOSINOPHILIA



Indications: Abnormal accumulation of Eosinophils in the blood or any tissue. Symptoms includes Skin allergy, Cough, Frequent cold attack, Throat irritation, Bone pain or tenderness, Joint contractures and Muscle weakness.

Composition: Each 5ml. contains: Aconitum napelles 3x 0.500 ml., Allium Cepa 3x 0.500 ml., Antimonium tartaricum 3x 0.250 gm., Arsenicum album 3x 0.500ml., Bryonia alba 3x 0.500 ml., Calcarea carbonica 3x 0.250 gm., Drosera rotundifolia 3x 0.500 ml., Hepar sulphuris calcareum 3x 0.250 gm., Veratrum viride 3x 0.250ml., Kali carbonicum 3x 0.250 gm., Mercurius solibilis 3x 0.125gm., Sambucus nigra 3x 0.125ml., Ipecacuanha 3x 0.500 ml., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.

Remedies Used: Indication Areas

Aconitum napelles: Eosinophilia with mental anxiety, restlessness, fear and thirst.
Allium Cepa: Eosinophilia with marked respiratory symptoms. Coryza with acrid, nasal discharge. Antimonium tartaricum: Rattling of mucus with little expectoration is a guiding symptom.
Arsenicum album: Eosinophilia associated with fever, respiratory ailments.
Bryonia alba: Eosinophilia with fevers and respiratory symptoms.
Calcarea carbonica: Suited to scrofulous constitutions with increased mucoid secretions.
Drosera rotundifolia: Mostly for pulmonary eosinophilia with its typical respiratory symptoms.
Hepar sulphuris calcareum: Suits especially the scrofulous and lymphatic constitutions.
Veratrum viride: Eosinophilia with pulmonary congestions with difficulty in breathing.
Kali carbonicum: Pulmonary eosinophilia. Dry hard cough, with stitching pains and dryness of the pharynx. Mercurius solibilis: Lymphatic system is affected with affections of all organs.
Sambucus nigra: Eosinophilia with respiratory symptoms. Loose choking cough.
Ipecacuanha: Eosinophilia with constant nausea and thirstlessness.

A86 PROTEINURIA



Indications: Excessive protein in urine drops (Proteinuria), Nephrotic syndrome, Hypoalbuminemia (blood contains less albumin) and Edema (body swelling). Glomerular inflammation, with Hematuria and impaired kidney function. Scanty urine.

Composition: Each 5ml. contains: Aconitum napelles 3x 0.25 ml., Apis mellifica 3x 0.25 ml., Apocynum cannabinum 3x 0.50 ml., Convallaria majalis 3x 0.50 ml., Arsenicum album 3x 0.25 ml., Cuprum arsenicosum 3x 0.25 gm., Digitalis purpurea 3x 0.50 ml., Glonoinum 3x 0.25 ml., Terebinthina oleum 3x 0.50 ml., Helonias dioica 3x 0.50 ml., Belladonna 3x 0.50 ml., Mercurius corrosivus 3x 0.50 gm., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.

Remedies Used: Indication Areas

Aconitum napelles: Pain in loins, scanty urine with albuminuria.

Apis mellifica: Chronic Bright's disease. Dull pain in the kidneys, scanty urine and frequent micturition. Albuminuria.

Apocynum cannabinum: Palliative in dropsical conditions where urine is scanty and albuminuria.

Convallaria majalis: Nephritis from heart disorders. Protein in urine.

Arsenicum album: Useful in all stages of Bright's disease. Dropsy, pale skin, waxen appearance, watery diarrhea and great thirst. The urine is dark, casts are abundant and it contains much albumen.

Cuprum arsenicosum: Useful in uraemic conditions.

Digitalis purpurea: An irritant action on the kidneys. Scanty, dark, turbid urine.

Glonoinum: Albuminous urine.

Terebinthinae oleum: Early stages of renal diseases. Urine is bloody and albuminous.

Helonias dioica: Protein in urine.

Belladonna: Albuminuria with inflammation of kidneys with piercing, burning pains in the lumbar region.

Mercurius corrosivus: Albuminous, scanty and red urine.

A87 CREATININE & BLOOD UREA



Indications: Retention of nitrogenous waste products in the body due to renal dysfunction resulting in high creatinine and urea levels. Metabolic disturbances, such as acidification of the blood and elevated potassium levels & changes in body fluid balance.

Composition: Each 5ml. contains: Arsenicum album 3x 0.50 ml., Apis mellifica 3x 0.50 ml., Chimaphila umbellate 3x 0.50 ml., Clematis erecta 3x 0.25 ml., Equisetum hyemale 3x 0.50 ml., Lycopodium clavatum 3x 0.50 ml., Sarsaparilla 3x 0.25 ml., Sepia 3x 0.25 ml., Staphysagria 3x 0.25 ml., Ferrum metallicum 3x 0.25 gm., Calcarea phosphoric 3x 0.25 gm., Serum anguillae 6x 0.25 ml., Solidago virgaurea 3x 0.25 ml., Cortisone 3x 0.25 gm., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.

Remedies Used: Indication Areas

Arsenicum album: Prevents rise in creatinine and blood urea levels in patients of chronic kidney failure.

Apis mellifica: Remedy for kidney disorders. Reduces creatinine and blood urea levels.

Chimaphila umbellate: Prevents increase in creatinine and urea levels in patients.

Clematis erecta: Improves urine output and decreases creatinine and urea levels.

Equisetum hyemale: Feeling of fullness in the bladder even after urinating.

Lycopodium clavatum: A painful urge to pass urine but has to strain to make the urine flow.

Sarsaparilla: Helps in improving kidney function.

Sepia: Kidney failure in worn out and irritable patients.

Staphysagria: Kidney affections in women after recurrent UTIs.

Ferrum metallicum: Takes care of iron deficiency associated with kidney disease.

Calcarea phosphorica: Maintains the equilibrium of calcium and phosphorus in the body.

Serum anguillae: It improves the glomerular filtration rate, reduces creatinine and blood urea levels.

Solidago virgaurea: Effective remedy for kidney malfunction.

Cortisone: Improves functioning of kidneys.

A88 ARTERIOSCLEROSIS

Indications: Disorders in cardiovascular system and the many arteries and vessels which make it up, Hardening of the arteries, Coronary artery diseases, Cerebrovascular diseases and Peripheral arterial diseases.

Composition: Each 5ml. contains: Arnica montana 3x 0.75 ml., Baryta muriatica 3x 0.50 gm., Plumbum metallicum 3x 0.50 gm., Aurum muriaticum 3x 0.50 gm., Ergotinum 3x 0.50 ml., Adrenalinum 3x 0.50 gm., Crataegus oxyacantha 3x 0.50 ml., Strophanthus hispidus 3x 0.50 ml., Natrum iodatum 3x 0.50 gm., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.



Remedies Used: Indication Areas


Arnica montana: Has profound effect on venous system.
Baryta muriatica: Arteriosclerosis of the lung, modifies arterial tension.
Plumbum metallicum: Wiry, cramp like constriction in peripheral arteries.
Aurum muriaticum: Arteriosclerosis with special affinity to arteries of the head.
Ergotinum: Degeneration of arterial walls and spasmodic contractions of the muscles.
Adrenalinum: It contracts arteries.
Crataegus oxyacantha: Hardness of the arteries. It has a solvent power upon the crustaceous and calcareous deposits in the arteries.
Strophanthus hispidus: senile arteriosclerosis.
Natrum iodatum: Arteriosclerosis when the pulse is softer.

A89 CHOLESTEROL

Benefits: Maintains healthy levels of LDL Cholesterol and HDL Cholesterol, supports the cardiovascular system. Helps maintain balanced Cholesterol in veins and arteries, supports the body's ability to deal with harmful free radicals and supports healthy functioning of the liver.

Composition: Each 5ml. contains:Cardus marianus 3x 0.50 ml., Curcuma longa 3x 0.50 ml., Berberis vulgaris 3x 0.50 ml., Cholesterinum 3x 0.50 gm., Nux vomica 3x 0.50 ml., Chelidonium majus 3x 0.50 ml., Arsenicum album 3x 0.25 ml., Fel tauri 3x 0.25 gm., Crataegus oxyacantha 3x 0.50 ml., Phosphorus 3x 0.25 ml., Veratrum album 3x 0.25 ml., Thiosinamine 3x 0.25 gm., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.



Remedies Used: Indication Areas

Cardus marianus: Dissolves cholesterol.
Curcuma longa: Causes significant decrease in triglycerides and phospholipids.
Berberis vulgaris: Has an action on the venous system.
Cholesterinum: It has a solvent power in dissolving cholesterol.
Nux vomica: Removes liver toxicity
Chelidonium majus: Fatty liver degeneration.
Arsenicum album: Dissolves fat.
Fel tauri: Emulsifies fat.
Crataegus oxyacantha: It has a solvent power upon crustaceous and calcareous deposits in the arteries and thus reduces the thickening of arteries and reduces cholesterol.
Phosphorus: Removes cholesterol deposits.
Veratrum album: Treats hypercholesterolaemia.
Thiosinamine: Treats the condition and symptoms related to abnormal cholesterol levels.

A90 OVARIAN CYSTS

Indications: Cyst formations on the ovaries, ovarian tumours, polycystic ovarian syndrome, Dull, aching or sudden, sharp pain in lower abdomen, Irregular menstrual periods, Pain during intercourse or bowel movements.

Composition: Each 5ml. contains: Apis mellifica 3x 0.50 ml., Arsenicum album 3x 0.50 ml., Iodium 3x 0.50 ml., Lillium tigrum 3x 0.50 ml., Conium maculatum 3x 0.50 ml., Lac caninum 6C 0.50 ml., Hepar sulphuris calcareum 3x 0.25 gm., Belladonna 3x 0.50 ml., Palladium 3x 0.50 gm., Calcarea carbonica 3x 0.50 gm., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.



Remedies Used: Indication Areas

Apis mellifica: An important remedy for ovarian affections. Congestion in the right ovary causes soreness in the inguinal region with burning and stinging pain; swelling. If there is numbness down the thighs. Inflammation of the ovaries in childhood. Suppression of menses due to ovarian cysts or tumors.

Arsenicum album: Burning, tensive pains in the ovaries, especially right. Ovaritis relieved by hot applications.

Iodium: Atrophy of ovaries. Ovaritis. Wedge like pains in the right ovarian region.

Lillium tigrum: Pain in lower abdomen with ovarian cyst.

Conium maculatum: Ovarian cysts in unmarried women.

Lac caninum: Pain during menstruation.

Hepar sulphuris calcareum: A good remedy for ovarian cysts.

Belladonna: Acute ovaritis. Throbbing pains appear and disappear suddenly and appear again. Bearing down sensation. Pain is worse on the right side.

Palladium: A good ovarian remedy. Pain and swelling in the right ovary. Cutting pain in the uterus, relieved after stool.


Calcarea carbonica: Polypi of ovaries. Cutting pain in the ovarian region during menstruation. Menses too early, long lasting with vertigo.

A91 UTERINE FIBROIDS

Indications: Fibroids present with abnormal uterine bleeding, Pelvic pressure, Menorrhagia, or Menometrorrhagia, Compression of the ureter leading to renal compromise, Hard mass in the lower abdomen accompanied by gastrointestinal symptoms, such as constipation.

Composition: Each 5ml. contains: Hydrastis canadensis Q 0.50 ml., Secale cornutum 3x 0.50 ml., Lapis albus 3x 0.50 gm., Conium maculatum 3x 0.50 ml., Iodium 3x 0.50 ml., Calcarea iodate 3x 0.50 gm., Silicea 3x 0.50 ml., Calcarea arsenicosa 3x 0.25 gm., Acidum aceticum 3x 0.50 ml., Lachesis 6x 0.50 ml., In Aqua Destillata

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician



Remedies Used: Indication Areas

Hydrastis canadensis: Uterine fibroids are dissolved with Hydrastis.

Secale cornutum: Uterine haemorrhage with uterine fibroids.

Lapis albus: Haemorrhage from uterus due to fibroids. Patient is debilitated.

Conium maculatum: Firm or hard fibroma in old maids or women who have been deprived of sexual pleasure.

Iodium: Enlargement of uterus due to fibroids.

Calcarea iodate: It is a specific remedy for dissolving uterine fibroids.

Silicea: Promotes expulsion of fibroids

Calcarea arsenicosa: Uterine fibroids in women with menstrual irregularities.

Acidum aceticum: Pain abdomen with uterine fibroids.

Lachesis: Pain in lower abdomen. Pain is more before menses but decreases after the flow.

A92 CHRONIC KIDNEY DISEASES (C.K.D.)

Indications: Gradual loss of kidney function, Damaged nephrons, High levels of Creatinine, Falling glomerular filtration rate, Decreased functioning capability of the kidneys resulting in dangerous levels of uremic poisons and waste accumulation in the body

Composition: Each 5ml. contains: Aconitum napellus 3x 0.50 ml., Apis mellifica 3x 0.50 ml., Apocynum cannabinum 3x 0.50 ml., Belladonna 3x 0.50 ml., Cantharis 3x 0.50 ml., Convallaria majalis 3x 0.25 ml., Digitalis purpurea3x 0.50 ml., Glonoinum 3x 0.50 ml., Arsenicum album 3x 0.25 ml., Terebinthinae oleum 3x 0.50 ml., Kali bromatum 3x 0.25 gm., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.



Remedies Used: Indication Areas

Aconitum napelles: Nephritis. Pain in loins, scanty urine with albuminuria.

Apis mellifica: Burning in urine. Rash on skin. Puffiness and paleness of face. Pain in the head, back and limbs. Urine contains casts.

Apocynum cannabinum: Palliative in dropsical conditions where the urine is scanty.

Belladonna: Inflammation of the kidneys with piercing burning pains in the lumbar region, returning periodically with increased severity.

Cantharis: Inflammation of the kidneys. Urine is passed in drops with burning. Acute pain in the lumbar region. Urine may or may not be bloody.

Convallaria majalis: Nephritis from heart disorders. It affords relief when there is extreme rapid and irregular action of the heart and in general anasarca.

Digitalis purpurea: Has an irritant action on the kidneys. Heart symptoms, feeble pulse, and scanty, dark, turbid urine.

Glonoinum: Acute and haemorrhagic nephritis.

Arsenic album: Urine scanty, burning, involuntary. Uremia; Albuminuria; Diabetes; Dysuria.

Terebinthinae oleum: Inflammation of the kidneys; kidney functions impaired, stranguary, with bloody urine. Urine scanty, suppressed, odor of violets, constant tenesmus.


Kali bromatum: Pain in right frontal protuberance ; in hemorrhoids ; in region of kidneys, extending in direction of descending colon ; in left ovary.

A93 ALCOHOLISM

Indications: Alcoholism is a chronic, often progressive disease involving preoccupation with alcohol and impaired control over alcohol intake. Alcoholism involves physical dependence on the drug alcohol.

Composition: Each 5ml. contains: Nux vomica 3x 1.00 ml., Hyoscyamus niger 3x 1.00 ml., Cannabis indica 3x 0.25 ml., Stramonium 3x 0.25 ml., Calcarea carbonica 3x 0.50 gm., Acidum sulphuricum 3x 0.50 ml., Agaricus muscarius 3x 0.75 ml., Lachesis 6x 0.50 ml., In Aqua Destillata.

Dosage: Take 50 Drops in half cup of water daily 4 times for 4 days. After 4 days, take 30 Drops, 3 times a day. Or as directed by the Physician.



Remedies Used: Indication Areas

Nux vomica: It cures restlessness and giddiness after heavy drinking. It also cures vomiting after drinking.

Hyoscyamus niger: Delirium tremens – inflammatory; rush of blood towards head.

Cannabis indica: For patients who drink in excess and have many fears in mind.

Stramonium: Mental depression and tremors.

Calcarea carbonica: Symptoms due to alcoholism.

Acidum sulphuricum: Used for debility arising from alcoholic drinks. There is intense craving for alcoholic stimulants. Useful for gastric affections like heartburn, sour eructation in alcoholics.

Agaricus muscarius: Useful medicine for delirium of alcoholics. Delirium of alcoholic patient characterized by singing, shouting.

Lachesis: Remedy for delirium tremens with much trembling and confusion in alcoholics. Useful for liver and abdominal complaints of alcoholics.

ALFA PLUS
STAY HEALTHY



Indications: Excellent multivalent family tablets for general improvement and stamina. Gives power to endure prolonged physical exertion without feeling fatigued. Prevents from falling ill frequently.

Composition: Each Tablet of 240 mg. contains: Alfalfa Q 24 mg., In Lactose Base.

Dosage: Take 2 Tablets before meals, daily 3 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Alfalfa: From its action on sympathetic, alfalfa favourably influences nutrition, tones up the appetite and digestion, resulting in greatly improved mental and physical vigour and gain in strength.

GINSENG
FOR ENERGY



Indications: Gently stimulates and strengthens the central nervous system in cases of fatigue, physical exertion, weakness from disease and injury and prolonged emotional stress.


Composition: Each Tablet of 240 mg. contains: Ginseng Q 24 mg., In Lactose Base.

Dosage: Take 1 Tablet before meals, daily 3 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Ginseng: It gently stimulates and strengthens the central nervous system in cases of fatigue, physical exertion, weakness from disease and injury, and prolonged emotional stress.

LAXOCID™
EFFECTIVE RELIEF FROM CONSTIPATION



Indications: Regulates bowel habits. Relieves constipation and associated complaints of bloated sensation, flatulence, abdominal pain and straining during defecation.

Composition: Croton tiglium 1x 80mg., Alumina 2x 80mg., Senna 1x 40mg., Argentum nitricum 2x 20mg., Magnesia carbonica 2x 20mg., In Lactose Base.

Dosage: Take 2-3 Tablets before bed time. Or as directed by the Physician.

Does not contain the banned and dangerous "Phenolphthalein" substance

Remedies Used: Indication Areas

Croton Tiglium (Jamalkota): Very helpful in chronic constipation and indigestion related problems.

Alumina: Treats constipation due to insufficient secretion of mucus in the stomach.

Senna: Relieves constipation with gas.

Argentum nitricum: Treats constipation caused by the overuse of laxatives.

Magnesia Carbonica : Effectively works as a purgative medicine.

LEUCOCURE

FOR LEUCORRHOEA



Indications: All Menstrual Disorders, Leucorrhoea (whitish or yellowish discharge from the vagina), Mental Colic, Pruritus Vulvae (itching of the vulva) and Habitual Abortion.

Composition: Each Tablet of 240 mg. contains: Janosia ashoka Q 2.2 mg., Abroma augusta Q 2.2 mg., Aletris farinosa Q 2.2 mg., Caulophyllum thalictroides Q 2.2 mg., Fraxinus americana Q 2.2 mg., Hydrastis canadensis Q 2.2 mg., Pulsatilla nigricans Q 2.2 mg., Viburnum opulus Q 2.2 mg., Nux vomica Q 2.2 mg., Helonias dioica Q 2.2 mg., Magnesium phosphoricum 3x 2.0 mg., In Lactose Base.

Dosage: Take 2 Tablets before meals, daily 3 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Janosia ashoka: Excellent remedy for leucorrhoea, amenorrhoea, metrorrhagia, menorrhagia and uterine colic.

Abroma augusta: Leucorrhoea in diabetic ladies. Thick, whitish discharge. Dysmenorrhea.

Aletris farinose: Anaemic, debilitated females who suffer from prolapses, leucorrhoea, rectal distress.

Caulophyllum thalictroides: Leucorrhoea profuse and acrid in little girls. Leucorrhoea preventing pregnancy.

Fraxinus americana: Leucorrhoea with enlargement of the uterus. Fibrous growths.

Hydrastis canadensis: Pruritus vulvae and profuse leucorrhoea.

Pulsatilla nigricans: Leucorrhoea milky thick like cream, acrid, with pain in back and exhaustion.

Viburnum opulus: Heaviness of both sacral and pubic regions, with pains going on from the sacrum around the loins across to the pubic bones and down the thighs.

Helonias dioica: Haemorrhages with prolapse of uterus. Foul leucorrhoea, with pruritus vulvae.

Nux vomica: Leucorrhoea with sensation as if the bowels wanted to move.

Magnesium phosphoricum: Leucorrhoea with colicky pain in the abdomen.

ORTHOTONE

FOR ARTHRITIS



Indications: Rheumatic pains, Joint pains, Muscle sprains, Spondyloarthritis and Chronic Myalgia.

Composition: Each Tablet of 240 mg. contains: Berberis vulgaris 2x 5 mg., Rhus toxicodendron Q 5 mg., Bryonia alba 2x 5 mg., Hypericum perforatum 2x 5 mg., Calcarea phosphoricum 3x 4 mg., In Lactose Base.

Dosage: Take 2 Tablets before meals, daily 3 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Berberis vulgaris: Pain in joints with urinary disturbances. Wandering, radiating pains.


Rhus toxicodendron: Attacks of pain become worse during winter, rain and dampness. Restlessness, pain and stiffness are worse while at rest. Backache.

Bryonia alba: Joints are swollen, hot and red. Pains are tearing and worse by rubbing.

Hypericum perforatum: Darting pain in the shoulders with pressure along ulnar side of the arm. Lancinating pain in the upper and lower limbs. Joints feel bruised. Hysterical joints.

Calcarea phosphoricum: Arthritic nodosities. Arthritis of the neck and shoulders with weakness and softness of bones.

Osteofit
FOR OSTEOPOROSIS



Indications: Osteoporosis (decreased bone strength increases the risk of a broken bone), Reduced bone mineral density leading to aches, pains and fractures - fracture of the hip, spine & wrists. Constant pain in neck or lower back in women post menopause and debility.

Composition: Each Tablet of 240 mg. contains: Calcarea carbonica 3x 5 mg., Calcarea fluorica 3x 5 mg., Calcarea phosphorica3x 5 mg., Silicea 3x 2 mg., Phosphorous 3x 2 mg., Symphytum officinale 3x 5 mg., In Lactose Base.

Dosage: Take 2 Tablets before meals, daily 3 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Calcarea carbonica: Caries of vertebrae. Rheumatism on account of defective bone growths.

Calcarea fluorica: Necrosis of bones. Exostosis and arthritic nodosities. Hip-joint disease.

Calcarea phosphorica: It is a remedy for weak bones which are easily breakable. They do not serve the purpose of supporting parts. It creates new bone marrow.

Silicea: Complaints due to defective assimilation. It cures necrosis of bones.

Phosphorous: Periosteum painful and swollen, ulcers affecting bones. Cures necrosis and caries of lower jaw, vertebra and tibia.

Symphytum officinale: Arthralgia especially of the knee. Caries of vertebrae. For injuries to bones, cartilages; periosteum; with excessive pain. Deficient callus formation.

PHYTOLACCA BERRY
FAT REDUCER



Indications: An ideal fat and weight reducer.

Composition: Each Tablet of 240 mg. contains: Phytolacca berry Q 24 mg., In Lactose Base.

Dosage: Take 2 Tablets before meals, daily 3 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Phytolacca berry: Phytolacca berry is useful for obese people who want to reduce their weight. This natural remedy helps in burning of the extra fat from the body and thus reducing weight. Phytolacca berry induces proper metabolism of the food and aids in effective digestion of food.

TONSILLIN
FOR TONSILS



Indications: Acute and Chronic affections of the Tonsils and Adenoids, Pharyngitis, Sinusitis and Diphtheria.

Composition: Each Tablet of 240 mg. contains: Belladonna Q 3 mg., Baryta carbonica 3x 3 mg., Calcarea carbonica 3x 3 mg., Hepar sulphur calcareum3x 3 mg., Mercurius iodatus ruber 3x 3 mg., Calcarea iodata 3x 3 mg., Silicea 3x 3 mg., Kali sulphuricum 3x 3 mg., In Lactose Base.

Dosage: Take 2 Tablets before meals, daily 3 times. Or as directed by the Physician.

Remedies Used: Indication Areas

Belladonna: Enlarged tonsils with redness. Burning, dryness and a sense of constriction in the throat.

Baryta carbonica: Scrofulous children, who are physically dwarfish and do not grow and develop normally. Tonsils always swollen. Catarrh of posterior nares. Takes cold easily. Suppurating tonsils from every cold. Smarting pain, when swallowing. Can swallow only liquids. Stinging pain in the tonsils.

Calcarea carbonica: Swelling of tonsils with stitches on swallowing. Takes cold at every change of weather. Fat, fair, flabby patients who become easily fatigued and tired on walking, much sweating, slow in movement.

Hepar sulphur calcareum: In chilly patients, it helps in preventing the tendency to sore throat and throbbing pain in the throat. Sensation of a plug or a splinter in the throat while swallowing. Patient perspires though feeling chilly.

Mercurius iodatus ruber: It is an excellent general remedy for tonsillitis, when there is inflammation and pain in the tonsils, worse right tonsil.

Calcarea iodata: Enlarged tonsils are filled with crypts.

Silicea: When the abscess has broken and refuses to heal.

Kali sulphuricum: Applicable to later stages of boils.

WORMICID

FOR WORMS

Indications: Gastrointestinal irritation, Itching of nose, Expels Ascaris Lumbricoides, Thread Worms, Tape Worms, Pin Worms and Hook Worms.

Composition: Each Tablet of 240 mg. contains: Santoninum 3x 3 mg., Chenopodium anthelminticum Q 3 mg., Filix mas Q 3 mg., Cina Q 3 mg., Teucrium marum virum Q 3 mg., Atista indica Q 3 mg. , Sabadilla Q 3 mg. , Spigelia Q 3 mg., In Lactose Base.

Dosage: Take 2 Tablets before meals, daily 3 times. Or as directed by the Physician.



Remedies Used: Indication Areas

Santoninum: It is of unquestioned value in the treatment of worms. Itching in the nose, restless sleep and twitching of muscles indicate this remedy in the treatment of thread worms and round worms.

Chenopodium anthelminticum: A remedy for expulsion of hook worms and round worms.

Filix mas: A remedy for worm symptoms especially with constipation. Expels tape worms.

Cina: It is a remedy for round, thread and tape worms. The patient usually rubs the nose and is restless. Grinding of teeth during sleep is a guiding symptom.

Teucrium marum virum: It is specific for the treatment of ascarides, pin worms and round worms in the intestines. Tingling and tickling in the nose is an important symptom in children.

Atista indica: Symptoms due to worms with desire for lime juice which ameliorates.

Sabadilla: Crawling, itching at anus. Alternating with tickling in nose or ears.

Spigelia: Worm affections, cardiac symptoms of helminthiasis. Itching of the anus, colic at umbilical region, borborygmus, dilated pupils, offensive or foetid odour of mouth, strabismus, palpitations, and navel is most painful part.

WART PLUS

FOR WARTS

Benefits: Effectively and permanently treats all kinds of Warts (Common Warts, Plantar Warts, Flat Warts, Filiform Warts, Periungual Warts) & Corns.

Composition: Each Tablet of 240 mg. contains: Acidum nitricum Q 5 mg., Antimonium crudum 3x 5 mg., Thuja occidentalis Q 5 mg., Causticum 3x 5 mg., Dulcamara Q 4 mg., In Lactose Base.

Dosage: Take 2 Tablets before meals, daily 3 times. Or as directed by the Physician.



Remedies Used: Indication Areas

Acidum nitricum: Cauliflower like warts on lips or anywhere. Hard with cracks, sometimes emitting a fetid fluid. Warts on genitals. Warts bleed on washing.

Antimonium crudum: Warts on soles, palms and neck.

Thuja occidentalis: Warts on the anus, thumb, sides of the fingers and left index finger. Warts in crops, sometimes oozing moisture or blood. Warts on the genitals and anal surface.

Causticum: Warts on finger tips and right index finger, on the face, eyelids and nose. Burning and bleeding easily. Maybe situated all over the body.

Dulcamara: Warts fleshy, large, smooth on face or back of hands and fingers.

Derma Plus

SPECIALLY FORMULATED CREAM FOR SKIN INFECTIONS



Benefits: Derma Plus is a specially formulated skin cream for treatment of all types of Fungal Infections, Ring Worms, Eczema, Psoriasis, Neuro Dermatitis, Intertrigo and Urticaria.

Composition: Each 5 gms. contains: Chrysarobinum 1x 0.050 gm., Apis mellifica 3x 0.050 ml., Berberis aquifolium Q 0.075 ml., Echinacea angustifolia Q 0.075 ml., Graphites Q 0.050 gm., Hydrocotyle asiatica Q 0.050 ml., Sulphur Q 0.050 gm., Urtica urens Q 0.100 ml., In Cream Base.

Directions for use: Wash and Clean the affected area. Gently apply the cream and allow it to dry. Use 2 to 3 times a day.

Remedies Used: Indication Areas

Chrysarobinum: Vesicular or squamous skin lesions, associated with foul smelling discharge and crust formation, tending to become confluent and to give the appearance of a single crust covering the entire area.

Apis mellifica: Skin - Boils. Suppressed exanthemata. Herpes zoster. Eczema, urticaria, carbuncles with burning, stinging pains. Urticaria with burning pains. Eczema with marked swelling.

Berberis aquifolium: Waxy, yellowish white skin, blotches and pimples on face. It clears the complexion. Skin pimply, dry, rough, scaly. Eruptions on scalp, extending to face and neck.

Echinacea angustifolia: It acts as a good external application in many skin affections such as eczema, boils etc.

Graphites: Affects the folds skin, at flexures, muco-cutaneous junctions, behind the ears. Fissures, where skin and mucus membrane joins. Thickening and induration of skin. Thick Crusts and scales, oozing honey like, thick, yellow, sticky fluid, sometimes offensive.

Hydrocotyle asiatica: Great thickening of the epidermoid layer and exfoliation of scales.

Sulphur: Any type of eruption: moist, burning and itching. Skin dry, scaly, unhealthy, every little injury suppurates.

Urtica urens: Urticaria and itching disappears while lying down and reappears immediately after rising.

DeWarts

Warts & Corns Removal Cream



Benefits: DeWarts Cream effectively and permanently treats all kinds of Warts (Common warts, Plantar warts, Flat warts, Filiform Warts, Periungual Warts) & Corns.

Composition: Aloe socotrina Q 0.050gms., Antimonium crudum Q 0.025 gms., Belladonna Q 0.050 gms., Collinsonia canadensis Q 0.025 gms., Dulcamara Q 0.050gms., Graphites Q 0.025 gms., Ruta graveolens Q 0.100gms., Sarsaparilla 3x 0.025 gms., Sulphur Q 0.050gms., Thuja occidentalis Q 0.100gms., In Cream Base.

Directions for use: Wash and Clean the affected area. Gently apply the cream. Do not apply on healthy skin. Use 2 to 3 times a day.

Remedies Used: Indication Areas

Aloe socotrina: Removes warts.

Antimonium crudum: Warts on soles, palms and neck.

Belladonna: Helps get rid of warts.

Collinsonia canadensis: An excellent remedy for Warts.

Dulcamara: Warts fleshy, large, smooth on face or back of hands and fingers.

Graphites: Thick, hard, dry, rough skin. Thickening and induration of skin

Ruta graveolens: A remedy for warts.

Sarsaparilla: Emaciated, shrivelled, lies in folds, blotchy, boils, eczema.

Sulphur: A good external application for warts.

Thuja occidentalis: Warts on the anus, thumb, sides of the fingers and left index finger. Warts on the genitals and anal surface.

H.A.P. (Hamamelis-Aesculus-Paeonia)
Haemorrhoid Relief Cream



Benefits: H.A.P. Cream provides calm and soothing relief from Burning and Itching Pain, Swelling and discomfort associated with haemorrhoids and protect irritated tissue.

Composition: Each 5 gms. contains: Aesculus hippocastanum Q 0.100 ml.,Aloe socotrina Q 0.025 ml., Calendula officinalis Q 0.025 ml., Collinsonia canadensis Q 0.025 ml., Echinacea angustifolia Q 0.075 ml., Hamamelis virginiana Q 0.100 ml., Paeonia officinalis Q 0.025 ml., Ratanhia Q 0.025 ml., Thuja occidentalis Q 0.100 ml., In Cream Base.

Directions for use: Apply on affected area as needed, especially at night or after each bowel movement.

Remedies Used: Indication Areas

Aesculus hippocastanum: An excellent remedy for haemorrhoids. Rectum feels full of small sticks. Burning in anus with chills up and down the back. Haemorrhoids - blind or bleeding. Stool followed by fullness of rectum and intense pain in anus for hours. Constipation - hard, dry, knotty, white stools. Constant throbbing behind symphysis pubis.

Aloe socotrina: Piles like a bunch of grapes.

Collinsonia canadensis: Congestions; pelvic; reflex from or combined with haemorrhoids, especially cardiac. Swelled feeling. It produces congestion in pelvic organs especially anus, rectum and uterus; resulting in haemorrhoids, constipation especially in females with dysmenorrhoea.

Echinacea angustifolia: A known external applicant for various problems, helps relieve haemorrhoids too.

Hamamelis virginiana: Haemorrhoids with soreness of the affected parts. Haemorrhoids bleeding profusely with soreness of anus. Pulsation in rectum.

Paeonia officinalis: Excruciating pain at anus; continues long after stools; Haemorrhoids, fissures, ulceration of anus and perineum, purple, covered with crusts. Pain during and after stool, oozing of moisture.

Ratanhia: Fissure of anus with great constriction, burning in anus. Sensation in rectum as if full of broken glass, knife-like stitches. Hard stools with great efforts, protrusion of haemorrhoids. Burning after soft stool. Discharge of blood from rectum with or without stool.

Thuja occidentalis: Good remedy externally for piles.

Crack Care Cream



Benefits: Crack Care Cream effectively helps heal, repair, moisturise and sooth cracked heels. It provides comfort by reducing roughness and by sealing moisture onto the cracked skin.

Composition: Each 5 gms. contains: Graphites 1x 0.20 mg., Calcarea fluorica 1x 0.10 mg., Sulphur 1x 0.20 mg., In Cream Base.

Directions for use: Wash and clean the affected area. Apply Crack Care and spread gently. Allow it to dry. Apply 2-3 times a day.

Remedies Used: Indication Areas

Graphites: Affects the folds skin, at flexures, muco-cutaneous junctions, behind the ears. fissures and cracks, where skin and mucus membrane joins. Thickening and induration of skin.

Calcarea fluorica: Skin - Cracked, dry, hard, of alabaster whiteness

Sulphur: Any type of eruption: moist, burning and itching.

Fair Touch™

Advanced Fairness & Complexion Cream



Rediscover your youthful glow!

Benefits: Fair Touch is a specially formulated cream to make your skin soft, glowing and younger looking. It is especially recommended for Acne, Pimples, Blackheads, Dark Spots, Scars and Dark Circles. Also, acts as Revitaliser and Moisturiser.

Composition: Each 5 gms. contains: Berberis aquifolium Q 0.20 mg., Thuja occidentalis Q 0.20 mg., Oleum santali Q 0.10 mg., In Cream Base.

Directions for use: Wash and clean the skin. Apply Fair Touch on you face & neck and gently massage with upward strokes. Use twice daily.

Remedies Used: Indication Areas

Berberis aquifolium: Waxy, yellowish white skin, blotches and pimples on face. It clears the complexion. Skin pimply, dry, rough, scaly. Eruptions on scalp, extending to face and neck.

Thuja occidentalis: Helps to produce softer, warmer, moister skin.

Oleum Santali: Helps to keep dry and rough skin, moist.

.

Allen Malt™

Benefits: Stimulates nutrition, appetite & digestion, improves physical & mental vigour, helps in case of malnutrition, under nourishment & under-weight. Also useful during pregnancy and for lactation. An ideal energy malt for the whole family.



Composition: Each 5ml. contains: Alfalfa Q 0.075 ml., Avena sativa Q 0.075 ml., Hydrastis candensis Q 0.025 ml., Cinchona officinalis Q 0.050 ml., Withania somnifera Q 0.025 ml., Kali phosphoricum 3x 0.050 mg., Kali arsenicum 3x 0.050 mg., Ferrum aceticum 3x 0.050 mg., Calcarea phosphorica 3x 0.050 mg., Natrum phosphoricum x 0.050 mg., In Malt extract base.

Dosage: **Growing Children:** 2 teaspoonful daily 3 times; **Adults:** 1 teaspoonful daily 3 times; **Pregnant and Lactating Women:** 2 teaspoonful daily 3 times. Or as directed by the Physician.

Packing: 300gms, 500gms.

Remedies Used: Indication Areas

Alfalfa: From its action on sympathetic, alfalfa favourably influences nutrition, tones up the appetite and digestion, resulting in greatly improved mental and physical vigour and gain in strength.

Avena sativa: Has a selective action on brain and nervous system, favourably influencing their nutritive function. Nervous exhaustion.

Hydrastis canadensis: Indicated for great debility in old people who are easily tired. It improves muscular power.

Cinchona officinalis: China is indicated in weakness and debility especially after loss of vital fluids and exhausting discharges.

Withania somnifera: Fortifies the body considerably, reinforces muscular mass, strengthens tissues, muscles and bones, and reduces feelings of tiredness in chronic fatigue.

Kali phosphoricum: Conditions arising from want of nerve power. Nervous, sensitive, weak and easily fagged.

Kali arsenicum: Much pain and tenderness in back and limbs.

Ferrum aceticum: It's a good pain reliever.

Calcarea phosphorica: Anaemia or debility after acute disease, or chronic wasting disease. Mental and physical weakness and fatigue.

Natrum phosphoricum: Aching rheumatic pains.

RELAX painkiller oil

Benefits: An excellent pain killer oil for various muscular disorders or neuralgic pains, Backache, Headache, Lumbago, Osteoarthritis, Spondylosis, Gout, Sprain of limbs with swelling and redness, Rheumatism.

Composition: Each 5ml. contains: Arnica montana Oil 0.18 ml., Rhus toxicodendron Oil 0.08 ml., Ruta graveolens Oil 0.08 ml., Gaultheria procumbens Oil 0.08 ml., Guaiacum Oil 0.08 ml., Base q.s.

Directions for use: Apply sufficient quantity on affected parts and gently massage.

Packing: 30ml, 60ml.



Remedies Used: Indication Areas

Arnica montana Oil: An excellent remedy to be considered for external application in many kinds of pain, especially sprains and strains with sore, lame and bruised feeling.

Rhus toxicodendron Oil: Pains - as if sprained, as if a muscle or tendon was torn from it's attachment, as if bones were scraped with a knife, affected part sore to touch.

Ruta graveolens Oil: This remedy has a special affinity for fibrous tissue, flexor tendors, joints, ankles, wrists, cartilage, periosteum, uterus and skin.

Gaultheria procumbens Oil: Inflammatory Rheumatism. Pleurodynia, sciatica and neurlgias.

Guaiacum Oil: Chief action on fibrous tissue and especially adapted to the arthritic diathesis, rheumatism and tonsillitis. Contraction of limbs, stiffness and immobility.

RELAX
PAIN KILLER BALM

Benefits: An excellent pain balm for various muscular disorders or neuralgic pains, Backache, Headache, Lumbago, Osteoarthritis, Spondylosis, Gout, Sprain of limbs with swelling and redness, Rheumatism.

Composition: Each 5 gms. contains: Mentha piperita 1x 0.200 gm., Camphora 1x 0.125 mg., Thymolum 1x 0.050 mg., Eucalyptus globulus Oil 0.050 mg., Arnica montana Oil 0.025 mg., Rhus toxicodendron Oil 0.025 mg., Gaultheria procumbens Oil 0.025 mg., Petroleum Jelly & Paraffin qs.

Directions for use: Apply sufficient quantity on affected parts and gently massage.

Packing: 15gms.



Remedies Used: Indication Areas

Mentha piperita: Headaches, nerve pain, toothaches, inflammation of the joints, and general body aches and muscle pain are all relieved by the use of Peppermint. The main ingredient in Peppermint, Menthol, creates a cooling sensation when applied to the skin. As a result it can temporarily reduce minor levels of pain associated with athletic injuries, overuse or muscle pain.

Camphor: A good pain remedy. Pains felt as cold and painful.

Thymolum: Tired, aching throughout lumbar region.

Eucalyptus globulus Oil: The volatile eucalyptus oil is analgesic and anti-inflammatory in nature. Therefore it is often recommended to patients suffering from rheumatism, lumbago, sprained ligaments and tendons, stiff muscles, aches, fibrosis and even nerve pain.

Arnica montana Oil: An excellent remedy to be considered for external application in many kinds of pain, especially sprains and strains with sore, lame and bruised feeling.

Rhus toxicodendron Oil: Pains - as if sprained, as if a muscle or tendon was torn from it's attachment, as if bones were scraped with a knife, affected part sore to touch.

Gaultheria procumbens Oil: Inflammatory Rheumatism. Pleurodynia, sciatica and neurlgias.

SNORID™

EFFECTIVE RELIEF FROM SNORING



Composition: Each 5ml. contains: Arsenicum album 3x 0.025 ml., Belladonna 3x 0.500 ml., Bryonia alba 3x 0.500 ml., Camphora 3x 0.500 ml., Cistus canadensis 3x 0.025 ml., Drosera rotundifolia 3x 0.025 ml., Echinacea angustifolia 3x 0.500 ml., Ephedra vulgaris 3x 0.500 ml., Hepar sulphuris calcareum3x 0.025 gm., Histaminum hydrochloricum 3x 0.500 gm., Hydrastis canadensis 3x 0.025 ml., Ignatia amara 3x 0.500 ml., Teucrium marum virum 3x 0.025 ml., In Aqua Destillata.,


Directions for use: Take 10 to 15 Drops in 10 ml of water one hour before bedtime, and then again at bedtime. Increase or decrease dosage depending on the severity. Or as directed by the Physician.

Course: Use daily for 3 months for effective results.

Packing: 30ml.

OTOVIN

EAR DROPS



Indications: Ear infections.,

Composition: Calendula, Mullein Oil and Glycerine.

Dosage: External use only. Instill one or two drops into the affected ear twice daily.

Packing: 15ml.

Remedies Used: Indication Areas

Arsenicum album: Relief from wheezing breathing; Suffocation during sleep and Nose Blockage.

Belladonna: Inflammatory swelling and redness of the external and internal nose; enlarged Tonsils.

Bryonia alba: Excellent Remedy for swelling of the nose with obstruction; Tough mucous in larynx.

Camphor: Prevents Snoring; Constriction in larynx; Nose stoppage.

Cistus canadensis: Treats swollen Throat Glands and Suppuration.

Drosera rotundifolia: Used in cases of constant dryness of nose and Snoring during sleep.

Echinacea: Remedy for stuffiness of nostrils with mucus in nares (sinuses) and pharynx.

Ephedra vulgaris: Vital Remedy for nasal congestions.

Hepar sulphuris calcareum: Inflammation, redness, swelling of nose; Rattling breathing during sleep.

Histaminum hydrochloricum: Feeling of pressure, of constriction in throat; Nose blocked on one or both sides.


Hydrastis canadensis: Key Remedy for thick mucous from posterior sinuses.

Ignatia amara: Remedy for loud snoring, respirations; Choking, spasms of glottis; Throat disorders.

Teucrium marum verum: In cases of nasal mucous polyps; dull and lazy sleep; Obstruction of nose.

Xcite Dum!™

POWERFUL NERVINE TONIC FOR MEN



Benefits: Powerful nervine tonic for men.

Composition: Each 5 ml. contains: Acidum phosphoricum 3x 0.025 ml., Agnus castus Q 0.025 ml., Caladium seguinum Q 0.025 ml., Withania somnifera Q 0.025 ml., Ginseng Q 0.025 ml., Onosmodium virginianum Q 0.050 ml., Damiana Q 0.025 ml., Yohimbinum Q 0.050 ml., Selenium 3x 0.100 mg., Nuphar lutea Q 0.050 ml., Tribulus terrestris Q 0.100 ml., Alcohol 48% v/v.,

Dosage: Take 10-15 Drops diluted with half cup of water twice a day. Or as directed by the Physician.

Packing: 30ml.

Remedies Used: Indication Areas

Acidum phosphoricum: Frequent, profuse, debilitating, nightly emissions with lascivious dreams. Impotency, early ejaculation, often after excess.

Agnus castus: Sexual vitality is lowered, with corresponding mental depression and loss of nervous energy. Sexual melancholy. Impotence.

Caladium seguinum: Impotency with mental depression, relaxed penis with sexual desire and excitement. No erection even after caress, no emission, no orgasm during an embrace.

Withania somnifera: It enhances sexual potency.

Ginseng: Sexual weakness and rheumatic pains in hips, groins and back after frequent emissions. Weakness of genital organs.

Onosmodium virginianum: Psychical impotence. Sexual desire completely lost. Sexual neurasthenia.

Damiana: A very good remedy for impotency.

Selenium: Impotency due to dribbling and wastage of semen during sleep. Increased desire and decreased ability. Semen thin and colourless. On attempting coition, penis relaxes.

Nuphar lutea: Complete absence of sexual desire. Impotency.

Yohimbinum: An excellent remedy for impotency. Excites sexual organs.

Tribulus terrestris: Debilitated states of sexual organs especially seminal weakness, ready emissions and impoverished semen.

Allen arnica GOLD

ANTI-HAIR FALL CARE



Benefits: Arnica Gold is remarkably effective for preventing hair fall. It stimulates and strengthens hair follicles thereby reducing hair loss, while enhancing new hair growth. It provides a better blood circulation at the level of the scalp which strengthens hair roots and follicles grow stronger and thicker. Arnica Gold is also a very good treatment for dandruff, dry hair, split ends and premature greying.

Composition: For each 5 ml. contains: Arnica montana Oil 0.200 ml., Emblica officinalis (Amla) Oil 0.100 ml., Jaborandi Oil 0.100 ml., Cantharis Oil 0.050 ml., Cinchona officinalis Oil 0.025 ml., Oleum santali Oil 0.025 ml., In Light Liquid Paraffin Base.

Directions for use: Apply 5ml. in the night, gently massage into scalp and rinse in the morning. Use 2 to 3 times a week.

Packing: 110ml, 450ml.

Remedies Used: Indication Areas

Arnica montana Oil: Usage of arnica extract rejuvenates your scalp and stimulates the hair follicles, helping to strengthen your hair and preventing it from falling prematurely.

Emblica officinalis (Amla) Oil: Regular use of amla strengthens the hair follicles, stimulates hair growth, keeps dandruff away, straightens your hair, prevents split ends and nourishes your hair. It also prevents premature greying of hair and stops hair loss.

Jaborandi Oil: Best suitable for dandruff, itching of the scalp and eczema of the head.

Cantharis Oil: Encourages the growth of hair in alopecia circumscripta.

Cinchona officinalis Oil: Promotes hair growth.

Oleum Santali: Strengthens hair.

Allen Jaborandi GOLD ANTI-DANDRUFF CARE



Benefits: Jaborandi Gold is best suitable for people suffering from dandruff, itching of the scalp and eczema of head. It provides essential nutrients to the scalp thereby keeping the scalp moist and getting rid of dandruff and itching. Jaborandi Gold also provides strength to the roots of hair, prevents hair fall and premature greying.

Composition: For each 100 ml. contains: Each 5 ml. contains: Jaborandi Oil 0.150ml., Bacopa monnieri (Brahmi) Oil 0.100ml., Arnica montana Oil 0.150ml., Cantharis Oil 0.100ml., In Light Liquid Paraffin Base.

Directions for use: Apply 5ml. in the night, gently massage into scalp and rinse in the morning. Use 2 to 3 times a week.

Packing: 110ml, 450ml.

Remedies Used: Indication Areas

Jaborandi Oil: Best suitable for dandruff, itching of the scalp and eczema of the head.

Bacopa monnieri (Brahmi) Oil: Has an ability to thicken the strands while strengthening the roots.

Arnica montana Oil: Usage of arnica extract rejuvenates your scalp and stimulates the hair follicles, helping to strengthen your hair and preventing it from falling prematurely.

Cantharis Oil: Encourages the growth of hair in alopecia circumscripta.

SOAPS

Fair Touch® glycerin
Luxury Beauty Soap



Benefits: Improves skin radiance, complexion and moisturises the skin giving young looking glow and fairness. Has excellent anti-ageing properties. Follow it up with Fair Touch Cream (Advanced fairness and complexion Cream).

Active Ingredients: Sandalwood Powder, Berberis Q, Saffron Oil & Almond Oil

Packing: 75Gms.

Fair Touch® glycerin
Complete Skincare Soap



Benefits: An effective anti-bacterial moisturising soap with built in Vitamin A & E for allergies and acute skin conditions. Keeps skin soft, clean and healthy. Follow it up with Fair Touch Cream (Advanced fairness and complexion Cream).

Active Ingredients: Calendula officinalis Q, Neem Oil & Olive Oil.

Packing: 75Gms.

OMEGA-3, OMEGA-6, OMEGA-9

Essential Fatty Acids

Lusit-369™

(Linum Usitatissimum Seed Oil)
500 mg Capsules



Rich in Essential Fatty Acids (Omega-3, Omega-6 and Omega-9), Linum Usitatissimum seed oil has earned a solid reputation for treating a range of ailments, from heart disease to cancer. This seed oil is recommended as a dietary supplement source of omega 3 fatty acids by the American Heart Association, the American Dietetic Association and the National Cancer Institute.

Lusit-369 Capsules contain this therapeutic Linum Usitatissimum seed oil imported from France and is derived by pressing plant seeds.

The essential fatty acids in Lusit-369 Capsules are its key healing components. The body does not naturally produce these essential fatty acids, so it is necessary to receive them via diet. Lusit-369 Capsules supplement the body with these important fatty acids, which are vital for maintaining body temperature, building nerve insulation, protecting tissues and producing energy. Lusit-369 Capsules provide approximately fifty percent more Omega-3 than the amount available from fish oil.

LUSIT-369 Capsules help to:

- Lower cholesterol and blood triglycerides, protect against heart disease and control high blood pressure.
- Counter inflammation associated with gout, lupus and fibrocystic breasts.
- Control constipation, hemorrhoids, diverticular disorders and gall stones.
- Treat acne, eczema, psoriasis, sunburn and rosacea.
- Minimise nerve damage that causes numbness and tingling as well as other disorders.
- Reduce cancer risk and guard against the effects of ageing.
- Treat menopausal symptoms, menstrual cramps, female infertility and endometriosis.
- Fight prostate problems, male infertility and impotence.
- Promote healthy hair and nails.

Contraindications: There are no known contraindications with the use of Lusit-369 Capsules.

Dosage: Three Capsules a day. One Capsule with each meal. Or as directed by the Physician.

Caution: Not recommended during pregnancy and breast feeding. Not recommended for children below 12 years. Do not take more than recommended dosage.

Packing: Five strips of Ten Lusit-369 (500mg) Capsules in one box. (Total 50 Capsules).





BUY ONLINE

www.allenhomoeopathy.com



You can also follow us on:
www.facebook.com/allenhomoeopathy



M/s. ALLEN HOMOEO & HERBAL PRODUCTS LTD.
Unit-II, Survey No. 1356, Nandigaon (V), Kothur (M)
Mahaboobnagar Dist. 509223. Telangana, India.
Phone: 08548 - 240615 / 616 / 617 | Fax: 08548 - 240618
email: info@allenhomoeopathy | www.allenhomoeopathy.com